

WERA066 Publications, 2008

- Bregitzer, P., D. W. Mornhinweg, D. E. Obert, and J. Windes. 2008. Registration of 'RWA 1758' Russian wheat aphid-resistant spring barley. *J Plant Reg.* 2(1): 5-9.
- Burd, J. D. 2007. Insect and mite injury to small grains, In: *Handbook of Small Grain Insects*, G. D. Buntin, K. S. Pike, M. J. Weiss, and J. A. Webster eds., APS Press, St. Paul, MN.
- Burd, J. D. and G. J. Puterka. 2007. New strategies for deployment of plant resistance in cereals. *Proc. XVI International Plant Protection Congress*, Glasgow, Scotland.
- Burd, J. D., D. R. Porter, G. J. Puterka, S. D. Haley, and F. B. Peairs. 2006. Biotypic variation among North American Russian wheat aphid (Homoptera: Aphididae) Populations. *J. Econ. Entomol.* 99: 1862-1866.
- Chen, Y., K. S. Pike, M. H. Greenstone, and K. A. Shufran. 2006. Molecular markers for identification of the hyperparasitoids *Dendrocerus carpenteri* and *Alloxysta xanthopsis* in *Lysiphlebus testaceipes* parasitizing cereal aphids. *BioControl* 51: 183-194
- Cho K., N. L. Torres, S. Subramanyam, S. A. Deepak, N, Sardesai, O. Han, C. E. Williams, H. Ishii, A. Kubo, H. Iwahashi, G. K. Agrawal, and R. Rakwal. 2006. Protein extraction / solubilization protocol for monocot and dicot plant gel-based proteomics. *J. Plant Biology* 49: 413-420.
- Diaz-Montano, J., J. C. Reese, J. Louis, L. R. Campbell, and W. T. Schapaugh. 2007. Feeding behavior by the soybean aphid (Hemiptera: Aphididae) on resistant and susceptible soybean genotypes. *J. Econ. Entomol.* 100: 984-989.
- Diaz-Montano, J., J.C. Reese, W. T. Schapaugh, and L. R. Campbell. 2007. Chlorophyll loss caused by soybean aphid (Hemiptera: Aphididae) feeding on soybean. *J. Econ. Entomol.* 100: 1657-1662.
- Dogramaci, M., Z. B. Mayo, R. Wright, and J. Reese. Categories of resistance, antibiosis and tolerance to biotype I greenbug (*Schizaphis graminum* (Rondani) Homoptera: Aphididae) in four sorghum (*Sorghum bicolor* (L.) Moench. Poales: Gramineae) hybrids. *J. Kansas Entomol. Soc.* 80: 183-191.
- Elliott, N. C., M. Mirik, Z. Yang, T. Dvorak, M. Rao, J. Michels, C. Walker, V. Catana, M. Phoofoolo, K. Giles, and T. Royer. 2007. Airborne multi-spectral remote sensing of Russian wheat aphid injury to wheat. *Southwestern Entomologist* 32: 213-219.
- Franzen, L. D., A. R. Gutsche, T. M. Heng-Moss, L. G. Higley, G. Sarath, and J. D. Burd. 2007. Physiological and biochemical responses of resistant and susceptible wheat to injury by Russian wheat aphid. *J. Econ. Entomol.* 100: 1692-1703.
- Giovanini, M. P., D. P. Puthoff, J. A. Nemacheck, O. Mittapalli, K. D. Saltzmann, H. W. Ohm, R. H. Shukle, and C. E. Williams. 2006. Gene-for-gene defense of wheat against the Hessian

- fly lacks a classical oxidative burst. Mol. Plant Microbe Interact. 19: 1023-1033.
- Giovanini, M. P., K. D. Saltzmann, D. P. Puthoff, M. Gonzalo, H. W. Ohm, and C. E. Williams. 2007. A novel wheat gene encoding a putative chitin-binding lectin is associated with resistance against Hessian fly. Mol. Plant Path. 8: 69-82.
- Haley, S. D., J. J. Johnson, F. B. Peairs, J. S. Quick, J. A. Stromberger, S. R. Clayshulte, J. D. Butler, J. B. Rudolph, B. W. Seabourn, G. Bai, Y. Jin, and J. Kolmer. 2007. Registration of 'Ripper' wheat. J. Plant Reg. 1: 1-6.
- Hesler, L. S., S. D. Haley, K. K. Nkongolo and F. B. Peairs. 2007. Resistance to Rhopalosiphum padi (Homoptera: Aphididae) in triticale and triticale-derived wheat lines with resistance to Diuraphis noxia (Homoptera: Aphididae). J. Entomol. Sci. 42 (2): 217-227.
- Huang, Y. 2006. Evaluating sorghum germplasm for resistance to greenbug (*Schizaphis graminum*) biotype I. International Sorghum and Millets Newsletter. 47: 72-74.
- Huang, Y. 2007. Phloem feeding regulates the plant defense pathways responding to both aphid infestation and pathogen infection. In: Xu et al. (eds) Biotechnology and sustainable agriculture 2006 and beyond. Springer, New York, pp. 215-219.
- Hunt G. J., G. V. Amdam, D. Schlipalius, C. Emore, N. Sardesai, C. E. Williams, O. Rueppell, E. Guzmán-Novoa, M. Arechavaleta-Velasco, S. Chandra, M. K. Fondrk, M. Beye, and R. E. Page, Jr. 2007. Behavioral genomics of honeybee foraging and nest defense. Naturwissenschaften. 94: 247-267.
- Jones, D. B., K. L. Giles, N. C. Elliott, and M. E. Payton. 2007. Parasitism of greenbug, *Schizaphis graminum*, by the parasitoid *Lysiphlebus testaceipes*, at winter temperatures. Environmental Entomology 36: 1-8.
- Keenan, S. P., K. L. Giles, N. C. Elliott, T. A. Royer, D. R. Porter, P. A. Burgener, and D. A. Christian. 2007. Grower perspectives on areawide wheat integrated pest management in the southern US Great Plains. In: Ecologically Based Pest Management, O. Koul and G. Cuperus (eds.). CABI International, Wallingford, UK.
- Keenan, S. P., K. L. Giles, P. A. Burgener, D. A. Christian, and N. C. Elliott. 2007. Collaborating with wheat producers in demonstrating areawide integrated pest management. Journal of Extension. 45: 1FEA7.
- Liu, X., J. Bai, L. Huang, L. Zhu, X. Liu, N. Weng, J. C. Reese, M. Harris, J. J. Stuart, and M. S. Chen. 2007. Gene expression of different wheat genotypes during attack by virulent and avirulent Hessian fly (*Mayetiola destructor*) larvae. J. Chem. Ecol. 33: 2171-2194.
- Maddur, A. A., X. Liu, Y. C. Zhu, J. P. Fellers, B. Oppert, Y. Park, J. Bai, G. E. Wilde, and M. S. Chen. 2006. Cloning and characterization of protease inhibitor-like cDNAs from the Hessian fly *Mayetiola destructor* (Say). Insect Mol. Biol. 15: 485-496.
- Michels, G. J. and J. D. Burd. 2007. IPM Case Studies: Sorghum, In: Aphids as Crop Pests,

H. F. van Emden & R. Harrington eds. CAB Internat., London.

Michels, G. J., M. H. Greenstone, B. W. French, N. C. Elliott, and J. D. Lattin. 2007. Beneficial Organisms. p. 93-100. In G.D. Buntin, K. S. Pike, M. J. Weiss, and J. A. Webster (eds.) Handbook of Small Grains Insects. Entomological Society of America, Lanham, MD.

Mirik, M., G. J. Michels, S. Kassymzhanova-Mirik, and N.C. Elliott. 2007. Reflectance characteristics of Russian wheat aphid (Hemiptera: Aphididae) stress and abundance in winter wheat. Computers and Electronics in Agriculture. 57: 123–134.

Mittapalli, O., R. H. Shukle, N. Sardesai, M. P. Giovanini, and C. E. Williams. 2006. Expression patterns of antibacterial genes in the Hessian fly. J. Insect Physiol. 52: 1143-1152.

Mornhinweg, D. W., P. P. Bregitzer, and D. R. Porter. 2007. Registration of nineteen spring six-rowed barley germplasm lines resistant to Russian wheat aphid. J. Plant Reg. 1(2): 137-138.

Mornhinweg, D. W., P. P. Bregitzer, and D. R. Porter. 2007. Registration of seventeen spring two-rowed barley germplasm lines resistant to Russian wheat aphid. J Plant Reg. 1(2): 135-136.

Mutti, N., J. Louis, L. K. Pappan, K. Pappan, K. Begum, M. S. Chen, Y. Park, N. Dittmer, J. Marshall, J. C. Reese, and G. R. Reeck. 2008. A novel protein from the salivary glands of the pea aphid, *Acyrthosiphon pisum*, is essential in feeding on host plants. PNAS. (In Press).

Omprakash, M. and R. H. Shukle. 2008. Molecular characterization and responsive expression of a defender against apoptotic cell death homologue from the Hessian fly, *Mayetiola destructor*. Comparative Biochemistry and Physiology Part B, 149; 517-523.

Peairs, F. B. 2007. Russian wheat aphid. P. 42-43 in, Buntin, G. D., K. S. Pike, M. J. Weiss, and J. A. Webster, eds. Handbook of Small Grain Insects. Entomological Society of America, Lanham, MD.

Peairs, F. B., J. B. Rudolph, and T. L. Randolph. 2007. 2006 Colorado field crop insect management research and demonstration trials. Colorado State Univ. Agric. Exp. Sta. Tech. Rep. TR07-07, 26 pp.

Pegadaraju, B., J. Louis, V. Singh, J. C. Reese, J. Bautor, B. J. Feys, G. Cook, J. E. Parker, and J. Shah. 2007. Phloem-based resistance to green peach aphid is controlled by *Arabidopsis PHYTOALEXIN DEFICIENT4* without its signaling partner. Plant J. 52: 332-341.

Peng, J., H. Wang, S. D. Haley, F. B. Peairs, and N. L. V. Lapitan. 2007. Molecular mapping of the Russian wheat aphid resistance gene Dn2414 in wheat. Crop Sci. 47: 2418 - 2429.

Phoofolo, M. W., K. L. Giles, N. C. Elliott. 2007. Quantitative evaluation of suitability of the greenbug, *Schizaphis graminum*, and the bird cherry-oat aphid, *Rhopalosiphum padi*, as prey for *Hippodamia convergens* (Coleoptera: Coccinellidae). Biological Control. 41: 25-32.

Porter, D. R., J. D. Burd, and D. W. Mornhinweg. 2007. Differentiating greenbug resistance

- genes in barley. *Euphytica* 153: 11-14.
- Puterka, G. J., J. D. Burd, D. Porter, K. Shufran, C. Baker, B. Bowling, and C. Patrick. 2007. Distribution and Diversity of Russian Wheat Aphid (Hemiptera: Aphididae) in North America. *J. Econ. Entomol.* 100: 1679-1684.
- Randolph, T. L., F. B. Peairs, S. Merrill, M. Koch, and C. B. Walker. 2007. Yield response to Russian wheat aphid (Homoptera: Aphididae) in mixtures of resistant and susceptible winter wheats. *Southwest. Entomol.* 32: 7-15.
- Saker, M., S. Adawy, and C. M. Smith. 2007. Entomological and genetic variation of cultivated barley (*Hordeum vulgare*) from Egypt. *GAPP Arch. Phytopathol. Plant Protect.* 40: (In Press).
- Shufran, K. A., D. W. Mornhinweg, C. A. Baker, G. J. Puterka, and D. R. Porter. 2007. Variation to Cause Host Injury Between Russian Wheat Aphid (Homoptera: Aphididae) Clones Virulent to *Dn4* Wheat. *J. Econ. Entomol.* 100: 1685-1691
- Shufran, K. A., L. R. Kirkman, and G. J. Puterka. 2007. Absence of Mitochondrial DNA Sequence Variation in Russian Wheat Aphid (Hemiptera: Aphididae) Populations Consistent with a Single Introduction into the United States. *J. Kans. Entomol. Soc.* 80: 319-326
- Shukle, R. H., M. Yoshiyama, P. K. Morton, A. J. Johnson, and B. J. Schemerhorn. 2008. Tissue and developmental expression of a gene from Hessian fly encoding an ABC-active-transporter protein: Implications for Malpighian tubule function during interactions with wheat. *Journal of Insect Physiology*, 54(1); 146-154.
- Smith, C. M. and E. V. Boyko. 2007. Mini Review: The molecular bases of plant resistance and defense responses to aphid feeding: current status. *Entomol. Exp. Appl.* 122: 1–16.
- Subramanyam, S, N. Sardesai, D. P. Puthoff, J. M. Meyer, M. Gonzalo, and C. E. Williams. 2006. Expression of two wheat defense-response genes, *Hfr-1* and *Wci-1*, under biotic and abiotic stresses. *Plant Sci.* 170: 90-103.
- Weng, Y., P. Azhaguvel, G. J. Michels, and J. C. Rudd. 2007. Cross-species transferability of EST- and genomic-derived microsatellite markers from six aphids and their use for study of biotypic diversity in the greenbug and Russian wheat aphid (Homoptera: Aphidinae). *Insect Molecular Biology* 16: 613-622.
- Weng Y., P. Azhaguvel, R. N. Devkota, and J. C. Rudd. 2007. PCR-based markers for detection of different sources of 1AL.1RS and 1BL.1RS wheat-rye translocations in wheat genetic background. *Plant Breeding* 126: 482-486
- Zhao, H. X., X. M. Liu, and M. S. Chen. 2006. H22, a major resistance gene to the Hessian fly (*Mayetiola destructor*), is mapped to the distal region of wheat chromosome 1DS. *Theor. Appl. Genet.* 113: 1491-1496.
- Zhu, L., X. Liu, R. Jeannotte, J. C. Reese, M. Harris, J. J. Stuart, and M. S. Chen. 2008. Hessian

fly (*Mayetiola destructor*) attack causes dramatic shift in carbon/nitrogen metabolism in wheat. *Molec. Plant-Microbe Interactions.* 21: 70-78.