

## PUBLICATIONS ISSUED AND MANUSCRIPTS APPROVED - 2014

- Asadi, G., Ghorbani, R., Cristofaro, C., Chetverikov, P., Petanović, R., Vidović, B. and Schaffner, U. 2014. The impact of the flower mite *Aceria acroptiloni* on the invasive plant Russian knapweed, *Rhaponticum repens*, in its native range. *BioControl* 59(3), 367–375.
- Asimwe, P., S. E. Naranjo & P. C. Ellsworth. 2014. Effects of irrigation regime on interactions between *Lygus hesperus*, insecticides and predators in cotton. *Environ. Entomol.* 43:263-273.
- Augé M., Le Bourgeois T., Liégeois M., & RFH Sforza 2014. Cows and insects helping out to control the weediness of leafy spurge in France. pp173-180. Proceedings of the XIV International Symposium on Biological Control of Weeds, pp 159-166.
- Benelli, G. Daane, K. M., Canale, A., Niu, C.Y., Messing, R. H., Vargas, R. I. 2014. Sexual communication and related behaviours in Tephritidae – current knowledge and potential applications for Integrated Pest Management. *Journal of Pest Science* 87:385-405. DOI 10.1007/s10340-014-0577-3
- Benelli, G. G., C. Stefanini, G. Giunti, S. Geri, R. H. Messing & A. Canale. 2014. Associative learning for danger avoidance nullifies innate positive chemotaxis to host olfactory stimuli in a parasitic wasp. *Naturewissenschaften* 101: 753–757.
- Benelli, G. G., G. Giunti, A. Canale & R. H. Messing. 2014. Lek dynamics and cues evoking mating behavior in tephritid flies infesting soft fruits: implications for behavior-based control tools. *Applied Entomology and Zoology*, 49: 363-373.
- Benelli, G. G., N. G. Kavallieratos, E. Donati, M. Mencattelli, G. Bonsignori, C. Stefanini, A. Canale & R. H. Messing. 2014. May the wild male loose? Male wing fanning performance and mating success in wild and mass-reared strains of the aphid parasitoid *Aphidius colemani* Viereck. *BioControl* 59:487–500.
- Benelli, G. G., R. H. Messing, G. Giunti, N. G. Kavallieratos & A. Canale. 2014. Cues triggering mating and host-seeking behaviour in the aphid parasitoid *Aphidius colemani* (Hymenoptera, Braconidae): implications for biological control. *Journal of Economic Entomology* 107(6): 2005-2022.
- Berner, D.K., Lagopodi, A.L., Kashefi J., Mukhina Z., Kolomiets T., Pankratova L., Kassanelly D., Cavin C., Smallwood E. 2014. Field assessment, in Greece and Russia, of the facultative saprophytic fungus, *Colletotrichum salsolae*, for biological control of Russian thistle (*Salsola tragus*). *Biological Control*. 76: 114-123.
- Brown, L., A. Mostafa, T. Vandervoet, A. Fournier, P. Ellsworth & S. Naranjo. 2014. Minute bug with enormous impacts on insect pests. *Field Crop IPM Shorts*, Cooperative Extension, University of Arizona, Tucson.

- Brown, L.M., P.C. Ellsworth, G.R. Hughes, S. Bundy, P. Porter, V.M. Barlow, S.E. Naranjo, D. Kerns, A. Mostafa & A. Fournier. 2013. Natural enemies of the Southwest: A field guide to the arthropod natural enemies of southwestern field crops. University of Arizona, Tucson, AZ
- Chaskopoulou A., Thrasyvoulou A., Goras G., Tananaki C., Latham M. D., Kashefi J., Pereira R.M., Koehler P.G. 2014 Nontarget effects of aerial mosquito adulticiding with waterbased unsynergized pyrethroids on honey bees and other beneficial insects in an agricultural ecosystem of north Greece. *Journal of Medical Entomology*. 51(3):720-724.
- Cristofaro, M., Goolsby, J., Thomas, D., Vacek, A., Salinas, C., Perez de Leon, A., Summy, R., Racelis, A., Kirk, A., Mercadier, G., Bon, M.C., Guermache, F., De Simone, D., Di Cristina, F., Yang, C., Gaskin, J., Ciomperlik, M., Roland, T., Pepper, A., Tarin, D., Lacewell, R., Jiménez, M., Vaughn, T., Rubio, A. and Strickman, D. 2014. Biological studies and field observations in Europe of *Lasioptera donacis* a potential biological control agent of giant reed, *Arundo donax*, an invasive weed of the Rio Grande Basin of Texas and Mexico. In: Proceedings of XIV International Symposium on Biological Control of Weeds.
- Duay, J.A.M., R.H. Miller, G.C. Wall, K.S. Pike, and R.G. Foottit. 2014. *Pentalonia nigronervosa* Coquerel and *Pentalonia caladii* van der Goot (Hemiptera: Aphididae) and their relationship to banana bunchy top virus in Micronesia. *Pacific Science* 68(3), 359-364.
- Evans, E. W., N. R. Carlile, M. B. Innes, and N. Pitigala. 2014. Infestation of grain fields and degree-day phenology of the cereal leaf beetle (Coleoptera: Chrysomelidae) in Utah: long-term patterns. *Journal of Economic Entomology* 107, 240-249.
- Fleischer, S.J., W. D. Hutchison, S. E. Naranjo. 2014. Sustainable Management of Insect-Resistant Crops. pp 115-127 in *Plant Biotechnology - Experience and Future Prospects*, A. Ricroch, S. Chopra, S. Fleischer (eds.), Springer, Dordrecht-Heidelberg-London-New York.
- Gaskin, J. F., M. Schwarzländer, F. S. Grevstad, M. A. Haverhals, R. S. Bouchier, and T. W. Miller. 2014. Extreme differences in population structure and genetic diversity for three invasive congeners: knotweeds in western North America. *Biological Invasions* 16:2127-2136.
- Gassmann, A., De Clerck-Floate, R., Sing, S., Toševski, I., Mitrović, M. and Krstić, O. 2014. Biology and host specificity of *Rhinusa pilosa*, a recommended biological control agent of *Linaria vulgaris*. *BioControl* 59(4), 459-485.
- Goolsby, G, D. Thomas, A. Perez de Leon, A. Kirk, M.C. Bon, J. Kashefi, M. Cristofaro, P. Moran, Yang, J. Gaskin, P. Gowda, M. Grusak, M. Ciomperlik, T. Roland, R. Summy, A. Racelis, D. Henne, A. Pepper, R. Lacewell, E. Rister, B. M. Martínez Jiménez, M. Marcos, E. Cortés Mendoza, L. Gilbert, T. Vaughn, A. Rubio, D. Strickman. 2014. Update on biological control of giant reed (*Arundo donax*) in the Rio Grande Basin of Texas and

Mexico. Entomological Society of America – Southwestern Branch Meetings, February 23-25, 2013 Las Cruces, NM. Abstract.

- Hinz, H.L. and Alecu, D. 2014. Biology and field host range of *Ceutorhynchus cardariae*, a potential biological control agent for *Lepidium draba*. *Journal of Applied Entomology*. Published online July
- Hogg, B. N., and Daane, K. M. 2014. The roles of top and intermediate predators in herbivore suppression: contrasting results from the field and laboratory. *Ecological Entomology* 39(2): 149-158. DOI: 10.1111/een.12079
- Hogg, B. N., Wang, X.-G., Mills, N. J., and Daane, K. M. 2014. Resident spiders as predators of the recently introduced light brown apple moth, *Epiphyas postvittana*. *Entomologia Experimentalis et Applicata* 151: 65-74. DOI: 10.1111/eea.12168
- Impson, F.A.C, C.A. Kleinjan and J.H. Hoffmann (Eds). University of Cape Town, South Africa, 2014. p. 15. Oral presentation droit qui s'appliquent à tous. Colloque de la Société Entomologique de France – L'entomologie en France : son utilité publique, Paris 15-16 Mémoires de la SEF, 2014 : 111-117.
- Kajita, Y., J.J. Obrycki, J.J. Sloggett, E.W. Evans, and K.F. Haynes. 2014. Do defensive chemicals facilitate intraguild predation and influence invasion success in ladybird beetles? *Journal of Chemical Ecology* 40: 1212-1219.
- Knape, J., Daane, K. M., and de Valpine, P. 2014. Estimation of stage duration distributions and mortality under repeated cohort censuses. *Biometrics* 70: 346-355. DOI: 10.1111/biom.12138
- Konigsberg, Evelyn Rivka. 2014. Factors involved in the success and establishment of the field bindweed gall mite *Aceria malherbae* Nuzzaci. MS Thesis Montana State University. 88 pp.
- Kumar, R., J.C. Tian, S.E. Naranjo & A.M. Shelton. 2014. Effects of Bt cotton on *Thrips tabaci* (Thysanoptera: Thripidae) and its predator, *Orius insidiosus* (Hemiptera: Anthocoridae). *J. Econ. Entomol.* 107: 927-932.
- Luo, S., S E. Naranjo, K. Wu. 2014. Biological control of cotton pests in China. *Biol. Control* 68: 6-14.
- Marcari, V.; Causse, S.; Hoelmer, K.; Coutinot, D.; De Biase, A.; Bon, M. 2014. Development of microsatellite markers for *Peristenus digoneutis* (Hymenoptera: Braconidae), a key natural enemy of tarnished plant bugs. *Conservation Genetics Resources* 6(2): 421-423.
- Meissle, M, S. E. Naranjo, C. Kohl, J. Riedel & J. Romeis. 2014 Does the growing of Bt maize change populations or ecological functions of non-target animals compared to the growing

of conventional non-GM maize? A systematic review protocol. *Environ. Evidence* 3:7  
(doi:10.1186/2047-2382-3-7)

Milbrath, Lindsey R. and James R. Nechols. 2014. Plant-mediated interactions: considerations for agent selection in weed biological control programs. *Biological Control* 72: 80-90.

Miller, R.H., J.A. Duay, K.S. Pike, E. Maw, and R.G. Footitt. 2014. Review and key to the aphids (Hemiptera: Aphididae) in Micronesia. *Pacific Science*. 68(4), 479-492.

Naranjo, S.E. 2014. Effects of GM Crops on Non-target Organisms. pp 129-142 in *Plant Biotechnology - Experience and Future Prospects*, A. Ricroch, S. Chopra, S. Fleischer (eds.), Springer, Dordrecht-Heidelberg-London-New York.

Reddy, G.V.P., and R.H. Miller. 2014. Field evaluation of petroleum spray oil and carbaryl against the red spider mite (Acari: Tetranychidae) on eggplant. *Florida Entomologist* 97(1): 108-113.

Romeis, J., M. Meissle, S. E. Naranjo, Y. Li, F. Bigler. 2014. The end of a myth – Bt maize does not harm green lacewings. *Frontiers Plant Sci*. 5:391 (doi: 10.3389/fpls.2014.00391)

Silva, P. G., da, and Daane, K. M. 2014. Life history parameters of *Acrosternum hilare* (Say) (Hemiptera: Pentatomidae), a stink bug injurious to pistachios in California. *Journal of Economic Entomology* 107(1): 166-173. DOI: <http://dx.doi.org/10.1603/EC13272>

Sime, K. R., and Daane, K. M. 2014. Rapid, non-discriminatory oviposition behaviors are favored in mealybug parasitoids when Argentine ants are present. *Environmental Entomologist* 43: 995-1002. DOI: <http://dx.doi.org/10.1603/EN13192>

Stewart, T. J., Wang, X.-G., Molinar, A., and Daane, K. M. 2014. Factors limiting peach as a potential host for *Drosophila suzukii* (Diptera: Drosophilidae). *Journal of Economic Entomology* 107(5): 1771-1779. DOI: <http://dx.doi.org/10.1603/EC14197>

Su, H.H, J.C. Tian, S. E. Naranjo, J. Romeis, R.L. Hellmich & A.M. Shelton. 2014. Bt plants expressing Cry1Ac, Cry2Ab and Cry1F do not harm the assassin bug, *Zelus renardii* (Kolenati) (Hemiptera: Reduviidae). *J. Appl. Entomol.* (in press)

Suckling M. & Sforza R.F.H. 2014. What Magnitude are Non-Target Impacts from Weed Biocontrol ? *PLoS ONE*. 9(1): 1-12.

- Sun, Y., Müller-Schärer, H. and Schaffner, U. 2014. Plant neighbours rather than soil biota determine impact of an alien plant invader. *Functional Ecology* 28(6), 1545–1555. doi:10.1111/1365-2435.12295.
- Tangtrakulwanich, K., G.V.P. Reddy, S. Wu, J.H. Miller, V.L. Ophus, and J. Prewett. 2014. Efficacy of entomopathogenic fungi and nematodes, and low risk insecticides against wheat stem sawfly, *Cephus cinctus* (Hymenoptera: Cephidae). *Journal of Agricultural Sciences* 6:1–
- Tauber, C. A. 2014. Apochrysinæ (Neuroptera: Chrysopidae): new larval description and subfamilial comparisons. *Zootaxa* 3835 (2): 198-208.
- Tauber, C. A. 2014. Nothochrysinæ (Neuroptera: Chrysopidae): new larval description and generic synonymy, with a consideration of generic relationships. *Psyche* 2014 (839261): 1-10.
- Tauber, C. A. and S. L. Winterton. 2014. Third instar of the myrmecophilous *Italochrysa insignis* (Walker) from Australia (Neuroptera: Chrysopidae: Belonopterygini). *Zootaxa* 3811 (1): 95-106
- Tauber, C. A., M. J. Tauber, and G. S. Albuquerque. 2014. Debris-carrying in larval Chrysopidae: Unraveling its evolutionary history. *Ann. Entomol. Soc. Am.* 107: 295-314.
- Tian, J.C., L.P. Long, X.P. Wang, S.E. Naranjo, J. Romeis, R.L. Hellmich, P. Wang & A.M. Shelton. 2014. Using resistant prey demonstrates that Bt plants producing Cry1Ac, Cry2Ab and Cry1F have no negative effects on *Geocoris punctipes* and *Orius insidiosus*. *Environ. Entomol.* 43: 242-251.
- Tian, J.C., X.P. Wang, L.P. Long, J. Romeis, S.E. Naranjo, R.L. Hellmich & A.M. Shelton. 2014. Eliminating host-mediated effects demonstrates Bt maize producing Cry1F has no adverse effects on the parasitoid *Cotesia marginiventris*. *Transgenic Res.* 23: 257-264.
- Toševski, I., Caldara, R., Jović J., Baviera, C., Hernandez-Vera, G., Gassmann, A. and Emerson, B.C. 2014. Revision of *Mecinus heydenii* species complex (Curculionidae): integrative taxonomy reveals multiple species exhibiting host specialization. *Zoologica Scripta* 43, 34–51.
- Triapitsyn, S. V., Jones, J. M., Pickett, C. H., Buffington, M. L., and Daane. K. M. 2014. Description of the male of *Psyllaephagus euphylluræ* (Masi) (Hymenoptera, Encyrtidae), a parasitoid of the olive psylla, *Euphyllura olivina* (Costa) (Hemiptera, Liviidae), with notes on its reproductive traits and hyperparasitoids. *Journal of Entomological and Acarological Research* 46:4092 DOI: <http://dx.doi.org/10.4081/jear.2014.4092>
- Vandervoet, T., P.C. Ellsworth, L. Brown & S. E. Naranjo. 2014. Making whitefly and natural enemy counts! Field Crop IPM Shorts, Cooperative Extension, University of Arizona, Tucson.
- Vandervoet, T., P.C. Ellsworth, S. E. Naranjo, L. Brown & A. Fournier. 2014. Save money the

- easy was with bio-control. Field Crop IPM Shorts, Cooperative Extension, University of Arizona, Tucson.
- Vargas, German, J.P. Michaud, James R. Nechols and Carlos Moreno. 2014. Age-specific maternal effects interact with larval food supply to modulate life history in *Coleomegilla maculata*. *Ecol. Entomol.* 39: 39-46.
- Vorsino, A., A. M Wiczorek, M. G. Wright & R. H. Messing. 2014. Genetic analysis of an introduced biological control agent reveals temporal and geographic change, with little evidence of a host mediated shift. *Biological Control* 77: 41-50.
- Wang, X.-G., and Daane, K. M. 2014. Cannibalism of parasitoid-attacked conspecifics in a non-carnivorous caterpillar. *Entomologia Experimentalis et Applicata* 151: 112-121. DOI: 10.1111/eea.12174
- Wang, X.-G., Tomajian, S., and Daane, K. M. 2014. Brood guarding of parasitoids potentially reduce cannibalism of paralyzed conspecific by a caterpillar host. *Journal of Insect Behavior*. 27(6):826-837. DOI 10.1007/s10905-014-9474-0
- Wang, X.-G., Wallis, C. M., and Daane, K. M. 2014. Tri-trophic movement of carotenoid pigments from host plant to the parasitoid of a caterpillar. *Journal of Insect Physiology*. 61: 58–65 doi.org/10.1016/j.jinsphys.2014.01.001
- Wiman, N. G., Walton, V. M., Dalton, D. T., Anfora G, Burrack, H. J., Chiu J. C., Daane, K. M., Grassi, A., Miller, B., Tochen, S., Wang, X-G, and Ioriatti, C. 2014 Integrating temperature-dependent life table data into a matrix projection model for *Drosophila suzukii* population estimation. *PLoS ONE* 9(9): e106909. doi:10.1371/journal.pone.0106909.
- Wright, M.G. 2014. Biological control of invasive insect pests. In: *Integrated Pest Management – Current concepts and ecological perspective*. Ed. Abrol, D.P. Publisher: Elsevier Academic Press. pp. 267-281.