

California:

Karban, R. and J. Takabayashi. 2019. Chewing and other cues induce grass spines that protect meristems. *Arthropod Plant Interactions* 13:541-550.

Karban, R., E. LoPresti, G. J. Vermeij, and R. Latta. 2019. Unidirectional grass hairs usher insects away from meristems. *Oecologia* 189:711-718.

Karban, R., E. LoPresti, A. Pepi, and P. Grof-Tisza. 2019. Induction of the sticky plant defense syndrome in wild tobacco. *Ecology* 100:e02746.

LoPresti, E.F., V. Pan, J. Goidell, M. Weber, and R. Karban. 2019. Mucilage-bound sand reduces seed predation by ants but not by reducing apparency: a field test of 53 plant species. *Ecology* 100:e02809

Iowa:

Andorf, C., Beavis, W.D., Hufford, M., Smith, S., Suza, W., Wang, K., Woodhouse, M., Yu, J., Lübberstedt, T. (2019) Technological advances in maize breeding: Past, present and future. *Theor. Appl. Genet.* 132: 817-849

Yang, J., Li, H., Qu, Y., Chen, Q., Tang, J., Lübberstedt, T., Liu, Z. (2019) Identification of QTL for haploid male fertility in maize (*Zea mays* L.). *Plant Breeding* 138: 259-265

Vanous, A., Blanco, M., Martin-Schwarze, A., Flint-Garcia, S., Bohn, M., Edwards, J., Lübberstedt, T., Gardner, C. (2019) Stability analysis of kernel quality traits in exotic derived maize doubled haploid lines. *The Plant Genome* 12(1):1-14

Vanous, K., Jubery, T.Z., Ganapathysubramanian, B., Lübberstedt, T. (2019) A scalable reusable framework for early discrimination of maize haploids. *The Plant Phenotype Journal* 2:1 DOI: 10.2135/tppj2018.10.0008

Kansas:

Stamm, M.J., S. Angadi, J. Damicone, S. Dooley, J. Holman, J. Johnson, J. Lofton, and D. Santra. 2019. Registration of 'Surefire' winter canola. *J Plant Registrations*. 13(3):316-319. doi:10.3198/jpr2019.02.0007crc

Damicone, J.P., D.L. Teeter, F. Cevallos, B. Johnson, J.J. Lofton, and M.J. Stamm. 2019. Reaction of the National Winter Canola Variety Trial to blackleg, 2018. *Plant Disease Management Reports*. 13:CF055. [Online.]

Michigan:

Cai, L., Quero-García, J., Barreneche, T., Dirlewanger, E., Sasaki, C., and Iezzoni, A. (2019) A fruit firmness QTL identified on linkage group 4 in sweet cherry (*Prunus avium* L.) is associated with domesticated and bred germplasm. *Scientific Reports* 9:5008. doi:10.1038/s41598-019-41484-8

Colle, M., Leisner, CP, Wai, CM, Ou, S, Bird, KA, Wang, J, Wisecaver, JH, Yocca, AE, Alger, EI, Tang, H, Xiong, Z, Callow, P, Ben-Zvi, G, Brodt, A, Baruch, K, Swale, T, Shiue, L, Song, G,

Childs, KL, Schillmiller, A, Vorssa, N, Buell, RB, VanBuren, R, Jiang, N, and Edger, PP. (2019) Haplotype-phased genome and evolution of phytonutrient pathways of tetraploid blueberry, *GigaScience*, 8(3) giz012, <https://doi.org/10.1093/gigascience/giz012>

Dramadri, IO, Nkalubo, ST, and Kelly, JD. (2019) Identification of QTL Associated with Drought Tolerance in Andean Bean. *Crop Science* 59(3): 1007-1020. doi:10.2135/cropsci2018.10.0604

Edger, PP, Poorten, TJ, VanBuren, R, Hardigan, MA, Colle, M, McKain, MR, Smith, RD, Teresi, SJ, Nelson, ADL, Wai, CM, Alger, EI, Bird, KA, Yocca, AE, Pumplin, N, Ou, S, Ben-Zvi, G, Brodt, A, Baruch, K, Swale, T, Shiue, L, Acharya, CB, Cole, GS, Mower, JP, Childs, KL, Jiang, N, Lyons, E, Freeling, M, Puzey, J, and Knapp, SF. (2019) Origin and evolution of the octoploid strawberry genome. *Nat Genet* 51, 541–547 doi:10.1038/s41588-019-0356-4

Nadakuduti SS, Buell CR, Voytas DF, Starker CG, Douches DS. Genome Editing for Crop Improvement - Applications in Clonally Propagated Polyploids With a Focus on Potato (*Solanum tuberosum* L.). *Front Plant Sci*. 2018;9:1607. Published 2018 Nov 13. doi:10.3389/fpls.2018.01607

Schmitz CCA, Coombs, ME, Clough, WS, De Jong, DS, Douches, KG, Haynes, CR, Higgins, DG, Holm, JC, Miller, FM, Navarro, RG, Novy, JP, Palta, DL, Parish, GA, Porter, VR, Sathuvalli, AL, Thompson, GC, Yench, LZ, and Endelman, JB. (2019) Genetic Covariance of Environments in the Potato National Chip Processing Trial. *Crop Sci*. 59:107-114. doi:10.2135/cropsci2018.05.0314

Zheng, Y, Wu, S, Bai, Y, Sun, H, Jiao, C, Guo, S, Zhao, K, Blanca, J, Zhang, Z, Huang, S, Xu, Y, Weng, Y, Mazourek, M, Reddy, UK, Ando, K, McCreight, JD, Schaffer, AA, Burger, J, Tadmor, Y, Katzir, N, Tang, X, Liu, Y, Giovannoni, JJ, Ling, K-S, Wechter, WP, Levi, A, Garcia-Mas, J, Grumet, R, and Fei, Z. (2019) Cucurbit Genomics Database (CuGenDB): a central portal for comparative and functional genomics of cucurbit crops, *Nucleic Acids Research* 47(D1):D1128–D1136. <https://doi.org/10.1093/nar/gky944>

Wu, S, Wang, X, Reddy, U, Sun, H, Bao, K, Gao, L, Mao, L, Patel, CO, Abburi, VL, Nimmakayala, P, Branham, S, Wechter, P, Massey, L, Ling, K-S, Kousik, C, Hammar, SA, Tadmor, Y, Portnoy, V, Gur, A, Katzir, N, Guner, N, Davis, A, Hernandez, AG, Wright, CL, McGregor, C, Jarret, R, Zhang, X, Xu, Y, Wehner, TC, Grumet, R, Levi, A, Fei, Z. (2019) Genome of Charleston Gray, the principal American watermelon cultivar, and genetic characterization of 1,365 accession in the U.S. National Plant Germplasm System watermelon collection. *Plant Biotech J* 17(12) 2246-2258. <https://doi.org/10.1111/pbi.13136>

Wang, X, Bao, K, Reddy, UK, Bai, Y, Hammar, SA, Jiao, C, Wehner, TC, Ramírez, AO, Weng, Y, Grumet, R, and Fei, Z. (2018) The USDA cucumber (*Cucumis sativus* L.) collection: genetic diversity, population structure, genome-wide association studies, and core collection development. *Hortic Res* 5, 64. doi:10.1038/s41438-018-0080-8

Missouri:

AlKhalifa, N. DA Campbell, CM Falcon, JM Gardiner, ND Miller, MC Romay, + 44 others. 2018. Maize Genomes to Fields: 2014 and 2015 field season genotype, phenotype, environment,

and inbred ear image datasets. *BMC Research Notes*. 11:452. DOI : 10.1186/s13104-018-3508-1.

Guo, T, X Yu, X Li, H Zhang, C Zhu, **S Flint-Garcia**, MD McMullen, S Szalma, JB Holland, RJ Wisser, and J Yu. 2019. Optimal designs for genomic selection in hybrid crops. *Molecular Plant*. 12: 390–401.

Mutiga, SK, N Chepkwony, O Hoekenga, **S Flint-Garcia**, RJ Nelson. 2019. The role of ear environment in post-harvest susceptibility of maize to toxigenic *Aspergillus flavus*. *Plant Breeding*. 138:38–50.

New York:

AlKhalifah, N., D.A. Campbell, C.M. Falcon, J.M. Gardiner, N.D. Miller, M.C. Romay, R. Walls, R. Walton, C-T. Yeh, M. Bohn, J. Bubert, E.S. Buckler, I. Cimapitti, S. Flint-Garcia, M.A. Gore, C. Graham, C. Hirsch, J.B. Holland, D. Hooker, S. Kaeppler, J. Knoll, N. Lauter, E.C. Lee, A. Lorenz, J.P. Lynch, S.P. Moose, S.C. Murray, R. Nelson, T. Rocheford, O. Rodriguez, J.C. Schnable, B. Scully, M. Smith, N. Springer, P. Thomison, M. Tuinstra, R.J. Wisser, W. Zu, D. Ertl, P.S. Schnable, N. De Leon, E. P. Spalding, J. Edwards, C.J. Lawrence-Dill. 2018. Maize genomes to fields: 2014 and 2015 field season genotype, phenotype, environment, and inbred ear image datasets. *BMC Research Notes*. <https://doi.org/10.1186/s13104-018-3508-1>

Baseggio, M., M. Murray, M. Magallanes-Lundbeck, N. Kaczmar, J. Chamness, E.S. Buckler, M.E. Smith, D. DellaPenna, W.F. Tracy, M.A. Gore. 2018. The genetic basis of vitamin E and provitamin A levels in fresh sweet corn kernels. Poster No. 1168. ASA/CSSA/SSSA International Annual Meeting, 4-7 November 2018, Baltimore MD. <https://scisoc.confex.com/scisoc/2018am/meetingapp.cgi/Paper/113755>

Baseggio, M., Murray, M., Magallanes-Lundback, M., Kaczmar, N., Chamness, J., Buckler, E. S., Smith, M. E., DellaPenna, D., Tracy, W. F. and Gore, M. A. 2019. Genome-wide association and genomic prediction models of tocochromanols in fresh sweet corn kernels. *The Plant Genome* 12:1-17. doi:10.3835/plantgenome2018.06.0038

Baseggio, M., Murray, M., Magallanes-Lundback, M., Kaczmar, N., Chamness, J., Buckler, E.S., Smith, M.E., DellaPenna, D., Tracy, W.F., and Gore, M.A. 2019. Natural variation for carotenoids in fresh kernels is controlled by uncommon variants in sweet corn. *The Plant Genome* doi: 10.3835/plantgenome2019.09.0095

Emmett, B.D., D.H. Buckley, M.E. Smith, and L.E. Drinkwater. 2018. Eighty years of maize breeding alters plant nitrogen acquisition but not rhizosphere bacterial community composition. *Plant Soil*. <https://doi.org/10.1007/s11104-018-3744-0>

Gage, J., D. Jarquin, M. Romay, A. Lorenz, E. Buckler, S. Kaeppler, N. Alkhalifah, M. Bohn, D. Campbell, J. Edwards, D. Ertl, S. Flint-Garcia, J. Gardiner, B. Good, C. Hirsch, J. Holland, D. Hooker, J. Knoll, J. Kolkman, G. Kruger, N. Lauter, C. Lawrence-Dill, E. Lee, J. Lynch, S. Murray, R. Nelson, J. Petzoldt, T. Rocheford, J. Schnable, P. Schnable, B. Scully, M. Smith, N.

Springer, S. Srinivasan, R. Walton, T. Wekdekidan, R. Wisser, W. Zu, J. Yu, and N. de Leon. 2017. The effect of artificial selection on phenotypic plasticity in maize. *Nature Communications* 8:1348.

Huffman, R.D., C.A. Abel, L.M. Pollak, W. Goldstein, R.C. Pratt, M.E. Smith, et al. 2017. Maize cultivar performance under diverse organic production systems. *Crop Sci.* doi:10.2135/cropsci2017.06.0364.

North Dakota:

Lan, Y., F. Zha, A. Peckrul, B. Hanson, B. Johnson, J. Rao, and B. Chen. 2019. Genotype x environment effects on yielding ability and seed chemical composition of industrial hemp (*Cannabis sativa* L.) varieties grown in North Dakota, USA. *J. Am Oil Chem. Soc.* Doi 10.1002/aocs.12291

Lorang, J.M., C.H. Hagerty, R. Lee, P.E. McClean, and T.J. Wolpert. 2018. Genetic analysis of victorin sensitivity and identification of a causal NLR gene in *Phaseolus vulgaris*. *Molecular Plant-Microbe Interactions* 30:1069-1074.

Mohammed, Y.A., H.L. Matthees, R.W. Gesch, S. Patel, F. Forcella, K. Aasand, N. Steffl, B.L. Johnson, M.S. Wells, and A.W. Lenssen. 2019. Establishing winter annual cover crops by interseeding into maize and soybean. doi: 10.2134/agronj2019.06.0415

Oladzad-Abbasabadi, A., A. Kumar, S. Pirseyedi, E. Salsman, M. Dobrydina, R.S. Poudel, W.A. AbuHammad, S. Chao, J.D. Faris and E.M. Elias. 2018. Identification and Validation of a New Source of Low Grain Cadmium Accumulation in Durum Wheat. *G3: Genes, Genomes, Genetics* vol. 8 no. 3 923-932; <https://doi.org/10.1534/g3.117.300370>

Salsman, E., Kumar, A., AbuHammad, W., Abbasabadi, A. O., Dobrydina, M., Chao, S., Li, X., Manthey, F.A., and Elias, E.M. 2018. Development and validation of molecular markers for grain cadmium in durum wheat. *Molecular Breeding*. 38:1-12.

Soltani, A., S.M. Moghaddam, A. Oladzad-Abbasabadi, K. Walter, P.J. Kearns, J. Vasquez-Guzman, S. Mamidi, R. Lee, A.L. Shade, J.L. Jacobs, M.I. Chilvers, D. Lowry, P.E. McClean, and J.M. Osorno. 2018. Genetic Analysis of Flooding Tolerance in an Andean Diversity Panel of Dry Bean (*Phaseolus vulgaris* L.). *Frontiers in Plant Science*, 9, 767. <http://doi.org/10.3389/fpls.2018.00767>.

Stenger, J., and H. Hatterman-Valenti. 2018. 'NDMutant1': A novel determinate interspecific grapevine for genetic and physiological study and breeding applications. *HortScience* 53(2):261-263.

Wrucke, D.F., S. Mamidi, and M. Rahman. 2018. Genome-wide association study for frost tolerance in rapeseed/canola (*Brassica napus* L.) under field conditions. *In J. Plant Biochem. Biotechnol.* (Springer). <https://doi.org/10.1007/s13562-018-0472-8>.

Ohio:

Ji Hee Kim and Jeung Keun Suh, Seong-Tak Yoon, Pablo Jourdan, Mark S. Roh (2018) Germination of Fully Developed Corylopsis Seeds Influenced by Harvest Date and Cold Stratification *HORTSCIENCE* 53(9):1360–1363. 2018. <https://doi.org/10.21273/HORTSCI13032-18>

Jourdan P (2019) Herbaceous Ornamentals. In: Green S, Williams K, Marek L, Kantar M, Khoury C. eds. North American Crop Wild Relatives: Conservation and Use. Volume 2: 607-643 Springer. https://doi.org/10.1007/978-3-319-97121-6_18

Oregon:

Liston, A., N. Wei, J.A. Tennessen, T.-L. Ashman. 2019. Revisiting the origin of octoploid strawberry. Nature Genetics. In press.

Liston, A., N. Wei, J.A. Tennessen, T.-L. Ashman. 2019. Revisiting the origin of the octoploid strawberry. bioRxiv 665216; doi: <https://doi.org/10.1101/665216>

South Dakota:

Li W, Zhang Q, Wang S, Langham MA, Singh D, Bowden RL, Xu SS (2018) Development and characterization of wheat-sea wheatgrass (*thinopyrum junceiforme*) amphiploids for biotic stress resistance and abiotic stress tolerance. Theor. Appl. Genet. 132:163-175. doi: 10.1007/s00122-018-3205-4

Okello, Paul Nyawanda, "Species of Fusarium Causing Root Rot of Soybean in South Dakota: Characterization, Pathogenicity, and Interaction with Heterodera Glycines" (2019). Electronic Theses and Dissertations. 3251. <https://openprairie.sdstate.edu/etd/3251>

Okello, P. N., and Mathew, F. M. 2019. Cross pathogenicity studies show South Dakota isolates of *Fusarium acuminatum*, *F. equiseti*, *F. graminearum*, *F. oxysporum*, *F. proliferatum*, *F. solani*, and *F. subglutinans* from either soybean or corn are pathogenic to both crops. Plant Health Prog. 20: 44-49.

Okello, P. N., Petrović, K., Kontz, B., and Mathew, F. M. 2019. Eight species of *Fusarium* cause root rot of corn (*Zea mays* L.) in South Dakota. Plant Health Prog. 20: 38-43.

Ghimire, K., Petrović, K., Kontz, B. J., Bradley, C. A., Chilvers, M. I., Mueller, D. S., Smith, D. L., Wise, K. A., and Mathew, F. M. 2019. Inoculation method impacts symptom development associated with *Diaporthe aspalathi*, *D. caulivora*, and *D. longicolla* on soybean (*Glycine max*). Plant Dis. 103: 677-684.

Ramakrishnan SM, Sidhu JS, Ali S, Kaur N, Wu J, Sehgal SK* (2019) Molecular characterization of bacterial leaf streak resistance in hard winter wheat. PeerJ 7:e7276 <https://doi.org/10.7717/peerj.7276>

Sidhu JS, Ramakrishnan SM, Ali S, Bernardo A, Bai G, Abdullah S, Ayana G, Sehgal SK*. (2019) Assessing the genetic diversity and characterizing genomic regions conferring Tan Spot resistance in cultivated rye. PLoS ONE 14(3): e0214519. <https://doi.org/10.1371/journal.pone.0214519>

Frerichs, Katelin E' and L Xu. 2018. Identifying and characterizing salt-tolerant alfalfa (*Medicago sativa* subsp. *falcata*) germplasm. Proc. of the South Dakota Academy of Science.97:152-162.

NCRPIS:

Brenner, DM, Bockelman, HE, Williams, KA, Greene, SL. (2019) North American Wild Relatives of Grain Crops. In: Greene S., Williams K., Khoury C., Kantar M., Marek L. (eds) North American Crop Wild Relatives, Volume 2. Springer, Cham. DOI 10.1007/978-3-319-97121-6_2

Cruz-Cárdenas, CI, Cortés-Cruz, M, Gardner, CA, Costitch, DE. (2019) Wild Relatives of Maize. In: Greene S., Williams K., Khoury C., Kantar M., Marek L. (eds) North American Crop Wild Relatives, Volume 2. Springer, Cham. DOI 10.1007/978-3-319-97121-6_1

Marek L.F. (2019) Crop Wild Relatives of Sunflower in North America. In: Greene S., Williams K., Khoury C., Kantar M., Marek L. (eds) North American Crop Wild Relatives, Volume 2. Springer, Cham DOI: 10.1007/978-3-319-97121-6_14

Schmitz, A, and Carstens, J. (2019) Exploring the Native Range of Kentucky Coffeetree. *Cronidia* 76:1, 1-15. <http://bigtime.arboretum.harvard.edu/pdf/articles/2018-76-1-exploring-the-native-range-of-kentucky-coffeetree.pdf>

Vanous, A, Blanco, M, Martin-Schwarze, A, Flint-Garcia, S, Bohn, M., Edwards, J, Lübberstedt, T, and Gardner, C. (2019) Stability analysis of kernel quality traits in exotic derived maize doubled haploid lines. *The Plant Genome* 12(1):1-14