

## REFERENCES

- Alcock, M.B., H. Clark, and A. Harvey. 1985. The implication of sward height for animal and herbage production from perennial ryegrass swards. p. 105. *In* J. Frame (ed.) Grazing. Occ. Symp. No. 19. Grassl. Soc., Hurley.
- Allen, M.S. 1996a. Relationship between forage quality and dairy cattle production. *An. Feed Sci. Tech.* 59:51-60.
- Allen, M.S. 1996b. Physical constraints on voluntary intake of forages by ruminants. *J. Anim. Sci.* 74:3063-3075.
- Allen, M.S., M. Oba, and B.R. Choi. 1997. Nutritionist's perspective on corn hybrids for silage. p. 25-36. *In* *Silage: Field to Feedbunk*. NRAES-99, Hershey, PA. Northeast Regional Agric. Engng. Service.
- Armstrong, D.L., E.T. Shaudys, and J. H. Sitterly. 1962. Synthesis of optimum forage handling systems for a one-man dairy farm. *J. Dairy Sci.* 35(7):865-871.
- Bacon, S.C., L.E. Lanyon, and R.M. Schlauder, Jr. 1990. Plant nutrient flow in managed pathways of an intensive dairy farm. *Agron. J.* 82:755-761.
- Baker, D. E and J. P. Senft. 1993. Advances in agricultural nutrient runoff controls. *Water Sci. Tech.* 26: 2685-2694.
- Bal, M.A., J.G. Coors, and R.D. Shaver. 1997. Impact of the maturity of corn for use as silage in the diets of dairy cows on intake, digestion, and milk production. *J. Dairy Sci.* 80:2497-2503.
- Baldwin, R.L., J. France, and M. Gill. 1987a. Metabolism of the lactating cow. I. Animal elements of a mechanistic model. *J. Dairy Res.* 54:77-105.
- Baldwin, R.L., J.J. M. Thornley, and D. E. Beaver. 1987b. Metabolism of the lactating cow. II. Digestive elements of a mechanistic model. *J. Dairy Res.* 54:107-131.
- Ball, P.R. and D.R. Keeney. 1983. Nitrogen losses from urine-affected areas of a New Zealand pasture under contrasting seasonal conditions. p. 349-351. *In* J.A. Smith and V.W. Hays (eds.) Proc. 14th Int. Grassl. Congr., 15-24 June 1981, Lexington, KY. Westview Press, Boulder, CO.
- Barnett, G.M. 1994. Manure P fractionation. *Bioresource Tech.* 49:149-155.
- Bergstrom, L. and N.J. Jarvis. 1991. Prediction of nitrate leaching losses from arable land under different fertilization intensities using SOIL-SOILN models. *Soil Use Manag.* 7:79-85.
- Bircham, J.S. and G.W. Sheath. 1986. Pasture utilization in hill country. 2. A general model describing pasture mass and intake under sheep and cattle grazing. *N.Z. J. Agr. Res.* 29:639-648.
- Bledsoe, B.L., D.S. Jagers, B.J. Bearden, and J.K. Bernard. 1996. Hollow bale hay drying with a solar heated forced air facility. Paper No. 961027. ASAE, Phoenix, AZ.

- Bledsoe, B.L., S.L. Shoulders, J. W. Hitch, and J.E. Maples. 1985. Rapid solar-heated forced-air drying of large round hay bales -- design and operating considerations. Paper No. 85-4538. ASAE, St. Joseph, MI.
- Blevins, R.L., J.H. Herbek, and W.W. Frye. 1990. Legume cover crops as a nitrogen source for non-till corn and grain sorghum. *Agron. J.* 82:769-772.
- Borton, L.R., C.A. Rotz, J.R. Black, M.S. Allen and J.W. Lloyd. 1997. Alfalfa and corn silage systems compared on Michigan dairy farms. *J. Dairy Sci.* 80:1813-1826.
- Borton, L.R., C.A. Rotz, H.L. Person, T.M. Harrigan, and W.G. Bickert. 1993. Simulation to evaluate dairy manure systems. Paper No. 934572. ASAE, St. Joseph, MI.
- Bowen, W.T., J.W. Jones, R.J. Carsky, and J.O. Quintana. 1993. Evaluation of the nitrogen submodel of CERES-maize following legume green manure incorporation. *Argon, J.* 85:153-159.
- Brink G.E. and Pederson G.A. (1993) White clover response to grazing method. *Agronomy J.* 85:791-794.
- Broderick, G.A., J. H. Yang, and R. G. Kuegel. 1993. Effect of steam heating alfalfa hay on utilization by lactating dairy cows. *J. Dairy Sci.* 76: 165-174.
- Bruck, I.G.M. and E. Van Elderen. 1969. Field drying of hay and wheat. *J. Agric.. Eng. Res.* 14(2):105-116.
- Bryan, W.B., 1987. Persistence of legumes in hill land pastures following sod seeding. *J. Agron. & Crop Sci.* 158: 353-357.
- Bryan, W.B. and E.C. Prigge. 1990. Effects of stocking rate and overseeding with red clover on productivity of native pasture continuously grazed by yearling steers. *J. Agron. & Crop Sci.* 165: 273-280
- Buckmaster, D.R. 1991. A physiologically based grass growth model. Paper No. 91-4503. ASAE, St. Joseph, MI.
- Buckmaster, D.R., C.A. Rotz, and J.R. Black. 1990. Value of alfalfa losses on dairy farms. *Trans. ASAE.* 33(2):351-360.
- Buckmaster, D.R., C.A. Rotz, and D.R. Mertens. 1989a. A model of alfalfa hay storage. *Trans. ASAE.* 32(1):30-36.
- Buckmaster, D.R., C. A. Rotz, and R.E. Muck. 1989b. A comprehensive model of forage changes in the silo. *Trans. ASAE.* 32(4):1143-1152.
- Carton, O.T., A.J. Brereton, W.F. O Keefe, and G.P. Keane. 1988. Effect of autumn closing date and grazing severity in a rotationally-grazed sward during winter and spring. 2. Tissue turnover. *Ir. J. Agr. Res.* 27:151-165.
- Carton, O.T., A.J. Brereton, W.F. O Keefe, and G.P. Keane. 1989a. Effect of turnout date and grazing severity in a rotationally-grazed reproductive sward: 1. Dry matter production. *Ir. J. Agr. Res.* 28:153-163.

- Carton, O.T., A.J. Brereton, W.F. O Keefe, and G.P. Keane. 1989b. Effect of turnout date and grazing severity in a rotationally-grazed reproductive sward: 2. Tissue turnover. *Ir. J. Agr. Res.* 28:165-175.
- Cherney, D.J.R., J.H. Cherney, and R.F. Lucey. 1993. In vitro digestion kinetics and quality of perennial grasses as influenced by forage maturity. *J. Dairy Sci.* 76:790-797.
- Cherney, J.H. and V.G. Allen. 1994. Chapter 14. Forages in livestock system. *In Barnes et al (ed.) Forages: The science of grassland agriculture.* 5th ed. Iowa State Univ. Press.
- Cherney, J.H. and D.J.R. Cherney. 1993. Annual and perennial grass production for silage. p. 9-17. *In Silage production from seed to animal. Proc. Natl. Silage Production Conf., 23-25 Feb. 1993, Syracuse, NY. Northeast Regional Agric., Eng. Ser. NRAES-67, Ithaca, NY.*
- Clark, E.A. 1993. Sward composition under clipping and grazing. p. 8. *In Invited papers and abstracts of contributed papers. Northeastern Branch Meetings. ASA, Madison, WI. (abstr.)*
- Cooper, A.B., C. M. Smith, and A.B. Bottcher. 1992. Predicting runoff of water, sediment, and nutrients from a New Zealand grazed pasture using CREAMS. *Trans. ASAE.* 35:105-112.
- Dado, R.G. and M.S. Allen. 1993. Intake limitations from rumen fill for cows challenged with high fiber diets and inert rumen bulk. *J. Dairy Sci.* 76(Suppl. 1):210.
- Dado, R.G. and M.S. Allen. 1995. Intake limitations, feeding behavior, and rumen function of cows challenged with rumen fill from dietary fiber or inert bulk. *J. Dairy Sci.* 78:118-133.
- Dado, R.G. and M.S. Allen. 1996. Enhanced intake and production of cows offered ensiled alfalfa with higher neutral detergent fiber digestibility. *J. Dairy Sci.* 79:418-428.
- Deswysen, A., M. Vanbelle, and M. Focant. 1978. The effect of silage chop length on the voluntary intake and rumination behaviour of sheep. *J. Brit. Grassland Soc.* 33:107-115.
- Dou, Z., R.A. Kohn, J.D. Ferguson, R.C. Boston, and J. D. Newbold. 1996. Managing nitrogen on dairy farms: an integrated approach I. Model description. *J. Dairy Sci.* 79:2071-2080.
- Dou, Z., L.E. Lanyon, J.D. Ferguson, R.A. Kohn, R.C. Boston, and W. Chalupa. 1998. An integrated approach to managing nitrogen on dairy farms: evaluating farm performance using the dairy nitrogen planner. *Agron. J.* (in press).
- Dou, Z., C. Meadows, J.Ferguson, and C. Ramberg. 1997. Dairy farm nutrient management in Pennsylvania: practices and implications. *J. Dairy Sci.* 80. Suppl. 1.
- Emmick, D.L. and L.F. Toomer. 1991. The economic impact of intensive grazing management of fifteen dairy farms in New York State. *Proc. Am. Forage Grassl. Conf.* 1991:19-22.?
- Fales, S.L., L.D. Muller, M. O Sultan, L.E. Lanyon, R.J. Hoover, and L. A. Holden. 1993. Intensive grazing of high-producing Holstein cows: Milk production, forage utilization, and profit potential at three stocking rates. *Summaries 17th Int. Grassl. Congr., 15-16 Feb 1993, Hamilton, N.Z. (in press).*
- Fick, G.W. 1977. The mechanisms of alfalfa regrowth: A computer simulation approach. *Search Agriculture* 7(3):1-28.

- Fick, G.W. 1980. A pasture production model for use in a whole farm simulator. *Agr. Systems*. 5:137-161.
- Fick, G.W., B.W.Y. Liu, and S.C. Muller. 1988. Age as a factor for predicting alfalfa forage quality. p. 160. *In Agronomy abstracts*. Am. Soc. of Agronomy, Madison, WI.
- Fick, G.W. and D.W. Onstad. 1988. Statistical models for predicting alfalfa herbage quality from morphological or weather data. *J. Prod. Agr.* 1:160-166.
- Field, T.R.O. and P.R. Ball. 1985. Analysis and simulation of competition between clover and grass in mixed pasture. p. 669-671. *In Proc. 15th Int. Grassl. Congr.*, Kyoto, Japan, 24-31 August 1985. Jap. Soc. Grassl. Sci., c/o Nat. Grassl. Res. Tochigi-ken, Japan.
- Fisher, D.S., J.C. Burns, and K.R. Pond. 1987. Modeling ad libitum dry matter intake by ruminants as regulated by distension and chemostatic feedbacks. *J. Theor. Biol.* 126:407-418.
- Gibson, P.B. and W.A. Cope. 1985. White clover. p. 471-490. *In N.L. Taylor (ed.) Clover science and technology*. Agronomy Monogr. 25. ASA, CSSA, and SSSA, Madison, WI.
- Goldberg, J.J., E.E. Wilman, J.W. Pankey, J.R. Kunkel, D.B. Howard, and B.M. Murphy. 1992. The influence of intensively managed rotational grazing, traditional continuous grazing, and confinement housing on bulk tank milk quality and udder health. *J. Dairy Sci.* 75:96-104.
- Grant, S.A., G.T. Barthram, L. Torvel, J. King, and H.K. Smith. 1983. Sward management, lamina turnover and tiller population density in continuously stocked *Lolium perenne*-dominated swards. *Grass and Forage Sci.* 38:333-344.
- Gupta, M.L., T.A. McMahon, R. H. Macmillan, and D.W. Bennett. 1990. Simulation of hay-making systems: part I - development of the model. *Agr. Systems* 34:277-299.
- Hanks, J. and J.T. Ritchie (eds.). 1991. Modeling plant and soil systems. Agronomy Monogr. 31. ASA, CSSA, and SSSA, Madison, WI.
- Harmony, K.R., K.J. Moore, J.R. George, E.C. Brummer, and J.R. Russell. 1997. Determination of pasture biomass using four indirect methods. *Agron. J.* 89: 665-672.
- Harrigan, T.M., W.G. Bickert, and C.A. Rotz. 1996. Simulation of dairy manure management and cropping systems. *Appl. Eng. Agric.* 12(5):563-574.
- Harris, G.E., E.A. Paul, O.B. Hesterman, R.R. Janke, and S.E. Peters. 1991. Measuring and modeling nitrate leaching in sustainable and conventional agricultural systems. *Agronomy abstracts*. ASA, Madison, WI.
- Harrison, J. J. and L. Johnson. 1997. Mechanical processing of corn silage: our current understanding of the benefits. *Pacific Northwest Animal Nutrition Conference*. Oct. 15-17. Boise, ID.
- Harrison, J.H., L. Johnson, D. Davidson, D. Huot, M. Horn, L. Morgan, K. Shinnars, D. Linder, A. Rotz, R. Muck, and B. Mahanna. 1998. Effect of maturity, chop length, mechanical processing, and silo type on packed density of corn silage. *J. Anim. Sci.* 76(Suppl. 1):199.

- Hay, M.J.M., J.L. Brock, and V.J. Thomas. 1989. Density of *Trifolium repens* in mixed swards under intensive grazing by sheep. *J. Agric. Sci.* 113:81-86.
- Heichel, G.H., D.K. Barnes, C.P. Vance, and K.I. Henjum. 1984. N<sub>2</sub> fixation, and N and dry matter partitioning during a 4-year alfalfa stand. *Crop Sci.* 24:811-815.
- Heichel, G.H. and K.I. Henjum. 1991. Dinitrogen fixation, nitrogen transfer, and productivity of forage legume-grass communities. *Crop Sci.* 31:202-208.
- Heinrichs, A.J., C.J. Zeimer, and S.C. Bosworth. 1992. A survey of pasture usage by dairy farmers in Pennsylvania. *J. Nat. Res. Life Sci. Educ.* 21:181-183.
- Henry, G. M., M. A. DeLorenzo, D. K. Beede, H. H. Van Horn, C. B. Moss, and W. G. Boggess. 1995. Determining optimal nutrient management strategies for dairy farms. *J. Dairy Sci.* 78: 693-703.
- Hodgson, J. 1985. The significance of sward characteristics in the management of temperate sown pastures. p.63. *In* Okubo, T. and M. Shiyomi (eds.) *Proc. 15th Int. Grassl. Congr. Kyoto, Japan, August 24-31. The Natl. Grassl. Res. Inst., Nishi-Narino, Japan.*
- Humphreys, L.R. 1991. Introduction. p. 1-5. *In* *Tropical pasture utilization.* Cambridge Univ. Press, New York, NY.
- Hutson, J.L. and R. J. Wagenet. 1991. Simulating nitrogen dynamics in soils using a deterministic model. *Soil Use Manag.* 7:74-78.
- Hyer, J.C., J.W. Oltjen, and M.L. Galyean. 1991. Development of a model to predict forage intake by grazing cattle. *J. Anim. Sci.* 69:827-835.
- Illius, A.W. 1985. A simulation model of the seasonal pattern of herbage digestibility and its interaction with intensity of defoliation. *In*: T. Okubo and M. Shiyomi (Ed.) *Proc. 15<sup>th</sup> Int. Grassl. Congr. Kyoto, Japan, August 24-31.* p 982. *The Natl. Grassl. Res. Inst., Nishi-Narino, Japan.*
- Illius, A.W. and M.S. Allen. 1994. Assessing forage quality using integrated models of intake and digestion by ruminants. *In* *Forage Quality, Evaluation, and Utilization.* G.C. Fahey, (ed.) Amer. Soc. Agron., Crop Sci. Soc. of Amer., Soil Sci. Soc. of Amer., Madison, WI.
- Illius, A.W. and I.J. Gordon. 1991. Prediction of intake and digestion in ruminants by a model of rumen kinetics integrating animal size and plant characteristics. *J. Agric. Sci., Camb.* 116:145-157.
- Jabro, J.D., W.L. Stout, S.L. Fales, and R.H. Fox. 1998. Evaluation of NCSWAP model using nitrate leaching data collected from soil core lysimeters under orchardgrass. *J. Environ. Qual.* 27:390-394.
- Jarvis, S.C., D. Barraclough, R.J. Unwin, and S.M. Royle. 1989. Nitrate leaching from grazed grassland and after straw incorporation in arable soils. p. 110-123. *In* J.C. Germon (ed) *Management systems to reduce the impact of nitrates.* Elsevier, New York.
- Johnson, T.R. and D.K. Combs. 1992. Effects of inert rumen bulk on dry matter intake in early and midlactation cows fed diets differing in forage content. *J. Dairy Sci.* 75:508-519.
- Johnson, T.R., M.J. Cecava, G.R. Booher, and C. Baker. 1993. Dairy grazing demonstrations an effective extension tool in Indiana. *J. Dairy Sci.* 76 (abstr., in press).

- Jonker, J.S., R.A. Kohn, and R.A. Erdman. 1998. Using milk urea nitrogen to predict nitrogen excretion and utilization efficiency in lactating dairy cattle. *J. Dairy Sci.* (in press).
- Jones, C.A. and J.R. Kiniry. 1986. CERES-MAIZE: A simulation model of maize growth and development. Texas A&M Univ. Press, College Station, TX.
- Joshi, J. R., J. F. Moncrief, J. B. Swan, and G. L. Malzer. 1994. Long-term conservation tillage and liquid dairy manure effects on corn. *Soil Tillage Res.* 31: 225-233.
- Kaffka, S.R. (ed.). 1989. Sustaining the small dairy farm in the Northeast. Sunny Valley Foundation, Inc., New Milford, CT.
- Kalu, B.A. 1982. Morphological stage of development and forage quality of field grown alfalfa (*Medicago sativa* L.). Ph.D. thesis, Cornell University, Ithaca, NY. (Diss. Abstr. 82-28396).
- Kanneganti, V.R., R.P. Walgenbach, and L.J. Massingill. 1998. Daily and seasonal forage availability under rotational grazing of a mixed-species temperate pasture. *J. Sustainable Agric.* 12(2/3):49-66.
- Karlen, D.L. and J.W. Doran. 1991. Cover crop management effects on soybean and corn growth and nitrogen dynamics in an on-farm study. *Am. J. Altern. Agric.* 6:71-82.
- Karsten, H.D. 1996. Improving the persistence and productivity of white clover in rotationally-stocked dairy pastures in the northeastern U.S. Ph.D. Dissertation, Cornell Univ., Ithaca, NY.
- Karsten, H.D. 1997. Winter-hardiness and pasture productivity of some white clover cultivars in New York. In Proceedings 18<sup>th</sup> International Grassland Congress, June 8-19, 1997, Winnipeg and Saskatoon, Canada. Title Num. 415.
- Kerensky, M.M., D.W. Allinson, K. Guillard, and S. Buffler. 1993. Nitrogen dynamics in intensively grazed pastures. In Invited papers and abstracts of contributed papers. Northeastern Branch meetings. ASA, Madison, WI.
- Kjelgaard, W.L. 1979. Energy and time needs in forage systems. *Trans. ASAE* 22(3):464-469.
- Klausner, S.d. and D.R. Bouldin. 1985. Managing animal manure as a resource. Cornell Coop. Exten., Cornell Univ., Ithaca, NY.
- Knowlton, K.R., R.E. Pitt, and D.G. Fox. 1992. Dynamic model prediction of the value of reduced solubility of alfalfa silage protein for lactating dairy cows. *J. Dairy Sci.* 75:1507-1516.
- Koegel, R.G., R.J. Straub, K.J. Shinnors, G.A. Broderick, and D.R. Mertens. 1992. An overview of physical treatments of lucerne performed at Madison, Wisconsin, for improving properties. *J. Agric. Engr. Res.* 52:183-191.
- Kohn, R.A. 1998. Utilization by cattle of the nitrogen in forage crops. In Fate of N-Containing Macromolecules in the Biosphere and Geosphere. B. A. Stankiewicz and P. Van Bergen, ed. American Chemical Society Symposium Series 707.
- Kohn, R.A., Z. Dou, J.D. Ferguson, and R.C. Boston. 1997. A sensitivity analysis of nitrogen losses from dairy farms. *J. Envir. Mgmt.* 50:417-428.

- Kohn, R.A., K.F. Kalscheur, and M. Hanigan. 1998. Evaluation of models for balancing the protein requirements of dairy cows. *J. Dairy Sci.* (in press).
- Korte, C.J., R.R. Watkin, and W. Harris. 1984. Effects of the timing and intensity of spring grazings on reproductive development, tillering, and herbage production of perennial ryegrass dominant pasture. *N.Z. J. Agr. Res.* 27:135-149.
- Kubota, F. and W. Agata. 1985. On the potential productivity of orchardgrass pasture (*Dactylis glomerata* L.) in Japan and New Zealand. p. 1314-1316. *In Proc. 15th Int. Grassl. Congr., Kyoto, Japan, 24-31 August 1985. Jap. Soc. Grassl. Sci., c/o Nat. Grassl. Res. Inst., Tochigi-ken, Japan.*
- Lemaire, G. and J. Salette. 1982. The effects of temperature and nitrogen fertilizer on the growth of two forage grasses in spring. *Grass and Forage Sci.* 37:191-198.
- Lile, D.F. and M.R. George. 1993. Prediction of pasture growth rates from climatic variables. *J. Prod. Agric.* 6(1):86-90.
- Lovering, J. and J.A. McIsaac. 1981. A forage-milk production model. *J. Dairy Sci.* 64:798-806.
- Lucey, R.F., W.S. Reid, and C.A. Tillinghast. 1988. Optimizing grazing on a 50-cow dairy farm in the Northern New York. p. 55-64. *In Cropper, J.B. (ed.) Pasture in the Northeast region of the United States. NRAES-36, Chester, PA.*
- Luebs, R. E., k. R. Davis, and A. E. Laag. 1973. Enrichment of the atmosphere with nitrogen compounds volatilized from a large dairy area. *J. Environ. Quality* 2: 137-141.
- MacAdam, J. W., S. Buffler, and R. E. Whitesides. Change in botanical composition of intensively managed irrigated pasture mixtures following establishment. *Agron. Abstr.* p. 146.
- Marsh, R., and P.B. Hamilton. 1978. A review of the effects of mechanical treatment of forages on fermentation in the silo and on the feeding value of the silages. *N.Z. J. of Experimental Agric.* 6:271-278.
- Matches, A.G. 1989. A survey of legume production and persistence in the United States. P. 37-44. *In G.C. Marten, A. G. Matches, R.F. Barnes, R. W. Brougham, R.J. Clements, and G. W. Sheath (eds.) Persistence of forage legumes. ASA, CSSA, and SSSA, Madison, WI.*
- McAuliffe C., M. Peech, and R. Bradfield. 1949. Utilization by plants of phosphorus in farm manure: II. Availability to plants of organic and inorganic forms of phosphorus in sheep manure. *Soil Sci.* 68:185-195.
- McCaskill, M.R. and G.J. Blair. 1990. A model of S, P and N uptake by a perennial pasture. 2. Calibration and predictions. *Fert. Res.* 22:173.
- McFeeley, P.C. and D. MacCarthy. 1981. Effect of time of initial spring grazing and nitrogen use on pasture production. *Ir. J. Agr. Res.* 20:137-146.
- McGechan, M.B. 1989. A review of losses arising during conservation of grass forage: part 1, field losses. *J. Agr. Eng. Res.* 44:1-21.

- McGechan, M.D. 1990a. A review of losses arising during conservation of grass forage: part e. storage losses. *J. Agr. Eng. Res.* 45:1-30.
- McGechan, M.D. 1990b. Operation research study of forage conservation systems for cool, humid upland climates. part 1: description of the model. *J. Agr. Eng. Res.* 45:117-136.
- McGechan, M.D. 1990c. Operational research study of forage conservation systems for cool, humid upland climates, part 2. comparison of hay and silage systems. *J. Agr. Eng. Res.* 46:129-145.
- McGechan, M.B. 1990d. A cost benefit study of alternative policies in making grass silage. *J. Agr. Eng. Res.* 46:153-170.
- McGilliard, J.H., Crowgey, III, S.R. Pecsok, R.E. James, and D.M. Kohl. 1987. Comparisons of costs after tax of storing silages in four types of structures. *J. Dairy Sci.* 70:724-731.
- McGuckin, J.T., R.A. Schoney, R.J. Straub, and R. Koegel. 1982. Wet fractionation system: an economic analysis. *Trans ASAE* 25:1400-1404.
- Menzi, H., H. Blum, and J. Nosberger. 1991. Relationship between climatic factors and the dry matter production of swards of different composition at two altitudes. *Grass and Forage Sci.* 46:223-230.
- Mertens, D.R. 1987. Predicting intake and digestibility using mathematical models of ruminal function. *J. Anim. Sci.* 64:1548-1558.
- Mertens, D.R. and L.O. Ely. 1979. A dynamic model of fiber digestion and passage in the ruminant for evaluating forage quality. *J. Anim. Sci.* 49:1085-1095.
- Miller, W.F. and G.E. Rehkugler. 1972. A simulation: the effect of harvest starting date, harvest-ing rate and weather on the value of forage for dairy cows. *Trans. ASAE* 15:409-413.
- Mitchell, W.H. and M.R. Teel. 1977. Winter-annual cover crops for no-tillage corn production. *Agron. J.* 69:569-573.
- Mohtar, R.H., D.R. Buckmaster, and S.L. Fales. 1997a. A grazing simulation model: GRASIM, A: model development. *Trans. ASAE* 40(5):1483-1493.
- Mohtar, R.H., J.D. Jabro, and D.R. Buckmaster. 1997b. A grazing simulation model: GRASIM, B: field testing. *Trans. ASAE* 40(5):1495-1500.
- Mooney, C.S. and M.S. Allen. 1997. Effects of whole linted cottonseed neutral detergent fiber substituted for alfalfa silage neutral detergent fiber at two lengths of cut on performance and feeding behavior of lactating Holstein cows. *J. Dairy Sci.* 80:2052-2061.
- Moore, K.J., L.E. Moser, K.P. Vogel, S.S. Waller, B.E. Johnson, and J.F. Pedersen. 1991. Describing and quantifying growth stages of perennial forage grasses. *Agron. J.* 83:1073-1077.
- Morse, D. 1995. Environmental considerations of livestock producers. *J. Anim. Sci.* 73: 2733.
- Morse, D., B.R. Eastwood, D.E. Falk, D.C. Grusemeyer, K. Kelling, L.E. Lanyon, J.M. Sweeten, A. Van Eenennaam, and H.H. Van Horn. 1993. A national model for dairy manure management.




- Morse, D., R.A. Nordstedt, H.H. Head, and H.H. Van Horn. 1994. Production and characteristics of manure from lactating dairy cows in Florida. *Trans ASAE*. 37:275-279.
- Muck, R.E., and R.W. Hintz. 1996. Effects of breeding for quality on lucerne ensilability. p. 168-169. *In* D.I.H. Jones, R. Jones, R. Dewhurst, R. Merry and P.M. Haigh (eds.) *Proceedings of the XIth International Silage Conference*. University of Wales, Aberystwyth, UK. IGER.
- Muck, R.E., R.G. Koegel, K.J. Shinnars, and R.J. Straub. 1989. Ensilability of mat-processed alfalfa. p. 2055-2061. *In* V.A. Dodd and P.M. Grace (eds.) *Agricultural Engineering*. Vol. 3, *Agricultural Mechanisation*. A. A. Balkema, Rotterdam.
- Muck, R.E., D.R. Mertens, and R.P. Walgenbach. 1996. Proteolysis in different forage silages. *ASAE Paper No. 961031*, ASAE, St. Joseph, MI.
- Murphy, B. 1990. Pasture management. p. 231-262. *In* C.A. Francis, C.B. Flora, and L.D. King (eds.) *Sustainable agriculture in temperate zones*. John Wiley & Sons, Inc., New York, NY.
- Murphy, W.M., J.R. Rice, and D.T. Dugdale. 1986. Dairy farm feeding and income effects of using Voisin grazing management of permanent pastures. *Am. J. Alternative Agric.* 1:147-152.
- Murphy, W.M., J.P. Silman, and A.D. Mena Barreto. 1995. A comparison of quadrat, capacitance meter, HFRO sward stick, and rising plate for estimating herbage mass in smooth-stalked meadowgrass dominated white clover sward. *Grass Forage Sci.* 50: 452-455.
- Nagel, S.A. and G.A. Broderick. 1992. Effect of formic acid or formaldehyde treatment of alfalfa silage on nutrient utilization by dairy cows. *J. Dairy Sci.* 75:140-154.
- National Research Council. 1985. *Ruminant Nitrogen Usage*. Washington, D.C.: National Academy Press.
- National Research Council. 1987. *Predicting Feed Intake of Food Producing Animals*. Washington, D.C.: National Academy Press.
- National Research Council. 1989. *Nutrient Requirements of Dairy Cattle*, 6th rev. ed. Washington, D.C.: National Academy Press.
- Nichols, M. 1996. An economic analysis of rationally grazing in New York State. M.S. Thesis. Cornell Univ., Ithaca, NY.
- Parke, D., A.G. Dumone, and D.S. Boyce. 1978. A mathematical model to study forage conservation methods. *J. British Grassland Soc.* 33:261-273.
- Parker, W.J., L.D. Mueller, and D.R. Buckmaster. 1992. Management and economic implications of intensive grazing on dairy farms in the Northeastern States. *J. Dairy Sci.* 75:2587-2597.
- Parsons, A.J., I.R. Johnson, and A. Harvey. 1988. Use of a model to optimize the interaction between frequency and severity of intermittent defoliation and to provide a fundamental comparison of the continuous and intermittent defoliation of grass. *Grass and Forage Sci.* 43:49-59.

- Parsons, A.J., E.L. Leafe, B. Collett, P.D. Penning, and J. Lewis. 1983. The physiology of grass production under grazing: II. Photosynthesis, crop growth and animal intake of continuously grazed swards. *J. Appl. Ecol.* 20:127-139.
- Peterson, R.G., H.L. Lucas, and W.W. Woodhouse, Jr. 1956. The distribution of excreta by freely grazing cattle and its effects on pasture fertility: I. Excreta distribution. *Agron. J.* 48:440-444.
- Pienaar, J.P., C.Z. Roux, P.J.K. Morgan, and L. Grattarola. 1980. Predicting voluntary intake on medium quality roughages. *S. Afr. J. Anim. Sci.* 10:215-225.
- Pitt, R.E. 1982. A probability model for forage harvesting systems. *Trans. ASAE* 25(3):549-555 & 562.
- Pitt, R.E., R.E. Muck, and R.Y. Leibensperger. 1985. A quantitative model of the ensilage process in lactate silages. *Grass and Forage Sci.* 40:279-303.
- Rayburn, E.B. 1991. Forage quality of intensive rotationally grazed pastures: a three-year summary of the northeast dairy farm forage demonstration project. Seneca Trail Resource Conservation and Development Area. Franklinville, NY.
- Rees, D.V.H. 1982. A discussion of sources of dry matter loss during the process of haymaking. *J. Agric, Eng. Res.* 27:469-479.
- Robertson, J.A. 1983. Influence of harvesting and conservation practices on forage quality. *Can. J. Plant Sci.* 63:913-925.
- Rotz, C.A. 1985. Economics of chemically conditioned alfalfa on Michigan dairy farms. *Trans. ASAE* 28(4):1024-1030.
- Rotz, C.A. 1995. Loss models for forage harvest. *Trans. of the ASAE* 38(6):1621-1631.
- Rotz, C.A. 1996. Economics of grazing alfalfa on Michigan dairy farms. pp. 72-81. *In Proc. 26<sup>th</sup> National Alfalfa Symp.* Certified Alfalfa Seed Council, Inc., Davis, CA 95617-1017.
- Rotz, C.A., Jr. Black, D.R. Mertens, and D.R. Buckmaster. 1989a. DAFOSYM: A model of the dairy forage system. *J. Prod. Agr.* 2:83-91.
- Rotz, C.A., D.R. Buckmaster, D.R. Mertens, and J.R. Black. 1989b. DAFOSYM: A dairy forage system model for evaluating alternatives in forage conservation. *J. Dairy Sci.* 72:3050-3063.
- Rotz, C.A. and Y. Chen. 1985. Alfalfa drying model for the field environment. *Trans. ASAE* 28(5):1686-1691.
- Rotz, C. A., L. M. Johnson, and J. H. Harrison. 1998. Economics of corn silage processing on North American Dairy Farms. ASAE Annual International Meeting, Orlando, FL.
- Rotz, C.A., R.G. Koegel, K.J. Shinnars, and R.J. Straub. 1990. Economics of maceration and mat drying of alfalfa on dairy farms. *Applied Engineering in Agric.* 6(3):248-256.
- Rotz, C.A. and P. Savoie. 1991. Economics of swath manipulation during field curing of alfalfa. *Applied Engineering in Agric.* 7(3):316-323.

- Rotz, C.A., R.E. Pitt, R.E. Muck, M.S. Allen, and D.R. Buckmaster. 1993. Direct-cut harvest and storage of alfalfa on the dairy farm. *Trans. ASAE* 36(3):621-628.
- Russelle, M.P. 1992. Nitrogen cycling in pasture and range. *J. Prod. Agr.* 5:13-23.
- Savoie, P., L.V. Parsch, C.A. Rotz, R.C. Brook, and J.R. Black. 1985. Simulation of forage harvest and conservation on dairy farms. *Agric. Systems* 17:117-131.
- Schmit, T. M. and Knoblauch, W. A. 1995. The impact of nutrient loading restrictions on dairy farm profitability. *J. Dairy Sci.* 78: 1267-1281.
- Schnitkey, G. D. and Miranda, M. J. 1993. The impact of pollution controls on livestock-crop producers. *J. Agric. Res. Econ.* 18: 1011-1019.
- Schröder, H. 1995. Input management of nitrogen in agriculture. *Ecological Economics* 13: 125-140.
- Schulze, K.R. 1992. A simple computer model to describe dry matter accumulation of perennial ryegrass and orchardgrass subjected to different cutting schedules. M.S. thesis, Cornell Univ., Ithaca, NY.
- Seligman, N.G. 1975. A critical appraisal of some grassland models. p. 60-97. *In* G.W. Arnold and C.T de Wit (ed.) *Critical evaluation of systems analysis in ecosystems research and management*. 2nd ed. Pudoc, Wageningen.
- Seligman, N.G. and H. van Keulen. 1981. PAPRAN: A simulation model of annual pasture production limited by rainfall and nitrogen. p. 192-220. *In* M.J. Frissel and J.A. van Veen (ed.) *Simulation of nitrogen behaviour of soil-plant systems*. Pudoc, Wageningen.
- Shinners, K.J., R.G. Koegel, and R.J. Straub. 1988. Consolidation and compaction characteristics of macerated alfalfa used for silage production. *Trans. ASAE* 31:1020-1026.
- Shipley, P.R., J.J. Meisinger, and A.M. Decker. 1992. Conserving residual corn fertilizer nitrogen with winter cover crops. *Agron. J.* 84:869-876.
- Stollenberger, L.E. and D.J.R. Cherney. 1994. Chapter 44. Evaluating forage production and quality. *In* Barnes et al. (ed.) *Forages: The science of grassland agriculture*. 5th ed. Iowa State Univ. Press (submitted).
- Stakelum, G. 1986. Herbage intake of grazing dairy cows: 2. Effect of herbage allowance, herbage mass, and concentrate feeding on the intake of cows grazing primary spring grass. *Ir. J. Agr.* 25:41-51.
- Steele, K.W., M.J. Judd, and P.W.A. Shannon. 1984. Leaching of nitrate and other nutrients from a grazed pasture. *N. Z. J. Agric. Res.* 27:5-11.
- Stout W.L., S.A. Fales, L.D. Muller, R.R. Schnabel, W.E. Priddy, and G.F. Elwinger. 1997. Nitrate leaching from cattle urine and feces in northeast U.S. *Soil Sci. Soc. Am.* 61:1787
- Russel, J.B., J.D. O Connor, D.G. Fox, P.J. Van Soest, and C.J. Sniffen. 1992. A net carbohydrate and protein system for evaluating cattle diets: I. Ruminant fermentation. *J. Anim. Sci.* 70:3551-3461.

- Taraba, J.L., I.J. Ross, J.D. Bottom, and B.J. Barfield. 1983. Effects of surface application of dairy manure on the infiltration rate and quality of surface runoff. Water Resour. Inst. Publ. No. 138. Univ. of Kentucky, Lexington, KY.
- Thornley, J.H.M. 1998. Grassland dynamics: an ecosystem simulation model. CAB International. Oxon, United Kingdom.
- Torszell, B.W.R. and A. Kornher. 1983. Validation of a yield prediction model for temporary grasslands. Swed. J. Agric. Res. 13:125:135.
- Tranel, L. and G. Frank. 1991. Dairy pasture economics. Managing the farm. Vol. 24. No. 4 Department of Agricultural Economics. Univ. of Wisconsin.
- Tseng, W.T. and D.R. Mears. 1975. Modelling systems for forage production. Trans. ASAE 18:206-212.
- Undersander, D., B. Albert, P. Porter, and A. Crossley. 1991. Wisconsin pastures for profit. Publ. No. A3529. Univ. of Wisconsin Extension, Madison, WI.
- van Alem, G.A.A. and A.T.J. van Scheppingen. 1996. Development and use of a simulation model for tactical and strategic management on dairy farms.
- Verma, L.R., K. Von Bargaen, and J.L. Ballard. 1976. Planning forage harvesting research using simulation. Trans. ASAE 19(6):1022-1024.
- Von Bargaen, K. 1966. Systems analysis in hay harvesting. Trans. ASAE 9(6):768-773.
- Weiss, W.P. and W.L. Shockey. 1991. Value of orchardgrass and alfalfa silages fed with varying amounts of concentrates to dairy cows. J. Dairy Sci. 74:1933-1943.
- Westphal, P.J., L.E. Layton, and E.J. Partenheimer. 1989. Plant nutrient management strategy implications for optimal herd size and performance of a simulated dairy farm. Agr. Systems. 31:381.
- Wilkinson, J.M. 1981. Losses in the conservation and utilization of grass and forage crops. Ann. Appl. Biol. 98:365-375.
- Williams, C.B., P.A. Oltenacu, and C.J. Sniffen. 1989. Application of neutral detergent fiber in modeling feed intake, lactation response, and body weight changes in dairy cattle. J. Dairy Sci. 72:652-663.
- de Wit, C. T., 1992. Resource use efficiency in agriculture. Agric. Sys. 40: 125-151.
- Wright, I.A. and T.K. Whyte. 1989. Effect of sward surface height on the performance of continuously stocked spring-calving beef cows and their calves. Grass and Forage Sci. 44:259.
- Wu, Z. and L.D. Satter. 1998. Milk production and reproductive performance of dairy cows fed low or normal phosphorus diets. J. Anim. Sci. 76. Suppl. 1/J. Dairy Sci. 81. Suppl. 1
- Yang, J.H., G.A. Broderick, and R.G. Koegel. 1993. Effect of heat treating alfalfa hay on chemical composition and ruminal in vitro protein degradation. J. Dairy Sci. 76:154-164.

Figure 1: Material and nutrient flows through the dairy farm system.



## **ATTACHMENT A: PROJECT LEADERS**

### **Agricultural Experiment Stations**

#### **Illinois (IL)**

Michael R. Murphy\*  
Department of Animal Sciences  
1207 W. Gregory Drive  
University of Illinois  
Urbana, IL 61801  
217-333-0093  
FAX 217-333-7088  
mrmurphy@uiuc.edu or mrmurphy@ux6.cso.uiuc.edu

#### **Indiana (IN)**

Rabi H. Mohtar\*  
Soil and Water Resources Engineering  
1146 Agricultural & Biological Engineering, Room 321  
Purdue University  
W. Lafayette, IN 47907-1146  
765-494-1791  
FAX 765-496-1115  
mohtar@ecn.purdue.edu

#### **Maryland (MD)**

Rick Kohn\*  
Department of Animal & Avian Sciences  
University of Maryland  
College Park, MD 20742  
301-405-4583  
FAX 301-314-9059  
rkohn@wam.umd.edu

#### **Massachusetts (MA)**

Stephen J. Herbert\*  
Bowditch Hall, PO Box 30910  
Department of Plant & Soil Science  
University of Massachusetts  
Amherst, MA 01003  
413-545-2250  
FAX 413-545-0260  
sherbert@pssci.umass.edu

#### **Michigan (MI)**

Michael S. Allen\*  
2265 I Anthony Hall  
Department of Animal Science  
Michigan State University  
E. Lansing, MI 48824-1225  
517-432-1386  
FAX 517-347-4712  
msallen@msu.edu

**New Jersey (NJ)**

Michael Westendorf\*  
Department of Animal Science  
Rutgers University  
New Brunswick, NJ 08903-0231  
732-932-9408  
FAX 732-932-6996  
westendorf@aesop.rutgers.edu

**New York/Cornell/Ithaca (NY)**

Gary W. Fick\*  
Department of Soil, Crop & Atmos. Sciences  
Cornell University  
Ithaca, NY 14853  
607-255-1704  
FAX 607-255-2644  
gwf2@cornell.edu

**Pennsylvania (PA)**

Dennis Buckmaster  
Department of Ag. & Biol. Engineering  
230 Ag. Eng. Bldg.  
Penn State University  
University Park, PA 16802  
814-865-3392  
FAX 814-863-1031  
drb3@psu.edu

Steve Ford  
Department of Ag. Econ.  
201 Armsby Bldg.  
Penn State University  
University Park, PA 16802  
814-863-3278  
FAX 814-865-3746  
steveford@psu.edu

Heather Karsten\*  
Department of Agronomy  
116 Agricultural Sciences and Industries Building  
Penn State University  
University Park, PA 16802-3504  
814-863-3179  
FAX 814-863-7043  
hdk3@psu.edu

Larry D. Muller  
Department of Dairy and Animal Science  
324 Henning Building  
Penn State University  
University Park, PA 16802

814-863-4205  
FAX 814-863-6042  
ldm@psu.edu

**Utah (UT)**

Jennifer MacAdam\*  
Department of Plants, Soils, & Biometeriology  
UMC 4820  
Utah State University  
Logan, UT 84322-4820  
435-797-2364  
FAX 435-797-3376  
jenmac@cc.usu.edu

**Washington (WA)**

Joe Harrison\*  
WSU Puyallup Research & Extension Center  
7612 Pioneer Way E  
Puyallup, WA 98371  
253-445-4638  
FAX 253-445-4569  
harrison@coopext.cahe.wsu.edu

**Wisconsin (WI)**

David K. Combs\*  
Department of Dairy Science  
1675 Observatory Drive  
University of Wisconsin  
Madison, WI 53706  
608-263-4844  
FAX 608-263-9411  
combsdk@calshp.cals.wisc.edu

J. Mark Powell  
US Dairy Forage Res. Center  
1925 Linden Drive W.  
Madison, WI 53706-1108  
608-264-5044  
FAX 608-264-5147  
jmpowel2@facstaff.wisc.edu

**West Virginia (WV)**

Edward C. Prigge\*  
Dir., Anim & Vet Sciences  
PO Box 6108  
West Virginia University  
Morgantown, WV 26506-6108  
304-293-2631 ext. 4415  
FAX 304-293-2232  
eprigge@wvu.edu



William B. Bryan  
Division of Plant & Soil Sciences  
PO Box 6108  
West Virginia University  
Morgantown, WV 26506-6108  
304-293-2631 ext. 4318  
FAX 304-293-2960  
Wbryan@wvu.edu

**Other Cooperators:**

**Pennsylvania (U-PENN)**

Zhengxia Dou\*  
School of Vet. Medicine  
University of Pennsylvania  
382 West Street Road  
Kennett Square, PA 19348  
610-444-5800, ext. 2242  
FAX 610-444-0126  
dou@cahp.nbc.upenn.edu

James D. Ferguson  
Department of Clinical Studies  
School of Vet. Medicine  
University of Pennsylvania  
382 West Street Road  
Kennett Square, PA 19348  
610-444-5800 ext. 2338  
FAX 610-444-0126  
ferguson@cahp2.nbc.upenn.edu

**USDA/ARS Pennsylvania (PSWMRL)**

C. Alan Rotz\*  
Pasture Sys. & Watershed Mgmt Research Lab  
Curtin Road  
University Park, PA 16802-3702  
814-865-2049  
FAX 814-863-0935  
alrotz@psu.edu

Matt A. Sanderson  
Pasture Sys. & Watershed Mgmt. Research Lab  
Curtin Road  
University Park, PA 16802-3702  
814-865-1067  
FAX 814-863-0935  
mas44@psu.edu

**USDA/ARS Wisconsin (USDFRC)**

Richard Muck\*  
US Dairy Forage Res. Center

1925 Linden Drive W.  
Madison, WI 53706-1108  
608-264-5245  
FAX 608-264-5147  
remuck@facstaff.wisc.edu

**Administrative Advisor:**

Paul J. Wangsness  
201 Agricultural Administration Bldg.  
The Pennsylvania State University  
University Park, PA 16802  
814-865-2541  
FAX 814-865-3103  
pjw@psu.edu

**CSREES Representative:**

Henry F. Tyrrell  
USDA-CSREES-PAS  
Aerospace Ctr., Room 840  
901 D Street SW  
Washington, DC 20250-2220  
202-401-5611  
FAX 202-401-1602  
htyrrell@reeusda.gov

\*Voting Member

**ATTACHMENT B: RESOURCES**

	<b>SYs</b>	<b>PYs</b>	<b>TYs</b>
<b>Agricultural Experiment Stations</b>			
Illinois	0.10	0.50	0.00
Indiana	0.10	0.50	0.00
Maryland	0.50	0.50	0.20
Massachusetts	0.10	0.50	0.20
Michigan	0.25	0.00	1.00
New Jersey	0.05	0.00	0.05
New York/Cornell/Ithaca (NY)	0.20	0.00	0.50
Pennsylvania (PA)	0.28	0.10	0.25
Utah	0.25	0.25	0.25
Washington	0.75	0.00	1.00
Wisconsin	0.20	0.00	0.00
West Virginia (WV)	0.15	0.00	0.10
<b>Other Cooperators:</b>			
Pennsylvania (U-PENN)	0.20	0.10	0.10
USDA/ARS Pennsylvania	0.15	0.00	0.00
USDA/ARS Wisconsin	0.10	0.00	0.00
<hr/>			
<b>TOTAL</b>	<b>3.38</b>	<b>2.45</b>	<b>3.65</b>
	<b>SYs</b>	<b>PYS</b>	<b>TYS</b>