

- Agustí, N., Unruh, T and Welter, S. 2003. Detecting *Cacopsylla pyricola* (Hemiptera: Psyllidae) in predator guts using CO1 mitochondrial markers. *Bull. Entomol. Res.* 93:179-185.
- Akbar, W., Lord, J. C., Nechols, J. R., and Howard, R. W. 2004. Diatomaceous earth increases the efficacy of *Beauveria bassiana* against *Tribolium castaneum* larvae and increases conidia attachment. *J. Econ. Entomol.* 97: 273-280.
- Akbar, W., Lord, J. C., Nechols, J. R., and T.M. Loughin, T. M. 2005. Effect of *Beauveria bassiana* for red flour beetle when applied with plant essential oils or in mineral oil and organosilicone carriers. *J. Econ. Entomol.* 98: 683-688.
- Akbar, Waseem, Lord, Jeffrey C., Nechols, James R., and Loughin, Thomas M. 2004. Efficacy of *Beauveria bassiana* for the red flour beetle, *Tribolium castaneum*, when applied with plant essential oils or in mineral oil and organosilicone carriers. *J. Econ. Entomol.* 97: 273-280.
- Alatawi, F.J., Opit, G.P., Margolies, D. C. and Nechols, J. R. 2005. Within-plant distribution of twospotted spider mites (Acari: Tetranychidae) on impatiens: development of a presence-absence sampling plan. *J. Econ. Entomol.* 98: 1040-1047.
- Alston, D. G., Rangel, D. E. N., Lacey, L. A., Golez, H. G., Kim, J. J. and Roberts, D. W. 2005. Evaluation of novel fungus and nematode isolates for control of *Conotrachelus nenuphar* (Coleoptera: Curculionidae) larvae. *Biol. Control* 35: 163–171.
- Altieri, M. A. 2002. Agroecology: the science of natural resource management for poor farmers in marginal environments. *Agric. Ecosys. & Environ.* 93: 1-24
- Altieri, M. A. 2003. Fatal Harvest Overcoming the ecological tragedy of industrial agriculture. *J. Bus. Admin. & Pol. Analysis* 31: 239-264
- Altieri, M. A. and Nicholls, C. I. 2002. The simplification of traditional vineyard based agroforest in northwestern Portugal: some ecological implications. *Agroforestry Systems* 56: 185-191
- Altieri, M. A. and Nicholls, C. I. 2003. Soil fertility management and insect pests: harmonizing soil and plant health in agroecosystems. *Soil and Tillage Research* 72: 203-211
- Altieri, M. A. and Nicholls, C. I. 2004. An agroecological basis for designing diversified cropping systems in the tropics. *J. of Crop Improv.* 11: 81-103
- Altieri, M. A. and Nicholls, C. I. 2004. Biodiversity and Pest Management in Agroecosystems. 2nd Edition The Haworth Press, NY
- Altieri, M. A. and Nicholls, C. I. 2005. Manage insects on your farm: a guide to ecological strategies. Sustainable Agriculture Network. SARE-USDA. Washington DC
- Altieri, M. A. and Nicholls, C. I. 2002. Invasive arthropods and pest outbreaks in the context of the ecology of mechanized agricultural systems. In: Invasive arthropods in agriculture. G.J. Hallman and C.P. Schawalbe (eds) pp. 1-19. *Science Pubs.* Enfield, NH.
- Altieri, M. A., Nicholls, C. I. and Ponti, L. 2005. Manipulating vineyard biodiversity for improved insect pest management : case studies from northern California. *Intl. J. Biodiversity Sci. & Mgmt.* 1: 1-13.
- Alyokhin, A. V., Yang, P. and Messing, R. H. 2004. Oviposition of the invasive two-spotted leafhopper on an endemic tree: effects of an alien weed, foliar pubescence and habitat humidity. *J. Insect Sci.* 4:13.
- Alyokhin, A. V. and Messing, R. H. 2003. Parasitism of Hawaiian non-frugivorous fruit flies (Diptera: Tephritidae) by an exotic parasitoid *Eurytoma tephritidis* Fullaway (Hymenoptera: Eurytomidae). *Proc. Haw. Entomol. Soc.* 36: 29-37.

- Alyokhin, A. V., Messing, R. H. and Duan, J. J. 2002. Infestation of *Elephantopus mollis* (Asteraceae) flowerheads by *Tetraulicida obscuriventris* (Diptera: Tephritidae) on Kauai, Hawaiian Islands. *Entomol. News* 113: 247-252.
- Anderson, G. L., Carruthers, R. I., Ge, S., Gong, P. 2004. Monitoring of invasive tamarix distribution and effects of biological control with airborne hyperspectral remote sensing. *Intl. J. Remote Sensing*. 26 (12):2487-2489.
- Anderson, G. L., Knight, J., Carruthers, R. I. 2004. Monitoring the dynamics of saltcedar biological control in Lovelock, Nevada. In: Proceedings of the 19th Biennial Workshop on Color Photography Videography and Airborne Imaging for Resource Assessment. American Society for Photogrammetry and Remote Sensing, October 6-8, 2003, Logan, Utah. 2004 CDROM.
- Antonini G., Cristofaro M., Coletti G., Korotyaev B., Lecce F., Rector B., Tronci C. and Smith L., 2005. A multi-method approach to the study of the host specificity of *Ceratapion basicorne* Illiger (Coleoptera: Curculionidae), candidate biocontrol agent of yellow starthistle, *Centaurea solstitialis* L. (Asteraceae). 13th European Weed Research Society Symposium, June 20-23 2005 Bari, Italy
- Antony, B., Palanaswami, M. A. and Henneberry, T. J. 2003. *Encarsia transvena* (Hymenoptera: Aphelinidae) development and *Bemisia tabaci* Gennadius (Homoptera: Aleyrodidae) host stage preference. *Environ. Entomol.* 32: 584-591.
- Arthurs, S. P. and Lacey, L. A. 2004. Field evaluation of commercial formulations of the codling moth granulovirus (CpGV): persistence of activity and success of seasonal applications against natural infestations in the Pacific Northwest. *Biol. Control* 31: 388-397.
- Arthurs, S. P., Lacey, L. A., and Behle, R. W. 2006. Evaluation of spray-dried lignin-based formulations and adjuvants as ultraviolet light protectants for the granulovirus of the codling moth, *Cydia pomonella* (L.). *J. Invertebr. Pathol.* 93: 88-95.
- Arthurs, S., Lacey, L. A., and Fritts, Jr., R. 2005. Optimizing the use of the codling moth granulovirus: effects of application rate and spraying frequency on control of codling moth larvae in Pacific Northwest apple orchards. *J. Econ. Entomol.* 98: 1459-1468.
- Balciunas, J. 2004. Are mono-specific agents necessarily safe? The need for pre-release assessment of probable impact of candidate biocontrol agents, with some examples. pp. 252-257 in: Proceedings of the XI International Symposium on the Biological Control of Weeds. CSIRO Entomology, Canberra, Australia.
- Balciunas, J. 2004. Cape ivy, *Delairea odorata* (previously, *Senecio mikanioides*). pg. 441 in: E. Coombs, J. Clark, G. Piper, and A. Cofrancesco (eds.) Biological Control of Weeds in the United States. Oregon State University Press, Corvallis, Oregon.
- Balciunas, J. 2004. *Delairea odorata*. Crop Protection Compendium, 2004 edition. CAB International, Wallingford, United Kingdom.
- Balciunas, J. 2004. Four years of 'Code of Best Practices': is biocontrol of weeds less risky, and receiving greater acceptance? pp. 258-260 in: Proceedings of the XI International Symposium on the Biological Control of Weeds. CSIRO Entomology, Canberra, Australia.
- Balciunas, J. and Coombs, E. 2004. International Code of Best Practices for classical biological control of weeds. pp. 130-136 in: E. Coombs, J. Clark, G. Piper, and A. Cofrancesco (eds.) Biological Control of Weeds in the United States. Oregon State University Press, Corvallis, Oregon.

- Balciunas, J. and Smith, L. 2006. Pre-release Efficacy Assessment, in Quarantine, of a Tephritid (Diptera) Gall Fly Being Considered as a Biological Control Agent for Cape ivy (*Delairea odorata*). *Biol. Control* 39(3): 516-524.
- Barker, A., Schaffner, U. and Boevé, J.-L. 2002. Host specificity and host recognition in a chemically-defended herbivore, the tenthredinid sawfly *Rhadinoceraea nodicornis*. *Entomol. Exper. Appl.* 104, 61-68.
- Bartlett, C. R. 2002. A new genus and species of delphacid planthoppers (Hemiptera: Fulgoroidea) from Canada. *Entomol. News* 113(2): 97-102.
- Bartlett, C. R. 2005. Two new genera and species of stenocranine planthoppers (Hemiptera : Delphacidae) from North America. *Entomol. News* 116(5): 291-303.
- Bartlett, C. R. and Bowman, J. L. 2004. Preliminary inventory of the planthoppers (Hemiptera: Fulgoroidea) of the Great Smoky Mountains National Park, North Carolina and Tennessee, U.S.A. *Entomol. News* 114(5): 246-254.
- Bentley, W. J., Varela, L. G. and Daane, K. M. 2005. Grapes, insects ecology and control, pp. 1-8. In *Encyclopedia of Pest Management*. DOI: 10.1081/E-EPM-120041132. Taylor and Francis, NY.
- Bentley, W. J., Varela, L. G., Zalom, F. G., Smith, R. J., Purcell, A. H., Phillips, P. A., Haviland, D. R., Daane, K. M. and Battany, M. C. 2006. University of California IPM Pest Management Guidelines: Grapes, Insects and Mites. UC ANR Publication 3448.
- Berner, D. K., Eskandari, F. M., Rossman, A.Y., Aime, M. C. and Kashefi, J. First report of Anthracnose of *Crupina vulgaris* caused by a *Colletotrichum* sp. in Greece. 2004. Published on-line as D-2004-0719-01N.
- Berner, Dana, McMahon, Michael, Kashefi, Javid, and Erbe, Eric. 2004. First report of an ovary smut of Italian thistle caused by *Microbotryum cardui* in Greece. *Plant Dis.* -09-05-0017-PDN
- Beuhler, H. 2006. Comparison of insect biodiversity and abundance in riparian environments dominated by saltcedar (*Tamarix ramosissima*) and coyote willow (*Salix exigua*) on the Rio Grande River. M.S. Thesis. 105pp.
- Bezemer, M., and Mills, N. J. 2003. Clutch size decisions of a gregarious parasitoid under laboratory and field conditions. *Animal Behaviour* 66: 1119-1128.
- Bezemer, T. M., Harvey, J. A., and Mills, N. J. 2005. Influence of adult nutrition on the relationship between body size and reproductive parameters in a parasitoid wasp. *Ecol. Entomol.* 30: 571-580.
- Blossey, B., Nuzzo, V.A., Hinz, H.L. and Gerber, E. 2002. Garlic mustard. In: Driesche, R.V., Lyon, S., Blossey, B., Hoddle, M., Reardon, R (eds.) *Biological Control of Invasive Plants in the Eastern United States*. Morgantown, West Virginia, USA, USDA Forest Service, Publication FHTET-2002-04, pp. 365-372.
- Blossey, B., Schwarzländer, M., Häfliger, P., Casagrande, R. and Tewksbury, L. 2002. Common reed. In: Driesche, R.V., Lyon, S., Blossey, B., Hoddle, M., Reardon, R (eds.) *Biological Control of Invasive Plants in the Eastern United States*. Morgantown, West Virginia, USA, USDA Forest Service, Publication FHTET-2002-04, pp. 131-138.
- Bokonon-Ganta, A. H., Ramadan, M. M., Wang, X. G. and Messing, R. H. 2005. Biological performance and potential of *Fopius ceratitivorius* (Hymenoptera: Braconidae), an egg-pupal parasitoid of tephritid fruit flies, newly imported to Hawaii. *Biol. Control* 33: 238-247.

- Bon, M. C., Ramualde, N., Hoelmer, K. and Coutinot, D. 2003. Species-specificity and sensitivity of a PCR-based assay for *Peristenus stygicus*, a parasitoid of *Lygus* spp. pp. 444-448. Proceedings, 1st Internat. Symposium of Arthropod Biological Control, Honolulu, HI. U.S. Dept. Agriculture, Forest Service Publication 2003-05. 571 pp.
- Bon, M., Hoelmer, K., Kirk, A., Blanchet, A., Wharton, R., Jones, W. 2006. Genetic markers for *Psytalia lounsburyi* parasitizing *B. oleae* in Africa. On-line, Genbank.
- Bon, M.C., Ramualde, N., Hoelmer, K. and Coutinot, D. 2002. COI sequence for *Peristenus stygicus*. Archived at <http://www.ncbi.nlm.nih.gov/entrez/> [nucleotide AF414390].
- Bon, Marie-Claude, Thomas Shanower, Wendell Morrill, Kim Hoelmer, Corinne Hurard & Jean-Francois Martin. 2005. Improving biological control of an invasive pest with molecular phylogeographic and population genetic approaches: the wheat stem sawfly, *Cephus cinctus* Norton, (Hymenoptera : Cephidae) as a case study. 8 pp. Proceedings, 7th International Conference on Pests in Agriculture, French Association for Protection of Plants, Montpellier, France, October 2005. CD ROM ACARIENS-CIRA: 2-905550-02-3.
- Borghuis, A., Pinto, J. D., Platner, G. R. and Stouthamer, R. 2004. Partial cytochrome oxidase II sequences distinguish the sibling species *Trichogramma minutum* Riley and *Trichogramma platneri* Nagarkatti. *Biol. Control* 30:90-94.
- Bourchier, R.S., Erb, S., McClay, A.S. and Gassmann, A. 2002. *Euphorbia esula* (L.), leafy spurge, and *Euphorbia cyparissias* (L.), cypress spurge (Euphorbiaceae). In: Mason, P.G.; Huber, J.T. (eds.) *Biological Control Programmes in Canada, 1981-2000*. Wallingford, UK; CABI Publishing, pp. 346-358.
- Broadbent, A.B., Mason, P.G. Lachance, S., Whistlecraft, J.W., Soroka, J.J. and Kuhlmann, U. 2002. *Lygus* spp., Plant Bugs (Hemiptera: Miridae). In: Mason, P.G.; Huber, J.T. (eds.) *Biological Control Programmes in Canada, 1981-2000*. Wallingford, UK; CABI Publishing, pp. 152-159.
- Brockerhoff, E.G., Kenis, M. and Turgeon, J.J. 2002. *Cydia strobilella*, spruce seed moth (Lepidoptera: Tortricidae). In: Mason, P.G.; Huber, J.T. (eds.) *Biological Control Programmes in Canada, 1981-2000*. Wallingford, UK; CABI Publishing, pp. 94-99.
- Brown, M., Duncan, C. Jacobs, J., Lajeunesse, S., Rice, P., Story, J. and Sing, S. 2005. Dalmatian and yellow toadflax: Weeds of Pasture and Rangeland. Montana State Univ. Ext. Ser. Circ. EB 115
- Bruckart, W.L., Eskandari, F. M., Beckett, A. C., Bean, D., Littlefield, J., Pilgeram, A. L., Sands, D. C. and Aime, M. C. 2006. *Puccinia acroptili* on Russian Knapweed in Colorado, Montana, and Wyoming. *Plant Dis.* 90:971.
- Caesar, A. J. 2005. Melding ecology, classical weed biocontrol and plant microbial ecology can inform improved practices in controlling invasive plant species. *Bio. Control* 35: 240-246.
- Caesar, A. J. 2006. *Uromyces scutellatus* as a keystone species affecting *Euphorbia* spp. in Europe as shown by effects on density in the field. *Biocon. Sci. & Technol.* 16: 1079-1086.
- Caesar, A. J. Synergistic interaction of soilborne plant pathogens and root-attacking insects in classical biological control of an exotic rangeland weed. *Biol. Control* 28: 144-153.
- Caesar, A. J., Campobasso, G. and Terragitti, G. 2002. Identification, pathogenicity and comparative virulence of *Fusarium* spp. associated with insect-damaged, diseased *Centaurea* spp. in Europe. *BioControl* 47: 217229.

- Cao, Wan-Hong, Charlton, Ralph E., Nechols, James R. and Horak, Michael J. 2003. Sex pheromone of the noctuid moth, *Tyta luctuosa* (Lepidoptera: Noctuidae), a candidate biological control agent of field bindweed. *Environ. Entomol.* 32: 17-22.
- Carruthers, R. I. 2004. Biological Control of Invasive Species, a Personal Perspective. *Conserv. Biol.* 18(1): 54-57.
- Carruthers, R. I. 2003. Invasive species research in the United States Department of Agriculture-Agricultural Research Service. *Pest Mgmt. Sci.* 59:827-834.
- Carruthers, R. I., Anderson, G. L., Deloach Jr, C. J., Knight, J., Peng, G. and Ge, S. 2005. Remote sensing of saltcedar biological control effectiveness. In: Proceedings for the Monitoring Science & Technology Symposium September 20-24, 2004, Denver, Colorado. RMRS-P-37 CDROM.
- Carruthers, R. I., D'Antonio, C. M. 2005. Biological Control - Theory and Application of Pest Management. *Biol. Control.* 35(3):181-388.
- Carruthers, R. I., D'Antonio, C. M. 2005. Science and decision making in biological control of weeds: benefits and risks of biological control. *Biol. Control.* 35(3):181-182.
- Castillo, A. A. F., Hernández, H. G., and Daane, K. M. 2005. Los Pijo Harinosos de la Vid. *Instituto Nacional de Investigaciones Forestales, Agrícolas y Pecuarias. Libro técnico No 9.* ISBN No. 968-558-64-2. 212 pages (Spanish Extension Book)
- Chang, G. C. and Snyder, W. E. 2004. The relationship between predator density, community composition, and field predation on Colorado potato beetle eggs. *Biol. Control* 31:453-461.
- Cheng, Ling-lan, Howard, Ralph W., Campbell, James F., Charlton, Ralph E., Nechols, James R. and Ramaswamy, Sonny B. 2004. Mating behavior of *Cephalonomia tarsalis* (Ashmead) (Hymenoptera: Bethyliidae) and the effect of female mating frequency on offspring production. *J. Insect Behavior* 17: 227-245.
- Cherry, A., Mercadier, G., Meikle, W. G., Castelo-Branco, M. and Schroer, S. 2004. Role of entomopathogens in DBM biological control, p. 51-70. In: Kirk, A.A. and D. Bordat (eds.) *Improving Biocontrol of Plutella xylostella, Proceedings of an international symposium, 21-24 October 2002.* CIRAD, Montpellier, France.
- Colfer, R. G., Rosenheim, J. A., Godfrey, L. D. and Hsu, C. L. 2003. Interactions between the augmentatively released predaceous mite *Galendromus occidentalis* (Acari: Phytoseiidae) and naturally occurring generalist predators. *Environ. Entomol.* 32:840-852.
- Colfer, R. G., Rosenheim, J. A., Godfrey, L. D. and Hsu, C. L. 2004. Evaluation of large-scale releases of western predatory mite for spider mite control in cotton. *Biol. Control* 30:1-10.
- Collier, T, Schaffner, U. and Littlefield, J. 2006. A petition for the introduction, experimental release and open-field release of the gall wasp *Aulacidea acroptilonica* (Hymenoptera: Cynipidae), for the biological control of Russian knapweed in North America. Submitted to the USDA-APHIS-Technical Advisory Group (TAG). 77 p.
- Collier, T. R., Hunter, M. S. and Kelly, S. E. 2002. Egg size, intrinsic competition and lethal interference in the endoparasitoids, *Encarsia pergandiella* and *Encarsia formosa*. *Biol. Control* 23: 254-261.
- Collier, T.R., and Van Steenwyk, R. A. 2004. A critical review of augmentative biological control. *Biol. Control* 31: 245-256.
- Collier, T.R., and Van Steenwyk, R. A. 2006. How to make a convincing case for augmentative biological control. *Biol. Control* 39: 119-120.

- Collier, T.R., and VanSteenwyk, R. 2003. Olive fruit fly in California: prospects for integrated control. *California Agriculture* 57(1): 28-32.
- Coombs, E. M. 2004. Factors that affect successful establishment of biological control agents. Pages 85-94 in Coombs, E. M., Clark, J. K., Piper, G. L. and Cofrancesco, A. F., eds. *Biological Control of Invasive Plants in the United States*. Oregon State University Press, Corvallis, OR.
- Coombs, E. M. and Wilson, L. 2004. Mediterranean sage. Pages 263-267 in E.M. Coombs, J.K. Clark, G.L. Piper, and A.F. Cofrancesco, eds. *Biological Control of Invasive Plants in the United States*. Oregon State University Press, Corvallis, OR.
- Coombs, E. M., Clark, J. K., Piper, G. L. and Cofrancesco, A. 2004. Biological control of invasive plants in the United States. *Western Soc. Weed Sci.* Oregon State Univ. Press, Corvallis. 467 pages.
- Coombs, E. M., Markin, G. P., Pratt, P. P. and Rice, B. 2004. Gorse. Pages 178-183 in E.M. Coombs, J.K. Clark, G.L. Piper, and A.F. Cofrancesco, eds. *Biological Control of Invasive Plants in the United States*. Oregon State University Press, Corvallis, OR.
- Coombs, E. M., McEvoy, P. B. and Markin, G. P. 2004a. Tansy ragwort, *Senecio jacobaea*, Sunflower family - Asteraceae. Pages 335-344 in E. M. Coombs, J. K. Clark, G. L. Piper, and A. Cofrancesco, editors. *Biological control of invasive plants in the United States*. Oregon State University Press, Corvallis, Oregon.
- Coombs, E. M., Piper, G. L. and Schwarzlaender, M. 2003. Biological control. In: Pacific Northwest Weed Management Handbook., pp.4-7. R.D. William, D. Ball, T.L. Miller, R. Parker, J. P. Yenish, T.W. Miller, D.W. Morishita and P. J.S. Hutchinson (eds.), Extension Services, Oregon State University, Corvallis.
- Coombs, E. M., Piper, G. L., and Schwarzlaender, M. 2006. Biological control, pp. 4-7. In R. D. William, D. Ball, R. Parker, J. P. Yenish, T. W. Miller, D. W. Morishita, and P. J. S. Hutchinson (eds.), *Pacific Northwest Weed Management Handbook*. Ext. Serv., Wash. State Univ., Pullman.
- Coombs, E. M., Radtke, H. and Nordblom, T. 2004. Economic benefits of biological control. Pages 122-126 in E.M. Coombs, J.K. Clark, G.L. Piper, and A.F. Cofrancesco, eds. *Biological Control of Invasive Plants in the United States*. Oregon State University Press, Corvallis, OR.
- Coombs, E. M., Schooler, S. S. and McEvoy, P. B. 2004b. Nontarget Impacts of Biological Control Agents. Pages 106-113 in E. M. Coombs, J. K. Clark, G. L. Piper, and A. Cofrancesco, editors. *Biological control of invasive plants in the United States*. Oregon State University Press, Corvallis, Oregon.
- Coombs, E.M., Markin, G. P., Pratt, P. P. and Rice, B. 2004. Gorse. Pages 178-183 in E.M. Coombs, J.K. Clark, G.L. Piper, and A.F. Cofrancesco, eds. *Biological Control of Invasive Plants in the United States*. Oregon State University Press, Corvallis, OR.
- Corn, J. G., Story, J. and White, L. J. 2006. Impacts of the biological control agent *Cyphocleonus achates* on spotted knapweed, *Centaurea maculosa*, in experimental plots. *Biol. Control* 37:75-81.
- Cossè, A. A., Bartelt, R. J., Zilkowski, B.W., Bean, D.W. and Petroski, R. J. 2005. The aggregation pheromone of *Diorhabda elongata*, a biological control agent of saltcedar (*Tamarix* spp.): identification of two behaviorally active components. *J. Chem. Ecol.* 31:657-670

- Cossentine, J. E. and Kuhlmann, U. 2002. *Yponomeuta malinellus* Zeller, apple ermine moth (Lepidoptera: Yponomeutidae). In: Mason, P.G.; Huber, J.T. (eds.) *Biological Control Programmes in Canada, 1981-2000*. Wallingford, UK; CABI Publishing, pp. 275-278.
- Costello M. J., and Daane, K. M. 2003. Spider and leafhopper (*Erythroneura* spp.) response to vineyard ground cover. *Environ. Entomol.* 32(5) 1085-1098.
- Costello M. J., and Daane, K. M. 2005. Day versus night sampling for spiders in vineyards. *Am. J. Arachnol.* 33(1): 25-32.
- Coulson, J. R., Coombs, E. M. and Villegas, B. 2004. Documentation. Pages 47-49 in E.M. Coombs, J.K. Clark, G.L. Piper, and A.F. Cofrancesco, eds. *Biological Control of Invasive Plants in the United States*. Oregon State University Press, Corvallis, OR.
- Coutinot, D., K. Hoelmer & C. H. Pickett. 2005. Exploration in Europe, importation and establishment of parasitoids for biological control of *Lygus hesperus* (Hemiptera: Miridae) in California. 8 pp. Proceedings, 7th International Conference on Pests in Agriculture, French Association for Protection of Plants, Montpellier, France, October 2005. CD ROM ACARIENS-CIRA: 2-905550-02-3.
- Cristofaro, M., Hayat, R., Gultekin, L., Tozlu, G., Zengin, H., Tronci, C., Lecce, F., Sahin, F., and L. Smith. 2002. Preliminary screening of new natural enemies of yellow starthistle, *Centaurea solstitialis* L. (Asteraceae) in Eastern Anatolia. Proc. The Fifth Turkish National Congress of Biological Control, Erzurum, Turkey. Sept. 4-7, 2002, 287-295.
- Cristofaro, M., Yu, M., Dolgovskaya, A., Konstantinov, F., Lecce, S., Reznik, Y., Smith, L., Tronci, C. and Volkovitsh, M. G. 2004. *Psylliodes chalcomerus* Illiger (Coleoptera: Chrysomelidae: Alticinae), a flea beetle candidate for biological control of yellow starthistle *Centaurea solstitialis*. In: Proceedings of the XI International Symposium on Biological Control of Weeds (eds Cullen, J.M., Briese, D.T., Kriticos, D.J., Lonsdale, W.M., Morin, L. and Scott, J.K.) pp. 75-80. CSIRO Entomology, Canberra, Australia.
- Cryan, J. R. and Bartlett, C. R. 2002. A redescription of the Caribbean genus *Antillotolania* Ramos (Hemiptera: Membracidae), with two new species. *Ann. Entomol. Soc. Amer.* 95(3): 302-308.
- Daane, K. M., Bentley, W. J., Klonsky, K. M. and Smith, R. H. 2005. Organic vineyard management in California. *Organic-Research.com* 5: 37-55.
- Daane, K. M., Bentley, W. J., Walton, V. M., Malakar-Kuenen, R., Millar, J. G., Ingels, C. A., Weber, E. A. and Gispert, C. 2006. New controls investigated for vine mealybug. *California Agriculture* 60(1): 31-38.
- Daane, K. M., Malakar-Kuenen, R., and Walton, V. M. 2004. Temperature development of *Anagyrus pseudococci* as a parasitoid of the vine mealybug, *Planococcus ficus*. *Biol. Control* 31(1): 123-132.
- Daane, K. M., Mills, N. J., and Tauber, M. J. 2002. Biological pest controls: augmentative controls. In: *Encyclopedia of Pest Management*. D. Pimentel (ed.), Marcel Dekker, New York, pp. 36-38.
- Daane, K. M., Sime, K. R., Dahlsten, D. L., Andrews, J. W., Jr., and Zuparko, R. L. 2005. The biology of *Psyllaepagus bliteus* Riek, a parasitoid of the red gum lerp psyllid. *Biol. Control* 32(2): 228-235.
- Daane, K. M., Sime, K. R., Hogg, B. N., Cooper, M. L., Bianchi, M. L., Rust, M. K., and Klotz, J. H. 2006. Evaluation of low dose insecticides on Argentine ant in California's coastal vineyards. *Crop Prot.* 25: 592-603.

- Daane, K. M., Yokota, G. Y., Krugner, R., daSilva, P. G., Steffan, S. A., Beede, R. H., Bentley, W. J., and Weinberger, G. B. 2005. Large bug damage to San Joaquin Valley pistachios. *California Agriculture* 59(2): 95-102.
- Dahlsten, D. L., Daane, K. M., Paine, T. D., Sime, K. R., Lawson, A. B., Rowney, D. L., Roltsch, W. E., Andrews, J.W. Jr, Kabashima, J. N., Shaw, D. A., Robb, K. L., Geisel, P. M., Chaney, W. E., Ingels, C. A., Varela, L. G., Bianchi, M. L., and Taylor, G. 2005. Imported parasitoid helps control red gum lerp psyllid. *California Agriculture* 59(4): 229-234.
- Dahlsten, D. L., Six, D. L., Rowney, D. L., Lawson, A. B., Erbilgin, N. and Raffa, K. F. 2004. Attraction of *Ips pini* (Coleoptera: Scolytinae) and its predators to natural attractants and synthetic semiochemicals: Implications for population monitoring in Northern California. *Environ. Entomol.* 33(6): 1554-1561.
- Dahlsten, D. L., Six, D., Erbilgin, E., Raffa, K. F., Lawson, A. B. and Rowney, D. L. 2003. Attraction of *Ips pini* (Coleoptera: Scolytidae) and its predators to various enantiomeric ratios of ipsdienol and lanierone in California: implications for the augmentation and conservation of natural enemies. *Environ. Entomol.* 32(5): 1115-1122.
- De Almeida, R. A. and Stouthamer, R. 2003. Molecular identification of *Trichogramma cacoeciae* Marchal (Hymenoptera: Trichogrammatidae): A new record for Peru. *Neotrop. Entomol.* 32: 269-272.
- De Lillo E., Cristofaro M., and Kashefi J. 2003. Three new *Aceria* species (Acari: Eriophyoidea) on *Centaurea* spp. (Asteraceae) from Turkey. *Entomologica* (Bari), 36: 121-137
- Deitz, L. L. and Bartlett, C. R. 2004. Publications of Thomas Kenneth Wood (1942-2002). *Proc. Ent. Soc. Wash* 106(3): 586-591.
- deLillo, E., Baldari, R., Cristofaro, M., Kashefi, J., Littlefield, J., Sobhian, R. and Tronci, C. 2003. Eriophyid mites for the biological control of knapweed: morphological and biological observations. In: Cullen, J.M., D.T Briese, D.J Kriticos, W.M Lonsdale, L. Morin and J.K. Scott (eds.). Proc. of XI International Symposium on the Biological Control of Weeds. Canberra, Australia. May 2003. Pp: 88-95.
- Deloach, C. J., Carruthers, R. I. 2004. Biological control programs for integrated invasive plant management. In: Proceedings of Weed Science Society of America Meeting. Kansas City, MO: Weed Science Society of America. 2004 CDROM.
- DeLoach, C. J., Carruthers, R. I. 2004. Saltcedar - *Tamarix ramosissima*, *T. chinensis*, *T. parviflora*, *T. canariensis*, *T. gallica*, and hybrids. In: Coombs, E.M., Clark, J.K., Piper, G.L., Cofrancesco Jr., A.F. Biological Control of Invasive Plants in the United States. Western Society of Weed Science. Corvallis, OR: Oregon State University Press. p. 311-316.
- Deloach, C. J., Carruthers, R. I., Dudley, T. L., Eberts, D., Kazmer, D. J., Knutson, A. E., Bean, D. W., Knight, J., Lewis, P. A., Milbrath, L. R., Tracy, J. L., Tomic-Carruthers, N., Herr, J. C., Abbott, G., Prestwich, S., Harruff, G., Everitt, J. H., Thompson, D. C., Mityaev, I., Jashenko, R., Li, B., Sobhian, R., Kirk, A., Robbins, T. O., Delfosse, E. S. 2004. First results for control of saltcedar (*Tamarix* spp.) in the open field in the Western United States. In: XI International Symposium on Biological Control of Weeds. pp. 505-513.
- Deloach, C. J., Carruthers, R. I., Rodriguez-del-Bosque, L. A. 2003. Biological control of saltcedar (*Tamarix*: Tamaricaceae) in the United States could be extended to include control in northern Mexico. In: Memoirs of the XXVI Congreso Nacional de Control Biologico, November 3-8, 2003, Guadalajara, Jalisco, Mexico. p. 228-230.



- DeLoach, C. J., Lewis, P. A., Herr, J. C., Carruthers, R. I., Tracy, J. L. and Johnson, J. 2003. Host specificity of the leaf beetle, *Diorhabda elongata deserticola* from Asia, a biological control agent for saltcedars in the Western United States. *Biol. Control* 27: 117-147.
- Demmon, A. S., Nelson, H. J., Ryan, P. J., Ives, A. R. and Snyder, W. E. 2004. The parasitoid *Aphidius ervi* (Hymenoptera: Braconidae) increases its adult size by disrupting host wing development. *Environ. Entomol.* 33:1523-1527.
- DiTomaso, J. F., Kyser, G. and Pitcairn, M. J. 2006. Yellow Star thistle Management Guide. Cal-IPC Publication 2006-03, California Invasive Plant Council, Berkeley, CA. 74 pp.
- Donnell, D. M. and Hunter, M. S. 2002. Developmental rates of two congeneric parasitoids, *Encarsia formosa* and *E. pergandiella* (Hymenoptera: Aphelinidae), utilizing different egg provisioning strategies. *J. Insect Physiol.* 48: 487-493
- d'Oultremont, T. and Gutierrez, A. P. 2002. A multitrophic model of a rice-fish agroecosystem: II. Linking the flooded rice-fishpond systems. *Ecological Modeling* 155 (2-3) pp. 159 - 176.
- Dudley, T. L. 2005. Progress and pitfalls in the biological control of saltcedar (*Tamarix* spp.) in North America. Pp. 12-15 In: Gottschalk, K.W. (ed.), Proceedings, 16th U.S.D.A. interagency research forum on gypsy moth and other invasive species. January 18-20, 2005; Annapolis, MD. Gen. Tech. Rep. NE-337.
- Dudley, T. L. and DeLoach, C. J. 2004. Saltcedar (*Tamarix* spp.), endangered species and biological weed control – can they mix? *Weed Technology* 18:1542-1551.
- Dudley, T. L. and Kazmer, D. J. 2005. Field assessment of the risk posed by *Diorhabda elongata*, a biocontrol agent for control of saltcedar (*Tamarix* spp.), to a non-target plant, *Frankenia salina*. *Biol. Control* 35:265-275.
- Dudley, T. L., Dalin, P. and Bean, D. W. 2006. Status of Biological Control of *Tamarix* spp. in California. P. 137-140 In: Hoddle, M.S. and M.W. Johnson (eds.), Proceedings, Calif. Conference on Biological Control V, 25-27 July, Riverside, CA. <http://www.cnr.berkeley.edu/biocon/Complete%20Proceedings%20for%20CCBC%20V.pdf>
- Dudley, T. L., Lambert, A. and Kirk, A. 2006. Augmentation Biological Control of *Arundo donax*. P. 141-144 In: Hoddle, M.S. and M.W. Johnson (eds.), Proceedings, Calif. Conference on Biological Control V, 25-27 July, Riverside, CA. <http://www.cnr.berkeley.edu/biocon/Complete%20Proceedings%20for%20CCBC%20V.pdf>
- Dudley, T. L., Dalin, P. and Bean, D.W. 2006. Status of biological control of *Tamarix* spp. in California. In: M.S. Hoddle & M.W. Johnson (Eds.) Proceedings of the Fifth California Conference on Biological Control. Riverside, CA. pp.137-140.
- Duncan, C. L., Rice, P. M., Story, J. M. and Johnson, R. 2004. Sulfur cinquefoil. Biology, ecology and management in pasture and rangeland. Montana Coop. Ext. Service Circular No. EB109.
- Ehler, L. E. 2004. An evaluation of some natural enemies of *Spodoptera exigua* on sugarbeet in northern California. *BioControl* 49: 121-135.
- Ehler, L. E. 2005. Biological control of *Melanaspis obscura* on oaks in northern California. *BioControl* 50: 739-749.
- Ehler, L. E. 2005. Integrated pest management: A national goal? *Issues in Science and Technology* 22: 25-26.

- Ehler, L. E. 2006. Integrated pest management (IPM): definition, historical development and implementation, and the other IPM. *Pest Management Science* 62: 787-789.
- Ehler, L. E., Maller, L. B. and Hirose, Y. 2002. Reproductive biology of *Gryon obesum* Masner (Hymenoptera: Scelionidae). *J. Hymenop. Res.* 11: 1-4.
- Ehler, L. E., Pease, C. G. and Long, R. F. 2002. Farmscape ecology of a native stink bug in the Sacramento Valley. *Fremontia* 30(3-4): 59-61.
- Ehler, L. E., Sforza, R. and Mateille, T. (Editors). 2004. Genetics, Evolution and Biological Control. CABI Publishing, Wallingford, UK. 260 pp.
- Ehler, L.E. 2002. An evaluation of some natural enemies of *Nezara viridula* (Heteroptera: Pentatomidae) in northern California. *BioControl* 47: 309-325.
- Erbilgin, N., Dahlsten, D. L. and Chen, Pei-yu. 2004. Intraguild interactions between generalist predators and an introduced parasitoid of *Glycaspis brimblecombei* (Homoptera: Psylloidea). *Biol. Control* 31: 329-337.
- Eskandari, F. M., Berner, D. K., Kashefi, J. and Strieth, L. 2004. First report of leaf spot caused by a *Cercospora* sp. on *Centaurea solstitialis* in Greece. *Plant Dis.* 88:1382, 2004; Published on-line as D-2004-0923-01N.
- Eskandari, F. M., McMahon, M. B., Bruckart, III, W. L. And Littlefield, J. 2006. First Report of Leaf Spot Caused by a *Cercospora* sp. on *Acroptilon repens* in the United States. *Plant Dis.* 90:833.
- Evans, E. W., Karren, J. B. and Israelsen, C. E. 2006. Interactions over time between cereal leaf beetle (Coleoptera: Chrysomelidae) and larval parasitoid *Tetrastichus julis* (Hymenoptera: Eulophidae) in Utah. *J. Econ. Entomol.* 99: 1967-1973.
- Evans, E.W. 2003. Searching and reproductive behaviour of female aphidophagous ladybirds (Coleoptera: Coccinellidae): a review. *Euro. J. Entomol.* 100: 1-10
- Evans, E.W. 2004. Habitat displacement of native North American ladybirds by an introduced species. *Ecology* 85: 637-647.
- Evans, E.W. and Gunther, D. I. 2005. The link between food and reproduction in aphidophagous predators: a case study with *Harmonia axyridis* (Coleoptera: Coccinellidae). *Euro. J. Entomol.* 102: 423-430.
- Evans, E.W., Richards, D. R. and Kalaskar, A. 2004. Using foods for different purposes: female responses to prey in the predator *Coccinella septempunctata* L. (Coleoptera: Coccinellidae). *Ecol. Entomol.* 29: 27-34.
- Ferrero-Serrano, A., Collier, T. R., Meador, B. A., Hild, A. H., and Smith, T. 2006. Combination of stem-boring weevil and native grasses reduces root biomass of Canada thistle in greenhouse experiment (Wyoming). *Ecological Restoration* 24(3): 201-202.
- Fisher, A. J., Woods, D. M., Smith, L. and Bruckart, W. 2006 Testing release strategies for the fungus *Puccinia jaceae* var. *solstitialis*. In D. M. Woods (ed.), Biological Control Program Annual Summary, 2005. California Department of Food and Agriculture, Plant Health and Pest Prevention Services, Sacramento, California. pp. 32-34.
- Fisher, A., Smith, L. and Woods, D. M. 2006. Biological control of yellow starthistle with the rust fungus, *Puccinia jaceae*. *Proc. West. Soc. Weed Sci.* 59: 55-56.
- Fisher, A.J., Bruckart, W. L., McMahon, M. B., Luster, D. G. and Smith, L. 2006. First report of *Puccinia jaceae* var. *solstitialis pycnia* on yellow starthistle in the United States. *Plant Disease.* 90:1362
- Fournier, V., Hagler, J. R., Daane, K., de Leon, J., Groves, R., Costa, H. and Henneberry, T. J. 2006. Development and application of a glassy-winged and smoke-tree sharpshooter egg-specific predator gut content ELISA. *Biol. Control.* 37: 108-118.

- Fournier, V., Rosenheim, J. A., Brodeur, J., Laney, L. O. and Johnson, M. W. 2003. Herbivorous mites as ecological engineers: indirect effects on arthropods inhabiting papaya foliage. *Oecologia* 135:442-450.
- Fournier, V., Rosenheim, J. A., Johnson, M. W. and Brodeur, J. 2003. Augmentative releases of predatory mites on papaya in Hawaii: failure and success. Pages 167-175 in: R. G. Van Driesche (ed.), Proceedings of the International Symposium on Biological Control of Arthropods. Honolulu, Hawaii, 14-18 January 2002, United States Department of Agriculture, Forest Service, Morgantown, WV, FHTET-2003-05, 573 p.
- Freeman, T. P., Goolsby, J. A., Ozman, S. K. and Nelson, D. R. 2005. An ultrastructural study of the relationship between the mite *Floracarus perrepae* Knihinicki & Boczek (Acariformes: Eriophyidae) and the fern *Lygodium microphyllum* (Cav.) R. Br. (Lygodiaceae). *Austral. J. Entomol.* 44: 57-61.
- Freise, J., Heitland, W. and Tosevski, I. 2002. Parasitism of the horse-chestnut leaf miner, *Cameraria ohridella* Deschka and Dimic (Lep., Gracillariidae), in Serbia and Macedonia. *Anzeiger für Schädlingskunde / J. Pest Sci.* 75, 152-157.
- Gassmann, A. and Kok, L.T. 2002. *Carduus nutans* L. (musk thistle, nodding thistle). In: Driesche, R.V.; Lyon, S.; Blossey, B.; Hoddle, M.; Reardon, R (eds.) *Biological Control of Invasive Plants in the Eastern United States*. Morgantown, West Virginia, USA; USDA Forest Service, Publication FHTET-2002-04, pp. 229-245.
- Gassmann, A. and Kok, L.T. 2002. *Carduus tenuiflorus* W. Curtis (winged slender thistle, slenderflower thistle, seaside thistle). In: Driesche, R.V., Lyon, S., Blossey, B., Hoddle, M., Reardon, R (eds.) *Biological Control of Invasive Plants in the Eastern United States*. Morgantown, West Virginia, USA; USDA Forest Service, Publication FHTET-2002-04, pp. 251-253.
- Gavotte, L., Vavre, F., Ravallec, H. M., Stouthamer, R. and Bouletreau, M. 2004. Diversity, distribution and specificity of WO phage infection in *Wolbachia* of four insect species. *Insect Molecular Biology* 13:147-153.
- Ge, S., Everitt, J. H., Carruthers, R. I., Gong, P. and Anderson, G. L. 2006. Hyperspectral characteristics of canopy components and structure for phenological assessment of an invasive weed. *Environmental Monitoring and Assessment*. p. 1-18
- Georgis, R., Koppenhöfer, A. M., Lacey, L. A., Bélair, G., Duncan, L. W., Grewal, P. S., Samish, M., Tan, L., Torr, P. and van Tol, R. W. H. M. 2006. Successes and failures in the use of parasitic nematodes for pest control. *Biol. Control* 38: 103-123.
- Godfrey, K. and Grafton-Cardwell, E. 2006. Diaprepes root weevil and Asian citrus psyllid: newcomers to California? pp. 24-31 In Hoddle, M. and M. Johnson, eds. 2006. Proceedings of the California Conf. On Biological Control V.
- Godfrey, K. and McGuire, M. 2004. Overwintering of *Aphelinus* near *paramali* (Hymenoptera: Aphelinidae), an introduced parasite of the cotton aphid in the San Joaquin Valley, California. *Florida Entomol.* 87(1): 88-91.
- Godfrey, K., Haviland, D., Erwin, J., Daane, K. and Bentley, W. 2005. Vine mealybug: What you should know. *UC ANR Publ.* No. 8152.
- Goettel, M. S., Lacey, L. A., Noronha, C. and Hunt, D. 2002. Microbial control of insect pests of potato in Canada and the Western United States. Proceedings VIIIth Int. Colloq. *Invertebr. Pathol.* Microbial Control, August 18-23, 2002, Foz do Iguaçu, Brazil. pp. 270-274.

- Gonzon, A. T., Bartlett, C. R. and Bowman, J. L. 2006. Planthopper (Hemiptera: Fulgoroidea) diversity in the Great Smoky Mountains National Park. *Trans. Amer. Entomol. Soc.* 132: 3-4.
- Goolsby, J. A. 2004. Potential distribution of the invasive Old World climbing fern, *Lygodium microphyllum* in North and South America. *Natural Areas Journal* 24: 351-353.
- Goolsby, J. A., Alexander Jesudasan, R. W., Jourdan, H., Muthuraj, B., Bourne, A. S., and Pemberton, R. W. (2005). Continental comparisons of the interaction between climate and the herbivorous mite, *Floracarus perrepae* (Acari: Eriophyidae). *Flor. Entomol.* 88: 129-134.
- Goolsby, J. A., Bourne, A. S. and Zonneveld, R. 2004. Pre-release assessment of impact on biomass production of an invasive weed, *Lygodium microphyllum* (Lygodiaceae: Pteridophyta), by a potential biological control agent, *Floracarus perrepae* (Acariformes: Eriophyidae). *Environ. Entomol.* 33: 998-1002.
- Goolsby, J. A., DeBarro, P. J., Kirk, A. A., Sutherst, R., Canas, L., Ciomperlik, M., Ellsworth, P., Gould, J., Hartley, D., Hoelmer, K. A., Naranjo, S. E, Rose, M., Roltsch, B., Ruiz, R., Pickett C. and Vacek, D. 2005. Post-release evaluation of the biological control of *Bemisia tabaci* biotype "B" in the USA and the development of predictive tools to guide introductions for other countries. *Biol. Control* 32: 70-77.
- Goolsby, J. A., DeBarro, P. J., Makinson, J. R., Pemberton, R. W., Hartley, D. M. and Frohlich, D. 2006. Matching the origin of an invasive weed for selection of a herbivore haplotype for a biological control programme. *Mole. Ecol.* 15: 287-297.
- Goolsby, J. A., Makinson, J. R., Hartley, D. M., Zonneveld, R. and Wright, A. D. 2004. Pre-release evaluation and host range testing of *Floracarus perrepae* (Eriophyidae) genotypes for biological control of Old World climbing fern. In: Proceedings of the XI International Symposium on Biological Control of Weeds (eds. Cullen, J.M., Briese, D.T., Kriticos, D.J., Lonsdale, W.M., Morin, L. and Scott, J.K.) pp. 113-116. CSIRO Entomology, Canberra, Australia.
- Goolsby, J. A., van Klinken, R. D. and Palmer, W. A. 2006. Maximising the contribution of native-range studies towards the identification and prioritisation of weed biocontrol agents. *Austral. J. Entomol* 45: 276-286
- Goolsby, J. A., Wright, A. D. and Pemberton, R. W. 2003. Exploratory surveys in Australia and Asia for natural enemies of Old World climbing fern, *Lygodium microphyllum*: Lygodiaceae. *Biol. Control* 28: 33-46.
- Goolsby, J. A., Zonneveld, R., Makinson, J. R. and Pemberton, R. W. 2005. Host-range and cold temperature tolerance of *Floracarus perrepae* (Acariformes: Eriophyidae) a potential biological control agent of *Lygodium microphyllum* (Pteridophyta: Lygodiaceae). *Austral. J. Entomol.* 44: 321-330
- Goolsby, John A., Paul J. De Barro, Kim A. Hoelmer and Alan A Kirk. 2005. Retrospective evaluation of the biological control for *Bemisia tabaci* biotype "B" in the USA, pp. 144-151. Proceedings, 2<sup>nd</sup> International Symposium of Biological Control of Arthropods, Davos, Switzerland. Sept. 2005. U.S.D.A. Forest Service Publication FHTET-2005-08, vol. 1.
- Grafton-Cardwell, E., Godfrey, K., Rogers, M., Childers, C. and Stansly, P. 2006. Asian citrus psyllid. *UC ANR Publ.* No. 8205.

- Grieshop, Matthew J., Flinn, Paul W., and Nechols, James R. 2006. Biological control of the Indianmeal moth on finished stored products using egg and larval parasitoids. *J. Econ. Entomol.* 99: 1080-1084.
- Grieshop, Matthew J., Flinn, Paul W., Nechols, James R. and Campbell, James F. 2006. Effects of shelf architecture and parasitoid release height on biological control of *Plodia interpunctella* (Lepidoptera: Pyralidae) eggs by *Trichogramma deion* (Hymenoptera: Trichogrammatidae). *J. Econ. Entomol.* 99: 2202-2209.
- Grobbelaar, E., Balciunas, J. K., Nesar, O. and Nesar, S. 2003. South African insects for biological control of *Delairea odorata*. pp. 16-28 in: Proceedings, CalEPPC Symposiums, 2000, 2001, 2002. M. Kelly (ed.), Concord, CA.
- Grosskopf, G. 2002. Klassische biologische Unkrautkontrolle. *UFA Revue, Sonderheft* 2002(1), 24-27.
- Grosskopf, G.; Smith, L.A. and Syrett, P. 2002. Host range of *Cheilosia urbana* (Meigen) and *Cheilosia psilophthalma* (Becker) (Diptera: Syrphidae), candidates for the biological control of invasive alien hawkweeds (*Hieracium* spp., Asteraceae) in New Zealand. *Biol. Control* 24, 7-19.
- Guinnee, M. A., Bernal, J. S., Bezemer, T. M., Fidge, J. G., Hardy, I. C. W., Mayhew, P. J., Mills, N. J., and West, S.A. 2005. Testing predictions of small brood models using parasitoid wasps. *Evol. Ecol. Res.* 7: 779-794.
- Gurr, G. M., Wratten, S. D. and Altieri, M. A. 2004. Ecological Engineering for Pest Management: Advances in habitat management for arthropods, CABI Publishing, Oxon, UK.
- Gutierrez, A. P. 2003. An ecological perspective on the analysis of Bt cotton. *Redia* LXXXVI: 1-4.
- Gutierrez, A. P. and Ponsard, S. 2006. Physiologically based model of Bt cotton-pest interactions: I. Pink bollworm: resistance, refuges and risk. *Ecological Modeling* 191:346-359.
- Gutierrez, A. P. and Regev, U. 2005. The bioeconomics of tritrophic systems: applications to invasive species. *Ecol. Econ.* 52:382-396.
- Gutierrez, A. P. Ponti, Luigi, Ellis, C. K. and d'Oultremont, Thibaud. (2006). Analysis of climate effects on agricultural systems: A report to the Governor of California sponsored by the California Climate Change Center.  
<[http://www.climatechange.ca.gov/climate\\_action\\_team/reports/index.html](http://www.climatechange.ca.gov/climate_action_team/reports/index.html)>[http://www.climatechange.ca.gov/climate\\_action\\_team/reports/index.html](http://www.climatechange.ca.gov/climate_action_team/reports/index.html).
- Gutierrez, A. P., Adamczyk Jr., J. J. and Ponsard, S. 2006. A Physiologically based model of Bt cotton-pest interactions: II. bollworm-defoliator-natural enemy interactions. *Ecological Modeling* 191: 360-382.
- Gutierrez, A. P., Ellis, C. K., d'Oultremont, T. and Ponti, Luigi. 2006. Climatic limits of pink bollworm in Arizona and California: effects of climate warming. *Acta Oecologica* 30: 353-364.
- Gutierrez, A. P., Pitcairn, M. J. and Carruthers, N. 2004. Development of a supply-demand model to evaluate the biological control of yellow starthistle, *Centaurea solstitialis*, in California. In: J. M. Cullen (sr. ed.), Proceedings of the XI International Symposium on Biological Control of Weeds, pp. 539-544. CSIRO Entomology, Canberra, Australia.

- Gutierrez, A. P., Pitcairn, M. J., Ellis, C. K., Carruthers, N. and Ghezalbash, R. 2005. Evaluating biological control of yellow starthistle (*Centaurea solstitialis*) in California: A GIS based supply–demand demographic model. *Biol. Control* 34: 115-131.
- Gutierrez, A.P. 2003. Some ecological consequences of transgenic Bt cotton. *Metodi Numerici statistici e informatici nella difesa dell colture agrarie e delle foreste:ricerca e applicazioni. Notizario sulla protecezione delle piante. Number 15, pp.265-276.*
- Gutierrez, A.P. 2005. Tritrophic effects in Bt cotton. *Bull. Sci. Tech. & Society. 25: 3540-360*
- Habeck, D., and Balciunas, J. 2005. Larvae of the Nymphulinae (Lepidoptera: Pyralidae) associated with *Hydrilla verticillata* (Hydrocharitaceae) in North Queensland. *J. Aus. Entomol. Soc. 44(4): 354-363.*
- Hagler, J. R and Naranjo, S. E. 2005. Use of a gut content ELISA to detect whitefly predator feeding activity after field exposure to different insecticide treatments. *Biocontrol Sci. Technol. 15: 321-339.*
- Hagler, J. R. 2006. Development of an immunological technique for identifying multiple predator--prey interactions in a complex arthropod assemblage. *Ann. Appl. Biol. 149: 153-165.*
- Hagler, J.R. 2002. Foraging behavior, host stage selection and gut content analysis of field collected *Drapetis* nr. *divergens*: A predatory fly of *Bemisia argentifolii*. *Southwest. Entomol. 27: 241-249.*
- Hagler, J.R., Costa, H. and Daane, K. 2002. Progress on the development of a monoclonal antibody specific to glassy-winged sharpshooter egg protein: A tool for predator gut analysis and early detection of pest infestation. *Symp. Proceedings, Pierce's Disease Research Symposium. P. 79-80.*
- Hagler, J.R., Jackson, C. G., Henneberry, T. J., and Gould, J. R. 2002. Parasitoid mark-release recapture techniques. II. Development and application of a protein marking technique for *Eretmocerus* spp., parasitoids of *Bemisia argentifolii*. *Biocon. Sci. & Technol. 12: 661-675.*
- Hagler, J.R., Machtley, S. and Leggett, J. 2002. Parasitoid mark-release-recapture techniques. I. Development of a battery-operated suction trap for collecting minute insects. *Biocon. Sci. & Technol. 12: 653-659.*
- Haviland, D. R., Bentley, W. J., and Daane, K. M. 2005. Hot water treatments to control *Planococcus ficus* (Hemiptera: Pseudococcidae) in grape nursery stock. *J. Econ. Entomol. 98(4): 1109-1115.*
- Haviland, D., Beede, R., Godfrey, K. and Daane, K. 2006. *Ferrisia gilli*: a new mealybug pest of pistachios and other deciduous crops. *UC ANR Publ. No. 8207.*
- Heckscher, C. M. and Bartlett, C. R. 2004. Rediscovery and habitat associations of *Photuris bethaniensis* (Coleoptera: Lampyridae). *Coleopterists' Bulletin* 58(3): 349-353.
- Henneberry, T. J., Naranjo, S. E., Forer, G., Horowitz, A. R. and Ellsworth, P. C. 2006. Biology, population dynamics and management of sweetpotato whiteflies on cotton. *In Sticky Cotton – Cause, Impacts, and Prevention, E. Hequet, T. Henneberry and R. L. Nichols (eds). U. S. Dept. Agriculture, Tech. Bull.*
- Herrera, A. and Dudley, T. L.. 2003. Invertebrate community reduction in response to *Arundo donax* invasion at Sonoma Creek. *Biological Invasions* 5:167-177.
- Herrera, A. M., Dahlsten, D. D., Tomic-Carruthers, N. and Carruthers, R. I. 2005. Estimating temperature-dependent developmental rates of *Diorhabda elongata* (Coleoptera:

- Chrysomelidae), a biological control agent of saltcedar (*Tamarix*, spp.). *Environ. Entomol.* 34(4):775-784.
- Hirose, Y., Ehler, L. E. and Hirose, Y. 2003. Influence of host age on patch use by a quasi-gregarious egg parasitoid. *Environ. Entomol.* 32: 789-796.
- Hoelmer, K. A. & J. A. Goolsby. 2003. Innovative methods for the release, establishment and monitoring of *Bemisia* parasitoids and predators. Pp. 58-65. Proceedings, 1st Internat. Symposium of Arthropod Biological Control, Honolulu, HA. U.S. Dept. Agriculture, Forest Service Publication 2003-05. 571 pp.
- Hoelmer, K. A. and A. A. Kirk. 2005. Selecting arthropod biological control agents against arthropod pests: Can the science be improved to decrease the risk of releasing ineffective agents? *Biol. Control* 34: 255-264.
- Hoelmer, K. A. and Pickett, C. H. 2003. Geographic origin and taxonomic history of *Delphastus* spp. (Coleoptera: Coccinellidae) in commercial culture. *Biocon. Sci. & Technol.* 13: 529-535.
- Hoelmer, K. A. and T. Shanower. 2004. Foreign exploration for natural enemies of cephid sawflies. *J. Agric. & Urban Entomol.* 21(4): 223-238.
- Holst, N., and Meikle, W. G. 2003. *Teretrius nigrescens* against larger grain borer *Prostephanus truncatus* in African maize stores: biological control at work? *J. Appl. Ecol.* 40(2): 307-319.
- Holt, Kiffnie M., Opit, George P., Nechols, James R. and Margolies, David C. 2006. Testing for non-target effects of spinosad on twospotted spider mites and their predator *Phytoseiulus persimilis* under greenhouse conditions. *Exper. Appl. Acarol.* 38: 141-149.
- Hopper, K. R., Rosenheim, J. A., Prout, T. and Oppenheim, S. 2003. Within-generation bet hedging: a seductive explanation? *Oikos* 101:219-222.
- Horton, D.R., Granatstein, D., Zack, R. S., Unruh, T. R., Moldenke, A R. and Brown, J. J. 2003. Frequency of mowing and effect on density of natural enemies in the ground cover, in the tree canopy, and on the orchard floor at three Pacific Northwest pear orchards. *Entomol. Exper. Appl.* 106:135-145.
- Hougardy, E., and Mills, N. J. 2006. The influence of host deprivation and egg expenditure on the rate of dispersal of a parasitoid following field release. *Biol. Control* 37: 206-213.
- Hougardy, E., Bezemer, T. M., and Mills, N.J. 2005. Effects of host deprivation and egg expenditure on the reproductive capacity of *Mastrus ridibundus*, an introduced parasitoid for the biological control of codling moth in California. *Biol. Control* 33: 96-106.
- Hufbauer, R. A, Bogdanowicz, S. M. and Harrison, R. G. 2004. The population genetics of a biological control introduction: microsatellite and mtDNA variation in native and introduced populations of *Aphidius ervi*, a parasitoid wasp. *Molecular Ecology.* 13:337-348.
- Hufbauer, R. A. 2002. Aphid resistance and parasitoid virulence among host races of the pea aphid: evidence for evolution following a biological control introduction. *Ecological Applications.* 12(1) 66-78.
- Huigens, M. E., de Almeida, R. P., Boons, P., Luck, R. F. and Stouthamer, R. 2004. Natural interspecific and intraspecific horizontal transfer of parthenogenesis- inducing *Wolbachia* in *Trichogramma* wasps. *Proc. Roy. Soc. London* 271: 509-515
- Huigens, M. E., Luck, R. F. and Stouthamer, R. 2004. Reduced competitive ability due to *Wolbachia* infection in the parasitoid wasp *Trichogramma kaykai*. *Entomol. Exper. et Appli.* 110: 115-123.

- Hulme, M.A. and Kenis, M. 2002. *Pissodes strobi* (Peck), white pine weevil (Coleoptera: Curculionidae). In: Mason, P.G.; Huber, J.T. (eds.) *Biological Control Programmes in Canada, 1981-2000*. Wallingford, UK; CABI Publishing, pp. 221-228.
- Hunter, M. S., Collier, T. R, and Kelly, S. E. 2002. Does an autoparasitoid disrupt host suppression provided by a primary parasitoid? *Ecology* 83: 1459-1467
- Hunter, M. S. and Zchori-Fein, E. 2006. Inherited Bacteroidetes symbionts in arthropods. In: K. Bourtzis and T.A. Miller, eds., *Insect Symbiosis, 2<sup>nd</sup> Ed.*, CRC Press, New York.
- Hurlbert, S. and Meikle, W. G. 2003. Pseudoreplication, fungi, and locusts. *J. Econ. Entomol.* 96(3): 533-535.
- Idechiil, O. 2005. Biodiversity of aphids and ants on Palau, with comparisons to other Pacific islands. MS. Thesis, University of Guam, Mangilao, GU.
- Ives, A. R., Cardinale, B. J. and Snyder, W. E. 2005. A synthesis of sub-disciplines: predator-prey interactions, and biodiversity and ecosystem functioning. *Ecology Letters* 8:102-116.
- Jacob, H.S. and Evans, E.W. 2004. The influence of different sugars on the longevity of *Bathyplectes curculionis* (Hymenoptera: Ichneumonidae). *J. Appl. Entomol.* 128: 316-320.
- Jeong, G. and Stouthamer, R. 2005. Genetics of female functional virginity in the parthenogenesis-*Wolbachia* infected parasitoid wasp *Telenomus nawai* (Hymenoptera: Scelionidae). *Heredity* 92: 402-407.
- Jeong, G. and Stouthamer, R. 2006. No effect of postzygotic reproductive isolation on the interspecific transmission of the paternal sex ratio (PSR) chromosome in *Trichogramma*. *Entomol. Exper. Appl.* 120: 33-40.
- Jetter, K. M., DiTomaso, J. M., Drake, D. J., Klonsky, K. M., Pitcairn, M. J. and Sumner, D. A. 2003. Biological Control of Yellow Starthistle. In: D. A. Sumner (ed.), *Exotic Pests and Diseases: Biology and Economics for Biosecurity*. Iowa State Press. Ames, IA. pp. 225-241.
- Johnson, M. T., Follett, P. A., Taylor, A. and Jones, V. P. 2005. Impact of biological control and invasive species on a non-target native Hawaiian insect. *Oecologia* 142: 529-540.
- Johnson, M. W., and Daane, K. M. 2006. Olive insects: ecology and control, pp. 1-3. In *Encyclopedia of Pest Management*. DOI: 10.1081/E-EPM-120041129. Taylor and Francis, NY.
- Johnson, M., Dudley, T. L. and Burns, C. Seed production in *Arundo donax*? *Cal-IPC News* 14:12-13.
- Joley, D. B., Maddox, D. M., Schoenig, S. E. and Mackey, B. E. 2003. Parameters affecting germinability and seed bank dynamics in dimorphic achenes of *Centaurea solstitialis* in California. *Can. J. Botany* 81: 993-1007.
- Jones, V. P., Hagler, J. R., Brunner, J., Baker, C. and Wilburn, T. 2006. An inexpensive immunomarking technique for studying movement patterns of naturally occurring insect populations. *Environ. Entomol.* 35: 827-836.
- Jones, V., Unruh, T., Horton, D. and Brunner, J. 2006. Improving apple IPM by maximizing opportunities for Biological Control. *GoodFruit Grower*, December 2006.
- Kajita, Y., Takano, F., Yasuda, H. and Evans, E.W. 2006. Interactions between introduced and native predatory ladybirds (Coleoptera, Coccinellidae): factors influencing the success of species introductions. *Ecol. Entomol.* 31: 58-67.



- Kajita, Y., Yasuda, H. and Evans, E.W. 2006. Effects of native ladybirds on oviposition of the exotic species, *Adalia bipunctata* (Coleoptera: Coccinellidae), in Japan. *Appl. Entomol. & Zool.* 41: 57-62
- Kamita, S. G., Do, Z. N., Samra, A. I., Hagler, J. R., and Hammock, B. D. 2005. Characterization of cell lines developed from the glassy-winged sharpshooter, *Homalodisca coagulata* (Hemiptera: Cicadellidae). *In Vitro Cell Dev. Biol. — Animal.* 41: 149-153.
- Kashefi, J., and Vanky, K. 2004. *Microbotryum scolymi*, a rare smut fungus, new for Greece. *J. Plant Pathol.* (2004), 87 (2), 177-179
- Kirk, A., Widmer, T., Campobasso, G., Carruthers, R. and Dudley, T. 2003. The potential contribution of natural enemies from Mediterranean Europe to the management of the invasive weed *Arundo donax* (Graminae; Arundinae). *Proc., Calif. Invasive Plant Council.* 7:62-68.
- Kok, L.T. and Gassmann, A. 2002. *Carduus acanthoides* L. (plumeless thistle, bristly thistle). In: Driesche, R.V.; Lyon, S.; Blossey, B.; Hoddle, M.; Reardon, R (eds.) *Biological Control of Invasive Plants in the Eastern United States*. Morgantown, West Virginia, USA; USDA Forest Service, Publication FHTET-2002-04, pp. 255-261.
- Kok, L.T. and Gassmann, A. 2002. *Cirsium vulgare* (bull thistle, spear thistle). In: Driesche, R.V.; Lyon, S.; Blossey, B.; Hoddle, M.; Reardon, R (eds.) *Biological Control of Invasive Plants in the Eastern United States*. Morgantown, West Virginia, USA; USDA Forest Service, Publication FHTET-2002-04, pp. 247-250.
- Koss, A. M. and Snyder, W. E. 2005. Alternative prey disrupt biocontrol by a guild of generalist predators. *Biol. Control* 32:243-251.
- Koss, A. M., Chang, G. C. and Snyder, W. E. 2004. Predation of green peach aphids by generalist predators in the presence of alternative, Colorado potato beetle egg prey. *Biol. Control* 31:237-244.
- Koss, A. M., Jensen, A. S., Schreiber, A., Pike, K. S. and Snyder, W. E. 2005. A comparison of predator and pest communities in Washington potato fields treated with broad-spectrum, selective or organic insecticides. *Environ. Entomol.* 34:87-95.
- Kremer, R. J., Caesar, A. J. and Souissi, T. 2006. Soilborne microorganisms of *Euphorbia* are potential biological control agents of the invasive weed leafy spurge. *Appl. Soil Ecol.* 32: 27-37.
- Krugner, R., Daane, K. M., Lawson, A. B., Yokota, G. Y. 2005. Biology of *Macrocentrus iridescens*: A parasitoid of the obliquebanded leafroller (Lepidoptera: Tortricidae). *Environ. Entomol.* 34(2): 336-343.
- Kuhlmann, U., Dossall, L.M. and Mason, P.G. 2002. *Ceutorhynchus assimilis* Paykull, Cabbage Seedpod Weevil (Coleoptera: Curculionidae). In: Mason, P.G.; Huber, J.T. (eds.) *Biological Control Programmes in Canada, 1981-2000*. Wallingford, UK; CABI Publishing, pp. 52-58.
- Kuhlmann, U., Sarazin, M. and O'Hara, J.E. 2002. *Forficula auricularia* L., European earwig (Dermaptera: Forficulidae). In: Mason, P.G.; Huber, J.T. (eds.) *Biological Control Programmes in Canada, 1981-2000*. Wallingford, UK; CABI Publishing, pp. 127-131.
- Lacey, L. A. 2002. Insect pests of potatoes in the Western Hemisphere and the potential for their control using entomopathogens. *Proceedings VIIIth Int. Colloq. Invertebr. Pathol. Microbial Control*, August 18-23, 2002, Foz do Iguaçu, Brazil. pp. 256-260.

- Lacey, L. A. and Shapiro-Ilan, D. I. 2005. Microbial control of insect and mite pests in orchards: Tools for integrated pest management and sustainable agriculture. In: R. Dris (Ed.), "Crops: Quality, Growth and Biotechnology", pp.1-24.. WFL Publisher, Helsinki, Finland.
- Lacey, L. A. 2004. Microbial control of insects. In: "Encyclopedia of Entomology" (J. Capinera, ed.). Kluwer Academic Publishers Dordrecht, The Netherlands. pp. 1401-1407.
- Lacey, L. A. and Becnel, J. 2004. Microbial control of medically important insects. In: "Encyclopedia of Entomology" (J. Capinera, ed.). Kluwer Academic Publishers Dordrecht, The Netherlands. pp. 1407-1410.
- Lacey, L. A. and Merritt, R. W. 2003. The safety of bacterial microbial agents used for black fly and mosquito control in aquatic environments. In: "Environmental Impacts of Microbial Insecticides: Need and Methods for Risk Assessment " (H. M. T. Hokkanen and A. E. Hajek, eds.), pp. 151-168. Kluwer Academic Publishers Dordrecht, The Netherlands.
- Lacey, L. A. and Mesquita, A. L. 2002. Interaction of entomopathogenic fungi, insect parasitoids and their hosts. Proceedings VIIIth Int. Colloq. Invertebr. Pathol. Microbial Control, August 18-23, 2002, Foz do Iguaçu, Brazil. pp. 31-35.
- Lacey, L. A. and Neven, L. G. 2006. The potential of the fungus, *Muscodor albus* as a microbial control agent of potato tuber moth (Lepidoptera: Gelechiidae) in stored potatoes. *J. Invertebr. Pathol.* 91: 195-198.
- Lacey, L. A. and Shapiro-Ilan, D. I. 2003. The potential role for microbial control of orchard insect pests in sustainable agriculture. *J. Food Agric. Environ.* 1: 326-331.
- Lacey, L. A. and Unruh, T. R. 2005. Biological control of codling moth (*Cydia pomonella*, Tortricidae: Lepidoptera) and its role in integrated pest management, with emphasis on entomopathogens. *Vedalia* 12: 33-60.
- Lacey, L. A., Vail, P. V. and Hoffmann, D. F. 2002. Comparative activity of baculoviruses against the codling moth, *Cydia pomonella*, and three other tortricid pests of tree fruit. *J. Invertebr. Pathol.* 80: 64-68.
- Lacey, L. A., and Arthurs, S. P. 2005. New method for testing solar sensitivity of commercial formulations of the granulovirus of codling moth (*Cydia pomonella*, Tortricidae: Lepidoptera). *J. Invertebr. Pathol.* 90: 85-90.
- Lacey, L. A., Arthurs, S. P. and Headrick, H. 2005. Comparative activity of the codling moth granulovirus against *Grapholita molesta* and *Cydia pomonella* (Lepidoptera: Tortricidae). *J. Entomol. Soc. Brit. Columbia* 102: 79-80.
- Lacey, L. A., Arthurs, S. P., Knight, A., Becker, K. and Headrick, H. 2004. Efficacy of codling moth granulovirus: effect of adjuvants on persistence of activity and comparison with other larvicides in a Pacific Northwest apple orchard. *J. Entomol. Sci.* 39: 500-513.
- Lacey, L. A., Arthurs, S. P., Thomson, D., Fritts, Jr., R. and Granatstein, D. 2004. Codling moth granulovirus and insect-specific nematodes for control of codling moth in the Pacific Northwest. *Tilth Producers Quarterly* 13 (2): 10-12.
- Lacey, L. A., Arthurs, S. P., Unruh, T. R., Headrick, H. and Fritts, Jr., R. 2006. Entomopathogenic nematodes for control of codling moth (Lepidoptera: Tortricidae) in apple and pear orchards: effect of nematode species and seasonal temperatures,

- adjuvants, application equipment and post-application irrigation. *Biol. Control* 37: 214–223.
- Lacey, L. A., Granatstein, D., Arthurs, S. P., Headrick, H. and Fritts, Jr., R. 2006. Use of entomopathogenic nematodes (Steinernematidae) in conjunction with mulches for control of overwintering codling moth (Lepidoptera: Tortricidae). *J. Entomol. Sci.* 41: 107-119.
- Lacey, L. A., Neven, L. G., Headrick, H. L. and Fritts, Jr., R. 2005. Factors affecting entomopathogenic nematodes (Steinernematidae) for the control of overwintering codling moth (Lepidoptera: Tortricidae) in fruit bins. *J. Econ. Entomol.* 98: 1863-1869.
- Lacey, L. A., Riga, E. and W. Snyder, W. 2004. The potential for using insect specific pathogens for control of insect pests of potato in North America. *Potato Progress.* 4: 1-3.
- Lacey, L. A., Unruh, T. R. and Headrick, H. L. 2003. Interactions of two idiobiont parasitoids (Hymenoptera: Ichneumonidae) of codling moth (Lepidoptera: Tortricidae) with the entomopathogenic nematode *Steinernema carpocapsae* (Rhabditida: Steinernematidae). *J. Invertebr. Pathol.* 83: 230-239.
- Lane, S. D., and Mills, N. J. 2003. Intraspecific competition and density dependence in an *Ephestia kuehniella* □ *Venturia canescens* laboratory system. *Oikos* 101: 578-590.
- Langellotto, G. A., Rosenheim, J. A. and Williams, M. R. 2005. Enhanced carbon enrichment in parasitoids (Hymenoptera): a stable isotope study. *Ann. Entomol. Soc. Amer.* 98:205-213.
- Langellotto, G. A., Rosenheim, J. A. and Williams, W. R. 2006. Assessing trophic interactions in a guild of primary parasitoids and facultative hyperparasitoids: stable isotope analysis. *Oecologia* 150:291-299.
- Lartey, R. T., Caesar-TonThat, T. C., Caesar, A. J., Shelver, W. L., Sol, N. I., and Bergman, J. W. 2005. Safflower: A new host of *Cercospora beticola*. *Plant Dis.* 89: 797-801.
- Lauriault, L. M., Thompson, D. C., Pierce, J. B., Michels, G. J. and Hamilton, W. V. 2004. Using *Aceria malherbae* gall mites for control of field bindweed *Coop. Ext. Serv. Circular* 600 14pp.
- Lawson, A. B. and Dahlsten, D. L. 2003. Implementation of a city-wide monitoring program to base treatment decisions on elm leaf beetle abundance. *J. Arboric.* 29(1):34-41.
- Lawson, A. B., Dreistadt, S. H. and Flint, M. L. 2005. Hackberry wooly aphid pest note. University of California Agriculture and Natural Resources, publication 74111.
- Legg, D. E., Van Vleet, S. M., Ragsdale, D. W., Hansen, R. W., Skinner, L. C., Collier, T. R. and Lloyd, J. E. 2003. Roles of bootstrap resampling, measure of central tendency, and method for calculating thermal units when developing phenology models for pest management. *Intl. J. Pest Mgmt.* 49: 319-325.
- León, de, J. H., Fournier, V., Hagler, J. R., and Daane, K. M. 2006. Development of molecular diagnostic markers for sharpshooters *Homalodisca coagulata* and *H. liturata* (Homoptera: Cicadellidae: Prononiini) for use in predator gut content examinations. *Entomol. Exp. Appl.* 119: 109-119.
- Lewis, P. A., DeLoach, C. J., Herr, J. C., Dudley, T. L. and Carruthers, R.I. 2003. Assessment of risk to native Frankenia shrubs from an Asian leaf beetle, *Diorhabda elongata deserticola*, introduced for biological control of saltcedars in the western United States. *Biol. Control* 27: 148-166.

- Li, B., and Mills, N. J. 2004. The influence of temperature on size as an indicator of host quality for the development of a solitary koinobiont parasitoid. *Entomol. Exper. et Appl.* 110: 249-256.
- Littlefield, J. L. and Bruckart, W. L. 2004. Musk thistle. In Coombs, E. M., J. K. Clark, G. L. Piper, and A. F. Cofrancesco (eds.) Biological control of invasive plants in the United States. Pp: 352-353.
- Littlefield, J. L. 2003. Spatial distribution and seasonal life history of *Aceria malherbae* Nuz. (Acari: Eriophyidae) on *Convolvulus arvensis* L. in Montana, USA. In: Cullen, J.M., D.T Briese, D. J Kriticos, W. M Lonsdale, L. Morin and J. K. Scott (eds.). Proc. of XI International Symposium on the Biological Control of Weeds. Canberra, Australia. May 2003. Pp: 607.
- Littlefield, J. L. 2004. *Aceria malherbae*. In Coombs, E.M., J. K. Clark, G. L. Piper, and A. F. Cofrancesco (eds.) Biological control of invasive plants in the United States. Pp: 153-154.
- Littlefield, J. L. 2004. Field bindweed. In Coombs, E.M., J. K. Clark, G.L. Piper, and A.F. Cofrancesco (eds.) Biological control of invasive plants in the United States. Pp: 150-151.
- Littlefield, J. L. 2004. Russian knapweed. In Coombs, E.M., J.K. Clark, G.L. Piper, and A.F. Cofrancesco (eds.) Biological control of invasive plants in the United States. Pp: 201-203.
- Littlefield, J. L. 2004. *Tyta lactuosa*. In Coombs, E.M., J.K. Clark, G.L. Piper, and A.F. Cofrancesco (eds.) Biological control of invasive plants in the United States. Pp: 155-157.
- Littlefield, J. L. and Coombs, E. M. 2004. *Subanguina picridis*. In Coombs, E.M., J.K. Clark, G.L. Piper, and A.F. Cofrancesco (eds.) Biological control of invasive plants in the United States. Pp: 224-226.
- Littlefield, J. L. and Cunningham, G. R. 2004. Host specificity testing of biological control agents of weeds. In Coombs, E.M., J.K. Clark, G.L. Piper, and A.F. Cofrancesco (eds.) Biological control of invasive plants in the United States. Pp: 32-37.
- Littlefield, J. L., A. deMeij, and R. Sobhian. 2003. A petition for the introduction and field release of two *Urophora* flies (*Urophora kasachstanica* and *Urophora xanthippe*), for the biological control of Russian knapweed in North America. Submitted to the USDA-APHIS-Technical Advisory Group (TAG). 65 p.
- Littlefield, J. L., Bruckart, W. L., Woods, D. M. and Baudoin. A. B. A. M. 2004. *Puccinia carduorum*. In: E. M. Coombs, J. K. Clark, G. L. Piper, and A. F. Cofrancesco, Jr. (eds.), Biological Control of Invasive Plants in the United States. Oregon State University Press, Corvallis, OR. pp. 363-365.
- Lloyd, C. J, Hufbauer, R. A., Jackson, A. K., Nissen, S. J. and Norton, A. P. 2005. Pre- and post-introduction patterns in neutral genetic diversity in the leafy spurge gall midge. *Biol. Control* 33:153-164.
- Lloyd, C. J, Norton, A. P., Hufbauer, R. A. and Bogdanowicz, S. M. 2004. Microsatellites isolated from the gall midge *Spurgia capitigena* (Diptera: Cecidomyiidae), a biological control agent of leafy spurge. *Mole. Ecol. Notes* 4: 605-607.
- Lo Bue, P., Forster, L., Millar, J. G., Colazza, S. and Luck, R. F. 2004. Responses of *Metaphycus* sp. nr. *flavus* to semiochemicals released from a scale host, *Coccus hesperidum*. *Chemioecology* 14: 152-6.

- Louda, S. M., Pemberton, R. W., Johnson, M. T. and Follett, P. A. 2002. Nontarget effects-the Achilles' heel of biological control? Retrospective analyses to reduce the risk of biocontrol introductions. *Ann. Rev. Entomol.* 48: 365-396.
- Lozier, J. D., Mills, N. J., Palsbøll, P. J., and Roderick, G. K. 2005. Di- and tri-nucleotide repeat microsatellites for the mealy plum aphid, *Hyalopterus pruni*. *Mole. Ecol. Notes* 5: 499-501.
- Lozier, J. D., Mills, N. J., and Roderick, G. K. 2006. Di- and tri-nucleotide repeat microsatellites for the parasitoid wasp, *Aphidius transcaspicus*. *Mole. Ecol. Notes* 6: 27-29.
- Lyons, D. B., Kenis, M. and Bouchier, R. S. 2002. *Acantholyda erythrocephala*, pine false webworm (Hymenoptera: Pamphiliidae). In: Mason, P.G.; Huber, J.T. (eds.) *Biological Control Programmes in Canada, 1981-2000*. Wallingford, UK; CABI Publishing, pp. 22-28.
- Mack, Richard. 2002. National Research Council (Richard Mack, c. c., S. Barrett, P. DeFur, W. MacDonald, L. Madden, D. Marshall, D. McCullough, McEvoy, P. B, J. Nyrop, S. Reichard, K. Rice, and S. Tolin). 2002. The Scientific Basis for Predicting the Invasive Potential of Nonindigenous Plants and Plant Pests. National Academy Press, Washington, DC.
- MacKinnon, D. K, Hufbauer, R. A. and Norton, A. P. 2005. Host-plant preference of an inadvertently introduced biological control agent. For: *Entomol. Exper Appl.* 116: 183-189.
- Mansfield, S., and Mills, N. J. 2002. Host egg characteristics, physiological host range, and parasitism following inundative releases of *Trichogramma platneri* (Hymenoptera: Trichogrammatidae) in walnut orchards. *Environ. Entomol.* 31: 723-731.
- Mansfield, S., and Mills, N. J. 2004. A comparison of methodologies for the assessment of host preference of the gregarious egg parasitoid *Trichogramma platneri*. *Biol. Control* 29: 332-340.
- Mantoanelli, E., Albuquerque, G. A., Tauber, C. A. and Tauber, M. J. 2006. *Leucochrysa* (*Leucochrysa*) *varia* (Schneider) (Neuroptera: Chrysopidae): larval descriptions, developmental rates, and adult color variation. *Ann. Entomol. Soc. Am.* 99: 7-18.
- Marrs, R. A, Hufbauer, R. A., Bogdanowicz, S. M. and Sforza, R. 2006. Nine polymorphic microsatellite markers in *Centaurea stoebe* L. [subspecies *C. s. stoebe* and *C. s. micranthos* (S. G. Gmelin ex Gugler) Hayek] and *C. diffusa* Lam (Asteraceae). *Molecular Ecology Notes.* 6:897-899.
- Mason, P. and Kuhlmann, U. 2002. Regulations are necessary for biological control agents. *IOBC/WPRS Bulletin* 25, 165-171.
- Mason, P. G., Turnock, W. J., Erlandson, M. A., Kuhlmann, U. and Braun. L. 2002. *Mamestra configurata* Walker, Bertha Armyworm (Lepidoptera: Noctuidae). In: Mason, P.G.; Huber, J.T. (eds.) *Biological Control Programmes in Canada, 1981-2000*. Wallingford, UK; CABI Publishing, pp. 169-176.
- Matadha, D., Hamilton, G. C. and Lashomb, J. H. 2004. Effect of temperature on development, fecundity and life table parameters of *Encarsia citrina* Craw (Hymenoptera: Aphelinidae), a parasitoid of euonymus scale, *Unaspis euonymi* (Comstock) and *Quadraspidotus perniciosus* (Comstock) (Homoptera: Diaspididae). *Environ. Entomol.* 33: 1185-11
- Matadha, D., Hamilton, G. C., and Lashomb, J. H. 2005. Ovipositional preferences and functional response of parasitoids of euonymus scale, *Unaspis euonymi* (Comstock) and

- Quadraspidotus perniciosus* (Comstock) (Homoptera: Diaspididae). *Biol. Control* 32: 337-347.
- Matadha, D., Hamilton, G. C., Hughes, M. G. and Lashomb, J. H. 2003. Distribution of natural enemies of euonymus scale, *Unapis euonymi* (Comstock) (Homoptera: Diaspididae) in the state of New Jersey. *Environ. Entomol.* 32: 602-607.
- McClay, A. S. and Balciunas, J. K. 2005. The role of pre-release efficacy assessment in selecting classical biological control agents for weeds - applying the Anna Karenina principle. *Biol. Control* . 35(3): 197-207.
- McClay, A. S., Hinz, H. L., DeClerck-Floate, R. and Peschken, D. P. 2002. *Matricaria perforata* Mérat, Scentless Chamomile (Asteraceae). In Mason, P.; Huber, J. (eds.) *Biological Control Programmes in Canada, 1981-2000*. CAB International, Wallingford, UK, pp. 395-402.
- McEvoy, P. B. 2002a. Insect-plant interactions on a planet of weeds. *Entomol. Exper. Appl.* 104:165-179.
- McEvoy, P. B. 2003a. Population and community approaches to biological control of invasive plant species using insects. in *Invasive Plants in Natural and Managed Systems: Linking Science and Management* and 7th International Conference on the Ecology and Management of Alien Plant Invasions, Wyndham Bonaventure Resort, Ft. Lauderdale, Florida.
- Meikle, W. G., Jaronski, S., Mercadier, G. and Quimby, P. C. 2003. A distributed delay routine-based simulation model of *Beauveria bassiana* conidial stability in response to environmental stressors. *BioControl* 48: 561-578.
- Meikle, W. G., Mercadier, G., Girod, V., Derouané, F. and Jones, W. A. 2006. Evaluation of *Beauveria bassiana* (Balsamo) Vuillemin (Deuteromycota: Hyphomycetes) strains isolated from varroa mites in southern France. *J. Apicul. Res.* 45(3): 219-220.
- Meikle, W. G., Mercadier, G., Rosengaus, R. B., Kirk, A. A., Derouané, F. and Quimby, P. C. 2005. Evaluation of an entomopathogenic fungus, *Paecilomyces fumosoroseus* (Wize) Brown and Smith (Deuteromycota: Hyphomycetes) obtained from Formosan subterranean termites (Isoptera: Rhinotermitidae). *J. Appl. Entomol.* 129(6): 315-322.
- Meikle, W. G., Rees, D. and Markham, R. H. 2002. Biological control of the larger grain borer, *Prostephanus truncatus* (Horn) (Coleoptera: Bostrichidae). *Integrated Pest Management Reviews* 7: 123-138.
- Messenger, M. T., Buschman, L. L. and Nechols, J. R. 2000. A comparison of sampling techniques for spider mites and spider mite predators in corn. *Southwest. Entomol.* 25: 221-227.
- Messing, R. H. and Klungness, L. M. 2002. A two-year survey of the melon aphid, *Aphis gossypii* Glover (Homoptera: Aphididae) on crop plants in Hawaii. *Proc. Haw. Entomol. Soc.* 35: 101-111.
- Messing, R. H. and Wright, M. G. 2006. Biological control of invasive species: solution or pollution. *Frontiers Ecol. Environ.* 4: 132-140.
- Messing, R. H., Alyokhin, A. V., Quan, L. Yiqun, C. and Xiong-Xi, F. 2003. Parasitoids of *Sophonia* leafhoppers in southern China. *Proc. Haw. Entomol. Soc.* 36: 111-114.
- Messing, R. H., Foottit, R. and Pike, K. 2006. New records of invasive aphids in Hawai'i. Records of the Hawaii Biological Survey for 2004–2005. *Bishop Museum Occasional Papers* 88: 26-29.

- Miao, X., Gong, P., Swope, S. M., Pu, R., Carruthers, R. I., and Anderson, G. L. 2006. Estimation of yellow starthistle cover through CASI hyperspectral imagery using linear spectral mixture models. *Remote Sensing of Environment*. 101:329-341.
- Milbrath, L. R., Herr, J. C., Knutson, A. E., Tracy, J. L., Bean, D. W., Rodriguez-del-Bosque, L. A., Carruthers, R. I., Deloach, C. J. 2003. Suitability of *Diorhabda elongata* (Coleoptera: Chrysomelidae) for biological control of saltcedars (*Tamarix* spp.) in the southern United States and northern Mexico. In: Memoirs of the XXVI Congresso Nacional de Control Biologico, November 3-8, 2003, Guadalajara, Jalisco, Mexico. p. 225-227.
- Milbrath, Lindsey R. and Nechols, James R. 2004. Indirect effect of early-season infestations of *Trichosiocalus horridus* on *Rhinocyllus conicus* (Coleoptera: Curculionidae). *Biol. Control* 30(1): 95-109.
- Milbrath, Lindsey R. and Nechols, James R. 2004. Individual and combined effects of *Trichosiocalus horridus* and *Rhinocyllus conicus* (Coleoptera: Curculionidae) on musk thistle biological control. *Biol. Control*. 30(2): 418-429.
- Millar, J. G., Daane, K. M., McElfresh, J. S., Moreira, J. A., and Bentley, W. J. 2005. Chemistry and applications of mealybug sex pheromone, pp 11-27. In R. J. Petroski, M. R. Tellez, and R. W. Behle [eds.]. *ACS Symposium Series 906, Semiochemicals in Pest and Weed Control*. American Chemical Society, Washington, D.C.
- Millar, J. G., Midland, S. L., McElfresh, J. S., and Daane, K. M. 2005. (2,3,4,4-tetramethylcyclopentyl)methyl acetate, a sex pheromone from the obscure mealybug: First example of a new structural class of monoterpenes. *J. Chem. Ecol.* 31(12):2999-3005.
- Miller, R. H., Pike, K. S. and Sary, P. 2002. Aphid parasitoids (Hymenoptera: Aphidiidae) on Guam. *Micronesica* 34(2): 87-103
- Mills, N. J. 2003. Parasitoids. In: *Encyclopedia of Insects*. V. H. Resh and R. T. Cardé (eds.), Academic Press, San Diego, pp. 845-848.
- Mills, N. J. 2005. Classical biological control of codling moth: the California experience. In: 2nd International Symposium on Biological Control of Arthropods. M. S. Hoddle (ed.), USDA Forest Service, FHTET-2005-08, Volume 1, pp. 126-131.
- Mills, N. J. 2005. Parasitoids and predators. In: *Insect Sampling in Forest Ecosystems*. S. R. Leather (ed.), Blackwell, Oxford, pp.254-278.
- Mills, N. J. 2005. Selecting effective parasitoids for biological control introductions: Codling moth as a case study. *Biol. Control* 34: 274-282.
- Mills, N. J. 2006. Accounting for differential success in the biological control of homopteran and lepidopteran pests. *New Zea. J. Ecol.* 30: 61-72.
- Mills, N. J. 2006. Interspecific competition among natural enemies and single versus multiple introductions in biological control. In: *Trophic and Guild Interactions in Biological Control*. Brodeur, J. and Boivin, G. (Eds.), Springer, pp. 191-220.
- Mills, N. J., and Daane, K. M. 2005. Nonpesticide alternatives can suppress agricultural pests. *California Agriculture* 59(1): 23-28.
- Mills, N. J., and Kuhlmann, U. 2004. Oviposition behavior of *Trichogramma platneri* Nagarkatti and *Trichogramma pretiosum* Riley (Hymenoptera: Trichogrammatidae) in patches of single and clustered host eggs. *Biol. Control* 30: 42-51.
- Mills, N. J., and Lacan, I. 2004. Ratio-dependence in the functional response of insect parasitoids: evidence from *Trichogramma minutum* foraging for eggs in small host patches. *Ecol. Entomol.* 29: 208-216.

- Mills, N. J., Babendreier, D., and Loomans, A. J. M. 2006. Methods for monitoring the dispersal of natural enemies from point source releases associated with augmentative biological control. In: Environmental Impact of Invertebrates for Biological Control of Arthropods: Methods and Risk Assessment. Bigler, F., Babendreier, D. and Kuhlmann, U. (Eds.), CABI Publishing, pp. 114-131.
- Mochiah, M. B., Ngi-Song, A. J., Overholt, W. A. and Stouthamer, R. 2002. *Wolbachia* infection in *Cotesia sesamiae* (Hymenoptera: Braconidae) causes cytoplasmic incompatibility: implications for biological control. *Biol. Control* 25: 74-80.
- Mochiah, M. B., Ngi-Song, A. J., Overholt, W. A. and Stouthamer, R. 2002. Variation in encapsulation sensitivity of *Cotesia sesamiae* biotypes to *Busseola fusca*. *Entomol. Exper. Appl.* 105:111-118.
- Mondor, E. B., M. N. Tremblay, M. N. and Messing, R. H.. 2006. Extrafloral nectary production in *Vicia faba* is both damage and resource-dependent. *Biology Letters*. 2: 583-585.
- Mondor, E. B., Rosenheim, J. A., and Addicott, J. F. 2005. Predator-induced transgenerational phenotypic plasticity in the cotton aphid. *Oecologia* 142:104-108.
- Mondor, E. B., Tremblay, M. N. and Messing, R. H. 2006. Morphological and ecological traits promoting aphid colonization of the Hawaiian Islands. *Biological Invasions* 9: 87-100.
- Moore A. 2006. Cycad Blue Butterfly, *Chilades pandava* (Lepidoptera: Lycaenidae). University of Guam Cooperative Extension Service.
- Moore A. 2006. Oleander Hawk Moth, *Daphnis nerii* (Lepidoptera: Sphingidae). University of Guam Cooperative Extension Service.
- Moore, A., Iriarte, I. and Quitugua, R. 2004. Asian Cycad Scale, *Aulacaspis yasumatsui* (Homoptera: Diaspididae). University of Guam Cooperative Extension Service.
- Moore, A., Marler, T., Miller, R. H. and Muniappan, R. 2005. Biological control of cycad aulacaspis scale on Guam. *The Cycad Newsletter* 28 (5):6-8.
- Nachappa, Punya, Margolies, David C. and Nechols, James R. 2006. Resource-dependent giving-up time of the predatory mite, *Phytoseiulus persimilis*. *J. Insect Behavior*. 19: 741-752.
- Naranjo, S. E. 2002. Arthropod communities and transgenic cotton in the Western US. pp. 33-38. In M. Hoddle, (ed.), Proceedings 3rd California Conference on Biological Control, 15-16, August 2002, Davis, CA,
- Naranjo, S. E. 2005. Long-term assessment of the effects of transgenic *Bt* cotton on the abundance of non-target arthropod natural enemies. *Environ. Entomol.* 34: 1193-1210.
- Naranjo, S. E. 2005. Long-term assessment of the effects of transgenic *Bt* cotton on the function of the natural enemy community. *Environ. Entomol.* 34: 1211-1223.
- Naranjo, S. E. and Akey, D. 2005. Conservation of natural enemies in cotton: Comparative selectivity of acetamiprid in the management of *Bemisia tabaci*. *Pest Mgmt. Sci.* 61: 555-566.
- Naranjo, S. E. and Ellsworth, P. C. 2002. Arthropod communities and transgenic cotton in the western USA: Implications for biological control. In First International Symposium on Biological Control of Arthropods, 13-18 January 2002, Honolulu, Hawaii, R. Van Driesche (ed.). U.S. Department of Agriculture, Forest Service, Morgantown, West Virginia.



- Naranjo, S. E. and Ellsworth, P. C. 2002. Looking for functional non-target differences between transgenic and conventional cottons: Implications for biological control. pp. 158-163. *In* Cotton, A College of Agriculture Report, Univ. Arizona, Tucson, Series P-130.
- Naranjo, S. E. and Ellsworth, P. C. 2005. Mortality dynamics and population regulation in *Bemisia tabaci*. *Entomol. Exp. Appl.* 116: 93-108.
- Naranjo, S. E., Butler, Jr., G. D. and Henneberry, T. J. 2002. Complete bibliography of *Bemisia tabaci* and *Bemisia argentifolii*. pp. 227-415. *In* Silverleaf whitefly: National research, action and technology transfer plan, 1997-2001; Fourth annual review of the second 5-year plan and final report for 1992-2002. USDA-ARS, June 2002.
- Naranjo, S. E., Cañas, L. and Ellsworth, P. C. 2004. Mortalidad de *Bemisia tabaci* en un sistema de cultivos múltiples [Mortality of *Bemisia tabaci* in a multiple-crop system]. *Horticultura Internacional* 43(Febrero): 14-21.
- Naranjo, S. E., Ellsworth, P. C. and Hagler, J. R. 2004. Conservation of natural enemies in cotton: Role of insect growth regulators for management of *Bemisia tabaci*. *Biol. Control* 30: 52-72.
- Naranjo, S. E., Ellsworth, P. C., Chu C. C. and Henneberry, T. J. 2002. Conservation of predatory arthropods in cotton: Role of action thresholds for *Bemisia tabaci*. *J. Econ. Entomol.* 95: 682-692.
- Naranjo, S. E., Hagler, J. R. and Ellsworth, P. C. 2003. Improved conservation of natural enemies with selective management systems for *Bemisia tabaci* in cotton. *Biocontrol Sci. Technol.* 13: 571-587.
- Naranjo, S.E., Head, G. and Dively, G. P. 2005. Special Section Introduction: Field studies assessing arthropod non-target effects in *Bt* transgenic crops. *Environ. Entomol.* 34: 1178-1180.
- Nealis, V.G., Carter, N., Kenis, M., Quednau, F.W. and van Frankenhuyzen, K. 2002. *Lymantria dispar* (L.), gypsy moth (Lepidoptera: Lymantriidae). In: Mason, P.G.; Huber, J.T. (eds.) *Biological Control Programmes in Canada, 1981-2000*. Wallingford, UK; CABI Publishing, pp. 159-168.
- Nelson, D. R., Freeman, T. P., Buckner, J. S., Hoelmer, K. A., Jackson, C. G. and Hagler, J. R. 2003. Characterizing the cuticular surface wax pores and the waxy particles of the dustywing, *Semidalis flinti* (Neuroptera: Coniopterygidae). *J. Comp. Biochem. & Physiol.* 136: 343-356.
- Nelson, E. H., and Rosenheim, J. A. 2006. Encounters between aphids and their predators: the relative frequencies of disturbance and consumption. *Entomol. Exper. Appl.* 118:211-219.
- Nelson, E. H., Matthews, C. E. and Rosenheim, J. A. 2004. Predators reduce prey population growth by inducing changes in prey behavior. *Ecology* 85: 1853-1858.
- Nicholls, C.I. and Altieri, M.A. 2005. Designing and implementing a habitat management strategy to enhance biological pest control in agroecosystems. *Biodynamics* 251 : 26-38
- Niyibigira, E.I., Overholt, W. A. and Stouthamer, R. 2004. *Cotesia flavipes* Cameron and *Cotesia sesamiae* (Cameron) (Hymenoptera: Braconidae) do not exhibit Complementary Sex Determination: Evidence from field populations. *Appl. Entomol. & Zool.* 39: 705-715.
- Nowierski, R. M., Zeng, Z., Schroeder, D., Gassmann, A., FitzGerald, B. C. and Cristofaro, M. 2002. Habitat associations of *Euphorbia* and *Apthona* species from Europe: development of predictive models for natural enemy release with ordination analysis. *Biol. Control* 23, 1-17.

- Ode, P. J. and Hunter, M. S. 2002. Sex ratios of parasitic hymenoptera with unusual life histories. *In*: I.C.W. Hardy, ed. *Sex ratios: concepts and research methods*. Cambridge University Press, Cambridge.
- Oliver, K.M., Moran, N. A. and Hunter, M. S. 2006. Costs and benefits of a superinfection of facultative symbionts of pea aphids. *Proc. Royl. Soc. London, Series B*. 273: 1273-1280.
- Onstad, D.W., Fuxa, J. R., Humber, R. A., Oestergaard, J., Shapiro Ilan, D. I., Gouli, V.V., Anderson, R. S., Andreadis, T. S., Lacey, L. A. 2006. An abridged glossary of terms used in invertebrate pathology, 3rd Edition. Society of Invertebrate Pathology. <http://www.sipweb.org/glossary>.
- Opit, G. P., Chen, Y., Williams, K. A., Nechols, J. R., and Margolies, D. C. 2005. Plant age, fertilization and biological control affect damage caused by twospotted spider mites on ivy geranium: development of an action threshold. *J. Amer. Soc. Hort. Sci.* 130: 159-166.
- Opit, G. P., Nechols, J. R., and Margolies, D. C. 2004. Biological control of twospotted spider mite, *Tetranychus urticae* Koch (Acari: Tetranychidae), using *Phytoseiulus persimilis* Athias-Henriot (Acari: Phytoseiidae) on ivy geranium: assessment of predator release ratios. *Biol. Control*. 29:445-452.
- Opit, G.P., Nechols, J. R., Margolies, D. C. and Williams, K. A. 2005. Survival, horizontal distribution, and economics of releasing predatory mites (Acari: Phytoseiidae) using mechanical blowers. *Biol. Control* 33:344-351.
- Opit, George P., Fitch, Greg K., Margolies, David. C., Nechols, James R. and Williams, Kimberly, A. 2006. Overhead and drip-tube irrigation affect twospotted spider mites and their biological control by a predatory mite on Impatiens. *HortScience*. 41: 691-694.
- Opit, George P., Margolies, David. C. and Nechols, James R. 2003. Within-plant distribution of twospotted spider mite, *Tetranychus urticae* Koch (Acari: Tetranychidae), on ivy geranium: development of a presence-absence sampling plan. *J. Econ. Entomol.* 96: 482-488.
- Orr, M. R., Dahlsten, D. L., and Benson, W. W. 2003. Ecological interactions among ants in the Genus *Linepithema*, their parasitoids (Diptera: Phoridae) and their ant competitors. *Ecol. Entomol.* 28: 203-210.
- Ozman, S. and Goolsby, J. A. 2005. Biology and Field Phenology of *Floracarus perrepa* (Acarina: Eriophyidae) a potential biological control agent of the Old World climbing fern. *Exper. Appl. Acarol.* 35: 197-213
- Paine, T. D., Jetter, K. M., Klonsky, K. M., Bezark, L. G. and Bellows, T. S. 2003. Ash whitefly and biological control in the urban environment, pp. 203-213 *In* Exotic Pests and Diseases, Biology and Economics for Biosecurity, D. A. Sumner, Editor. Iowa State Press, A Blackwell Publishing Company.
- Paschke, M. W., Redente, E. F., Warren, S. D., Klein, D. A., Smith, L., Klawitter, A. and McLendon, T. 2005. Integrated control and assessment of knapweed and cheatgrass on Department of Defense installations. Report to Department of Defense, Strategic Environmental Research And Development Program (SERDP). 86 pp.
- Paschke, M. W., Redente, E. F., Warren, S. D., Klein, D. A., Smith, L., Klawitter, A. and McLendon, T. 2005. Integrated control and assessment of knapweed and cheatgrass on Department of Defense installations. Report to Department of Defense, Strategic Environmental Research And Development Program (SERDP). 86 pp.

- Pedersen, B., and Mills, N. J. 2004. Single versus multiple introduction in biological control: the roles of parasitoid efficiency, antagonism and niche overlap. *J. Appl. Ecol.* 41: 973-984.
- Pemsl, D., Waibel, H. and Gutierrez, A. P. 2005. Why do some Bt-cotton farmers in China continue to use high levels of pesticides? *International J. Agric. Sustainability* 3:44-56.
- Peng, G., K. L. Bailey and Hinz, H. L. 2002. Evaluation of plant pathogens for biocontrol of scentless chamomile in western Canada. *Can. J. Plant Pathol.* 24: 394.
- Perlman, S.P., Hunter, M. S. and Zchori-Fein, E. 2006. The emerging diversity of *Rickettsia*. *Proc. Royl. Soc. London, Series B.* 273: 2097-2106.
- Petersen, M. K. and Hunter, M. S. 2002. Ovipositional preference and larval – early adult performance of two generalist lacewing predators of aphids in pecans. *Biol. Control* 25: 101-109.
- Pfannenstiel, R. and Unruh, T. 2003. Conservation of leafroller parasitoids through provision of alternate hosts in near-orchard habitats. Pp 256-262. In: Proceeding 1st International Symposium on the Biological Control of Arthropods. USDA Forest Service Publ. FHTET -03-05
- Pfannenstiel, R. S., Szymanski, M., Lacey, L. A., Brunner, J. F. and Spence, K. 2004. Discovery of a granulovirus of *Pandemis pyrusana* (Lepidoptera: Tortricidae), a leafroller pest of apples in Washington. *J. Invertebr. Pathol.* 86: 124-127.
- Phillips C. B., Cane R. P., Mee J., Chapman H. M., Hoelmer K. A., Coutinot D. 2002. Intraspecific variation in the ability of *Microctonus aethiopoies* Loan (Hymenoptera: Braconidae) to parasitise *Sitona lepidus* Gyllenhal (Coleoptera: Curculionidae). *New Zealand J. Agric. Res.* 45(4): 295-303.
- Pickett, C. H. and Wall, R. 2003. Ash whitefly *Siphoninus phillyreae* (Haliday) (Homoptera:Aleyrodidae) and *Encarsia inaron* (Walker) (Hymenoptera: Aphelinidae) in northern California: 1990-2000. *Pan. Pac. Entomol.:* 79: 156-158.
- Pickett, C. H., Coutinot, D., Hoelmer, K., Goulet, H. and Kuhlmann, U. 2005. Establishment of *Peristenus* spp. in northern California for the control of *Lygus* spp., pp. 116-125. Proceedings, 2<sup>nd</sup> International Symposium of Biological Control of Arthropods, Davos, Switzerland. Sept. 2005. U.S.D.A. Forest Service Publication FHTET-2005-08, vol. 1. pp. 116-125.
- Pickett, C. H., Godfrey, K., Mayhew, D. A., Casanave, K. Coutinot, D., Ertle, L. and Hoelmer, K. A. 2002. Importation and establishment of *Lygus hesperus* nymphal parasitoids in central California. *Proceedings, 2002 Beltwide Cotton Conferences*. National Cotton Council of America. Companion CD ROM.
- Pickett, C. H., Roltsch, W. and Corbett, A. 2004. The role of natural enemy refuges in the establishment and movement of silverleaf whitefly parasitoids. Special Edition, *Inter. J. Pest Mgmt.* 50: 183-191.
- Pickett, C. H., Roltsch, W. and Corbett, A. 2004. The role of a rubidium marked natural enemy refuge in the establishment and movement of *Bemisia* parasitoids. *Intl. J. Pest Mgmt.* 50: 183-191.
- Pickett, C. H., Simmons, G., Lozano, E. and Goolsby, J. A. 2004. Augmentative biological control of whiteflies using transplants. *Biocontrol* 49: 665-688.

- Pike, K. S., Foottit, R. G., Miller, R. H., Idechiil, O. and Allison, D. W. 2005. *Uroleucon formosanum* (Takahashi) and *Uroleucon sonchellum* (Monell) (Hemiptera, Aphididae): Morphological Comparison and Diagnosis. *Proc. Hawaiian Entomol. Soc.* 37: 49-64.
- Pinto, J. D., Koopmanschap, A. B., Platner, G. R. and Stouthamer, R. 2002. The North American *Trichogramma* (Hymenoptera: Trichogrammatidae) parasitizing certain Tortricidae (Lepidoptera) on apple and pear, with ITS2 DNA characterizations and description of a new species. *Biol. Control* 23:134-142.
- Pinto, J. D., Platner, G. R. and Stouthamer, R. 2003. The systematics of the *Trichogramma minutum* species complex (Hymenoptera: Trichogrammatidae), a group of important North American biological control agents: the evidence from reproductive compatibility and allozymes. *Biol. Control* 27:167-180
- Piper, G. L. and Nechols, J. R.. 2004. *Psylliodes chalconera*. In: E. M. Coombs, J. K. Clark, G. L. Piper, and A. F. Cofrancesco, Jr. (eds.), Biological Control of Invasive Plants in the United States. Oregon State University Press, Corvallis.
- Piper, G. L. and Story, J. 2004. Diffuse knapweed, pg. 198-200. In E. M. Coombs, J. K. Clark, G. L. Piper, and A. F. Cofrancesco (eds.), Biological Control of Invasive Plants in the United States. *West. Soc. Weed Sci.*, Oregon State University Press, Corvallis.
- Piper, G. L., and Coombs, E. M. 2004. Thistles. Pages 345-378 in E.M. Coombs, J.K. Clark, G. L. Piper, and A. F. Cofrancesco, eds. Biological Control of Invasive Plants in the United States. Oregon State University Press, Corvallis, OR.
- Piper, G. L., Coombs, E. M., Blossey, B., McEvoy, P. B., and Schooler, S. S. 2004. Purple loosestrife, *Lythrum salicaria*, Loosestrife family - Lythraceae. Pages 281-292 in E. M. Coombs, J. K. Clark, G. L. Piper, and A. Cofrancesco, editors. Biological control of invasive plants in the United States. Oregon State University Press, Corvallis, Oregon.
- Piper, G. L., Coombs, E. M., Markin, G. P. and Joley, D. 2004. Rush skeletonweed. Pages 293-303 in E. M. Coombs, J. K. Clark, G. L. Piper, and A. F. Cofrancesco, eds. Biological Control of Invasive Plants in the United States. Oregon State University Press, Corvallis, OR.
- Pitcairn, M. J. 2004. French Broom. In: E. M. Coombs, J. K. Clark, G. L. Piper, and A. F. Cofrancesco, Jr. (eds.), Biological Control of Invasive Plants in the United States. Oregon State University Press, Corvallis, OR. pp. 158-160.
- Pitcairn, M. J. 2004. Russian thistle. In: E. M. Coombs, J. K. Clark, G. L. Piper, and A. F. Cofrancesco, Jr. (eds.), Biological Control of Invasive Plants in the United States. Oregon State University Press, Corvallis, OR. pp. 304-310.
- Pitcairn, M. J., Schoenig, S., Yacoub, R. and Gendron, J. 2006. Yellow starthistle continues its spread in California. *California Agriculture*, 60(2): 83-90.
- Pitcairn, M. J., Woods, D. M. and Popescu, V. 2006. Changes in densities of biological control agents and yellow starthistle at long-term study sites in California. *Proc. West. Soc. Weed Sci.* 59: 58.
- Pitcairn, M. J., Young, J. A., Clements, C. D., Balciunas, J. K. 2002. Purple starthistle (*Centaurea calcitropa*) seed germination. *Weed Technology*. 16: 452-456.
- Pitcairn, M., Piper, G. L., Coombs, E. M., Woods, D. and Bruckart, W. (2004). Yellow starthistle. Pages 421-435 in E.M. Coombs, J.K. Clark, G.L. Piper, and A.F. Cofrancesco, eds. Biological Control of Invasive Plants in the United States. Oregon State University Press, Corvallis, OR.

- Poinar, G. O. Jr., Meikle, W. G. and Mercadier, G. 2006. *Chroniodiplogaster formosiana* sp. n. (Rhabditida: Diplogastridae) from Chinese populations of *Odontotermes formosanus* Shiraki (Isoptera: Termitidae). *J. Nematol.* 38(2): 181-186.
- Ponsard, S., Gutierrez, A. P. and Mills, N. J. 2002. Effects of Bt-toxin in transgenic cotton on the adult longevity of four heteropteran predators. *Environ. Entomol.* 31(6): 1197-1205.
- Prasad, R. P. and Snyder, W. E. 2004. Predator interference limits fly egg biological control by a guild of ground-active beetles. *Biol. Control* 31:428-437.
- Prasad, R. P. and Snyder, W. E. 2006. Diverse trait-mediated indirect interactions in a multi-predator, multi-prey community. *Ecology* 87:1131-1137.
- Prasad, R. P. and Snyder, W. E. 2006. Polyphagy complicates conservation biological control that targets generalist predators. *J. Appl. Ecol.* 43:343-352.
- Pratt, P. P., Coombs, E. M. and Croft, B. A. 2003. Predation by phytoseiid mites on *Tetranychus lintearius* (Acari: Tetranychidae), an established weed biological control agent of gorse (*Ulex europaeus*). *Biol. Control* 26:40-47.
- Prischmann, D. A., James, D. G. and Snyder, W. E. 2005. Impact of management intensity on mites (Acari: Tetranychidae, Phytoseiidae) in Southcentral Washington wine grapes. *Intl. J. Acarol.* 31:277-288.
- Prischmann, D. A., James, D. G., Gingras, S. N. and Snyder, W. E. 2005. Diversity and abundance of insects and spiders on managed and unmanaged grapevines in southcentral Washington State. *Pan-Pac. Entomol.* 81:131-144.
- Prischmann, D. A., James, D. G., Wright, L. C. and Snyder, W. E. 2006. Effects of generalist phytoseiid mites and grapevine canopy structure on spider mite (Acari: Tetranychidae) biocontrol. *Environ. Entomol.* 35:56-67.
- Prischmann, D. A., James, D. G., Wright, L. C., Teneyck, R. D. and Snyder, W. E. 2005. Effects of chlorpyrifos and sulfur on spider mites and their natural enemies. *Biol. Control* 33:324-334.
- Quimby, P. C., Caesar, A., J., Birdsall, J. L., Connick, W. J., Boyette, C. D., Zidack, N. K. and Grey, W. E. 2002. Granulated formulation and method for stabilizing biocontrol agents U. S. Patent No. 6,455,036 B1 Issued Sept 24, 2002.
- Quimby, P. C., Gras, S., Widmer, T., Meikle, W. and Sands, D. 2004. Formulation of *Sclerotinia sclerotiorum* for use against *Cirisium arvense*. *Zeitschrift für Pflanzenkrankheiten und Pflanzenschutz* 19: 491-495.
- Ramadan, M. M. and Messing, R. H. 2003. A survey for potential biocontrol agents of *Bactrocera cucurbitae* (Diptera: Tephritidae) in Thailand. *Proc. Haw. Entomol. Soc.* 36: 115-122.
- Rejmanek, M., Richardson, D. M., Higgins, S. I., Pitcairn, M. J. and Grotkopp, E. 2005. Ecology of invasive plants: state of the art. In: H. A. Mooney, R. N. Mack, J. A. McNeely, L. E. Neville, P. Johan Schei, and J. K. Waage (eds.) *Invasive Alien Species: A New Synthesis*. Island Press, Washington, D.C., pp. 104-161.
- Reznik, S.Y., Volkovitsh, M.G., Dolgovskaya, M.Yu., and Cristofaro, M. 2004. Poster 61. Introduction of the ragweed leaf beetle *Zygogramma suturalis* F. (Coleoptera: Chrysomelidae) into Russia for biological control of common ragweed, *Ambrosia artemisiifolia* L. (Asteraceae) as a model of biological invasion. In: 3rd International Conference on Biological Invasions, Neobiota – from ecology to control. 30. September – 1. October 2004. Zoological Institute, University of Bern, Switzerland. P111.

- Rhainds, M. and Messing, R. H. 2005. Spatial and temporal density dependence in a population of melon aphid, *Aphis gossypii* Glover (Homoptera: Aphididae), on established and sentinel taro plants. *Appl. Entomol. Zool.* 40: 273-282.
- Riga, K., Lacey, L. A., Guerra, N. and Headrick, H. L. 2006. Control of the oriental fruit moth, *Grapholita molesta*, using entomopathogenic nematodes in laboratory and bin assays. *J. Nematol.* 38: 168-171.
- Roderick G. K. 2004. Tracing the origin of pests and natural enemies: genetic and statistical approaches. In: Ehler LE, Sforza R, Mateille T, editors. *Genetics, Evolution, and Biological Control*. Wallingford, UK: CAB International. pp. 97-112.
- Roltsch, W. J., Meyerdirk, D. E., Warkentin, R., Andress, E. R. and Carrera, K. 2006. Classical biological control of the pink hibiscus mealybug, *Maconellicoccus hirsutus* (Green), in southern California. *Biol. Control* 37 155-166.
- Rosenheim, J. A. 2004. Top predators constrain the habitat selection games played by intermediate predators and their prey. *Israel J. Zool.* 50:129-138.
- Rosenheim, J. A. 2005. Intraguild predation on *Orius tristicolor* by *Geocoris* spp. and the paradox of irruptive spider mite dynamics in California cotton. *Biol. Control* 32:172-179.
- Rosenheim, J. A., and Brodeur, J. 2002. A simple trap to study small-scale movement by walking arthropods. *Entomol. Exper. et Appl.* 103:283-285.
- Rosenheim, J. A., and Corbett, A. 2003. Omnivory and the indeterminacy of predator function: can a knowledge of foraging behavior help? *Ecology* 84:2538-2548.
- Rosenheim, J. A., and Harmon, J. P. 2006. The influence of intraguild predation on the suppression of a shared prey population: an empirical reassessment. In: J. Brodeur and G. Boivin (eds.), *Trophic and Guild Interactions in Biological Control*, Springer, New York.
- Rosenheim, J. A., Glik, T. E., Goeriz, R. E. and Rämert, B. 2004. Linking a predator's foraging behaviour with its effects on herbivore population suppression. *Ecology* 85:3362-3372.
- Rosenheim, J. A., Goeriz, R. E. and Thacher, E. F. 2004. Omnivore or herbivore? Field observations of foraging by *Lygus hesperus*. *Environ. Entomol.* 33:1362-1370.
- Rosenheim, J. A., Limburg, D. D., Colfer, R. G., Fournier, V., Hsu, C. L., Leonardo, T. E. and Nelson, E. H. 2004. Herbivore population suppression by an intermediate predator, *Phytoseiulus macropilis*, is insensitive to the presence of an intraguild predator: an advantage of small body size? *Oecologia* 140: 577-585.
- Rugman-Jones, P. F., Hoddle, M. S., Mound, L. A. and Stouthamer, R. 2006. A molecular key for the pest species of Scirtothrips (Thysanoptera: Thripidae). *J. Econ. Entomol.* 99:1813-1819.
- Rugman-Jones, P. F., Weeks, A. R., Hoddle, M. S. and Stouthamer, R. 2005. Isolation and characterization of microsatellite loci in the avocado thrips *Scirtothrips perseae* (Thysanoptera: Thripidae). *Molecular Ecology Notes* 5:644-646.
- Sato, S., Yasuda, H. and Evans, E. W. 2005. Dropping behaviour of larvae of aphidophagous ladybirds and its effects on incidence of intraguild predation. *Ecol. Entomol.* 30: 220-224.
- Schooler, S. S., and McEvoy, P. B. 2006. Relationship between insect density and plant damage for the golden loosestrife beetle, *Galerucella pusilla*, on purple loosestrife (*Lythrum salicaria*). *Biol. Control* 36:100-105.

- Schooler, S. S., Coombs, E. M., and McEvoy, P. B. 2003. Nontarget effects on crepe myrtle by *Galerucella pusilla* and *G. californiensis* (Chrysomelidae), used for biological control of purple loosestrife (*Lythrum salicaria*). *Weed Sci.* 51:449-455.
- Schooler, S. S., McEvoy, P. B., and Coombs, E. M. 2004. The Ecology of Biological Control. Pages 15-26 in E. M. Coombs, J. K. Clark, G. L. Piper, and A. Cofrancesco, editors. Biological control of invasive plants in the United States. Oregon State University Press, Corvallis, Oregon.
- Schooler, S. S., McEvoy, P. B., and Coombs, E. M. 2006b. Negative per capita effects of purple loosestrife and reed canary grass on plant diversity of wetland communities. *Diversity and Distributions* 12:351-363.
- Schweizer, H. Morse, J. G., Luck, R. F., and Forster, L. D. 2002. Augmentative releases of a parasitoid (*Metaphycus* sp. nr. *flavus*) against citricola scale (*Coccus pseudomagnoliarum*) on oranges in the San Joaquin Valley of California. *Biol. Control* 24:153-166.
- Schweizer, H., Luck, R. F. and Morse, J. G. 2003. Augmentative releases of *Metaphycus* sp. nr. *flavus* against citricola scale on oranges in the San Joaquin Valley of California: Are early releases better than late ones? *J. Econ. Entomol.* 96: 1375-87.
- Schweizer, H., Morse, J. G. and Luck, R. F. 2003. Evaluation of *Metaphycus* spp. for suppression of black scale (Homoptera: Coccidae) on southern California citrus. *Environ. Entomol.* 32: 377-86.
- Sforza, R. and Cristofaro, M. 2002. Search for biocontrol agents in Turkey against medusahead and yellow starthistle. Proc. The Fifth Turkish National Congress of Biological Control, Erzurum, Turkey. Sept. 4-7, 2002, 327-334.
- Shafroth, P. B., Cleverly, J., Dudley, T. L., Stuart, J., Van Riper, C. and Weeks, E. P. 2005. Saltcedar removal, water salvage and wildlife habitat restoration along rivers in the southwestern U.S. *Environ. Mgmt.* 35: 1-16.
- Shanower, T. and K. A. Hoelmer. 2004. Biological control of wheat stem sawflies: past and future. *J. Agric. & Urban Entomology* v. 21(4): 197-221.
- Shapiro-Ilan, D. I., Duncan, L. W., Lacey, L. A., and Han, R. 2005. Orchard crops. In "Nematodes as Biological Control Agents" P. S. Grewal, R.-U. Ehlers, and D. I. Shapiro-Ilan (Eds), CABI Publishing, Wallingford, Oxon. Pp. 215-229.
- Shapiro-Ilan, D. I., Fuxa, J. R., Lacey, L. A., Onstad, D. W. and Kaya, H. K. 2005. Definitions of pathogenicity and virulence in invertebrate pathology. *J. Invertebr. Pathol.* 88: 1-7.
- Shapland, E. B., Daane, K. M., Yokota, G. Y., Wistrom, C., Connell, J. H., Duncan, R. A., and Viveros, M. A. 2006. Ground vegetation survey for *Xylella fastidiosa* in California almond orchards. *Plant Dis.* 90: 905-909.
- Shrewsbury, P. M., Lashomb, J. H., Hamilton, G. C., Zhang, J., Patt, J. M. and Casagrande, R. A. 2004. The influence of flowering plants on herbivore - natural enemy populations dynamics in ornamental landscapes. *Intl. J. Ecol. & Environ. Sci.* 30: 23-33.
- Siegel, J., Lacey, L. A., Fritts, Jr., R., Higbee, B. S. and P. Noble, P. 2004. Use of Steinernematid nematodes for post harvest control of navel orangeworm (Lepidoptera: Pyralidae, *Amyelois transitella*) in fallen pistachios. *Biol. Control* 30: 410-417.
- Siegel, J., Lacey, L. A., Higbee, B. S., Bettiga, J. and Fritts, Jr., R. 2004. Entomopathogenic nematodes for control of overwintering navel orangeworm. Proc. Int. Research Conference on Methyl Bromide Alternatives and Emissions Reductions. Oct. 31- Nov. 3,

- 2004, Orlando, FL. pp. 72.1-72.4.
- Siegel, J., Lacey, L. A., Higbee, B. S., Noble, P. and Fritts, Jr., R. 2006. Effect of application rates and abiotic factors on *Steinernema carpocapsae* for control of overwintering navel orangeworm (Lepidoptera: Pyralidae, *Amyelois transitella*) in fallen pistachios. *Biol. Control* 36: 324-330.
- Sime, K. R., Daane, K. M., Kirk, A., Andrews, J. W. Jr., Johnson, M. W., and Messing, R. H. 2006. *Psytalia ponerophaga* (Hymenoptera: Braconidae) as a potential biological control agent of the olive fruit fly in California. *Bull. Entomol. Res.* 97: 1-10.
- Sime, K. R., Daane, K. M., Nadel, H., Funk, C. S., Messing, R. H., Andrews, J. W. Jr., Johnson, M. W., and Pickett C. H. 2006. *Diachasmimorpha longicaudata* and *D. kraussii* (Hymenoptera: Braconidae) potential parasitoids of the olive fruit fly. *Biocontrol Sci. Technol.* 16(2): 169-179.
- Sime, K. R., Daane, K. M., Andrews, J. W. Jr., Hoelmer, K., Pickett, C. H., Nadel, H., Johnson, M. W., and Messing, R. H. 2006. The biology of *Bracon celer* as a parasitoid of the olive fruit fly. *BioControl* 51: 553-567.
- Sime, K. R., Daane, K. M., Messing, R. H and Johnson, M. W. 2006. Comparison of two laboratory cultures of *Psytalia concolor* (Hymenoptera: Braconidae), as a parasitoid of the olive fruit fly. *Biol. Control* 39: 248-255.
- Simmons, G.S., Hoelmer, K., Pickett, C. Natwick, E. and Andress, E. 2002. Augmentative biological control of silverleaf whitefly infesting melons with releases of exotic *Eretmocerus* species: a review of the progress. pp. 168. In T. J. Henneberry, N. C. Toscano, T. M. Perring, and R. M. Faust [eds.], Silverleaf whitefly: national research, action & technology transfer plan 1997-2001: Fifth annual review of the second five-year plan., Vol. 2002-01 USDA-ARS, Beltsville.
- Smith, L. 2004. Avoiding and exploiting trophic cascading: its role in the selection of weed biological control agents. In: Proceedings of the XI International Symposium on Biological Control of Weeds (eds Cullen, J.M., Briese, D.T., Kriticos, D.J., Lonsdale, W.M., Morin, L. and Scott, J.K.) pp. 175-179. CSIRO Entomology, Canberra, Australia.
- Smith, L. 2004. Impact of biological control agents on diffuse knapweed in central Montana. In: Proceedings of the XI International Symposium on Biological Control of Weeds (eds Cullen, J.M., Briese, D.T., Kriticos, D.J., Lonsdale, W.M., Morin, L. and Scott, J.K.) pp. 589-593. CSIRO Entomology, Canberra, Australia.
- Smith, L. 2004. Proposed Field Release of the Blister Mite, *Aceria salsolae* de Lillo and Sobhian (Acari: Eriophyoidea) from Greece, for Biological Control of Russian thistle (*Salsola tragus* L.) in the United States. Petition 04-06 to USDA-APHIS Technical Advisory Group (TAG). 60 pp.
- Smith, L. 2004. Prospective New Agents for Biological Control of Yellow Starthistle. *Proc. Cal. Weed Sci. Soc.*, 12-14 January, 2004, Sacramento, CA. pp. 136-138
- Smith, L. 2005. Host plant specificity and potential impact of *Aceria salsolae* (Acari: Eriophyidae), an agent proposed for biological control of Russian thistle (*Salsola tragus*). *Biol. Control* 34(1): 83-92.
- Smith, L. 2005. Host plant specificity and potential impact of *Aceria salsolae* (Acari: Eriophyidae), an agent proposed for biological control of Russian thistle (*Salsola tragus*). *Biol. Control* 34(1): 83-92.
- Smith, L. 2006. Cause and Effect, and How to Make a Better Biocontrol Agent. *Biocontrol News and Information.* 27(2): 28N-30N.



- Smith, L. 2006. Classical biological control of weeds. *Noxious Times* 8(1): 4-5, 12.  
<http://www.cdfa.ca.gov/phpps/ipc/noxioustimes/pdfs/2006spring.pdf>
- Smith, L. 2006. Risk assessment of *Ceratapion basicorne*, a rosette weevil of yellow starthistle. In M. S. Hoddle and M. W. Johnson (eds.), Proceedings of the Fifth California Conference on Biological Control, July 25-26, 2006, Riverside, CA. pp. 47-54.
- Smith, L. 2002. New Developments in the Biological Control of Invasive Weeds. *Proc. Cal. Weed Sci. Soc.* 54: 159-165.
- Smith, L. and Drew, A. E. 2005. Biological Control of Spotted and Diffuse Knapweeds. USDA, Agricultural Research Service, Albany, California. 12 pp.
- Smith, L. and Drew, A. E. 2005. Biological Control of Yellow Starthistle. USDA, Agricultural Research Service, Albany, California. 16 p.
- Smith, L. and Drew, A. E. 2006. Fecundity, development and behavior of *Ceratapion basicorne* (Coleoptera: Apionidae), a prospective biological control agent of yellow starthistle. *Environ. Entomol.* 35(5): 1366-1371.
- Smith, L. and Mayer, M. 2005. Field cage assessment of interference among insects attacking seed heads of spotted and diffuse knapweed. *Biocon. Sci. & Technol.* 15(5): 427 - 442.
- Smith, L. and Story, J. M. 2003. Plant size preference of *Agapeta zoegana* L. (Lepidoptera: Tortricidae), a root-feeding biological control agent of spotted knapweed. *Biol. Control* 26: 270-278.
- Smith, L., Balciunas, J. and Pitcairn, M. 2003. Biological control of yellow starthistle. pg. 41 in: Proceedings, CalEPPC Symposiums, 2000, 2001, 2002. M. Kelly (ed.), Concord, CA.
- Smith, L., Hayat, R., Cristofaro, M., Tronci, C., Tozlu, G. and Lecce, F. 2006. Assessment of risk of attack to safflower by *Ceratapion basicorne* (Coleoptera: Apionidae), a prospective biological control agent of *Centaurea solstitialis* (Asteraceae). *Biol. Control* 36(3): 337-344.
- Snyder, W. E. and Clevenger, G. M. 2004. Negative dietary effects of Colorado potato beetle eggs for the larvae of native and introduced ladybird beetles. *Biol. Control* 31:353-361.
- Snyder, W. E. and Evans, E. W. 2006. Ecological effects of invasive, arthropod generalist predators. *Ann. Rev. Ecol. Evol. & System.* 37:95-122.
- Snyder, W. E. and Ives, A. R. 2003. Interactions between specialist and generalist natural enemies: parasitoids, predators, and pea aphid biocontrol. *Ecology* 84:91-107.
- Snyder, W. E., Ballard, S. N., Yang, S., Clevenger, G. M., Miller, T. D., Ahn, J. J., Hatten, T. D. and Berryman, A. A. 2004. Complementary biocontrol of aphids by the ladybird beetle *Harmonia axyridis* and the parasitoid *Aphelinus asychis* on glasshouse roses. *Biol. Control* 30:229-235.
- Snyder, W. E., Chang, G. C. and Prasad, R. P. 2005. Conservation biological control: biodiversity influences the effectiveness of predators. In: *Ecology of Predator-Prey Interactions* (eds. P. Barbosa & I. Castellanos), pp. 324-343. Oxford University Press, London.
- Snyder, W. E., Clevenger, G. M. and Eigenbrode, S. D. 2004. Intraguild predation and successful invasion by introduced ladybird beetles. *Oecologia* 140:559-565.
- Snyder, W. E., Snyder, G. B., Finke, D. L. and Straub, C. S. 2006. Predator biodiversity strengthens herbivore suppression. *Ecology Letters* 9:789-796.
- Sobhian, R., Fumanal, B. and Pitcairn, M. 2003. Observations on the host specificity and biology of *Lixus salsolae* (Coleoptera: Curculionidae), a potential biological control agent of

- Russian thistle, *Salsola tragus* (Chenopodiaceae) in North America. *J. Appl. Entomol.* 127: 322-324.
- Sobhian, R., Ryan, F. J., Khamraev, A., Pitcairn, M. J. and Bell, D. E. 2003. DNA phenotyping to find a natural enemy in Uzbekistan for California biotypes of *Salsola tragus* L. *Biol. Control* 28: 222-228.
- Soroka, J., Kuhlmann, U., Floate, K.D., Whistlecraft, J., Holliday, N.J. and Boivin, G. 2002. *Delia radicum* (L.), cabbage maggot (Diptera: Anthomyiidae). In: Mason, P.; Huber, J. (eds.) *Biological Control Programmes in Canada, 1981-2000*. CAB International, Wallingford, UK, pp. 99-104.
- Steinkraus, D. C., Boys, G. O., and Rosenheim, J. A. 2002. Classical biological control of *Aphis gossypii* (Homoptera: Aphididae) with *Neozygites fresenii* (Entomophthorales: Neozygiteaceae) in California cotton. *Biol. Control* 25:297-304.
- Sterling, T.M., Thompson, D. C. and Abbott, L. B. 2004. Implications of invasive plant variation for weed management. *Weed Tech.* 18:1319-1324.
- Story, J. 2002. Spotted Knapweed, pg. 169-180. In R. Van Driesche, B. Blossey, M. Hoddle, S. Lyon, and R. Reardon (eds.). *Biological control of invasive plants in the eastern United States*. USDA Forest Service publication FHTET-2002-04. 169-180.
- Story, J. 2004. *Agapeta zoegana*, pg. 207-209. In E. M. Coombs, J. K. Clark, G. L. Piper, and A. F. Cofrancesco (eds.), *Biological Control of Invasive Plants in the United States*. West. Soc. Weed Sci., Oregon State University Press, Corvallis.
- Story, J. 2004. *Cyphocleonus achates*, pg. 212-213. In E. M. Coombs, J. K. Clark, G. L. Piper, and A. F. Cofrancesco (eds.), *Biological Control of Invasive Plants in the United States*. West. Soc. Weed Sci., Oregon State University Press, Corvallis.
- Story, J. 2004. Houndstongue, pg. 445. In E. M. Coombs, J. K. Clark, G. L. Piper, and A. F. Cofrancesco (eds.), *Biological Control of Invasive Plants in the United States*. West. Soc. Weed Sci., Oregon State University Press, Corvallis.
- Story, J. 2004. *Pelochrista medullana*, pg. 220-221. In E. M. Coombs, J. K. Clark, G. L. Piper, and A. F. Cofrancesco (eds.), *Biological Control of Invasive Plants in the United States*. West. Soc. Weed Sci., Oregon State University Press, Corvallis.
- Story, J. 2004. Sulfur cinquefoil, pg. 450. In E. M. Coombs, J. K. Clark, G. L. Piper, and A. F. Cofrancesco (eds.), *Biological Control of Invasive Plants in the United States*. West. Soc. Weed Sci., Oregon State University Press, Corvallis.
- Story, J. 2005. Biological weed control in Montana - an update. *The Forest Steward's Journal*. Vol 10(1).
- Story, J. Piper, G. L. and Coombs, E. M. 2004. Knapweeds, pg. 196. In E. M. Coombs, J. K. Clark, G. L. Piper, and A. F. Cofrancesco (eds.), *Biological Control of Invasive Plants in the United States*. West. Soc. Weed Sci., Oregon State University Press, Corvallis.
- Story, J. and Coombs, E. M. 2004. *Chaetorellia acrolphi*, pg. 211-212. In E. M. Coombs, J. K. Clark, G. L. Piper, and A. F. Cofrancesco (eds.), *Biological Control of Invasive Plants in the United States*. West. Soc. Weed Sci., Oregon State University Press, Corvallis.
- Story, J. and Coombs, E. M. 2004. *Larinus minutus*, pg. 214-216. In E. M. Coombs, J. K. Clark, G. L. Piper, and A. F. Cofrancesco (eds.), *Biological Control of Invasive Plants in the United States*. West. Soc. Weed Sci., Oregon State University Press, Corvallis.
- Story, J. and Coombs, E. M. 2004. *Larinus obtusus*, pg. 216-217. In E. M. Coombs, J. K. Clark, G. L. Piper, and A. F. Cofrancesco (eds.), *Biological Control of Invasive Plants in the United States*. West. Soc. Weed Sci., Oregon State University Press, Corvallis.

- Story, J. and Coombs, E. M. 2004. *Metzneria paucipunctella*, 218-219. In E. M. Coombs, J. K. Clark, G. L. Piper, and A. F. Cofrancesco (eds.), Biological Control of Invasive Plants in the United States. *West. Soc. Weed Sci.*, Oregon State University Press, Corvallis.
- Story, J. and Coombs, E. M. 2004. *Pterolonche inspersa*, pg. 221-222. In E. M. Coombs, J. K. Clark, G. L. Piper, and A. F. Cofrancesco (eds.), Biological Control of Invasive Plants in the United States. *West. Soc. Weed Sci.*, Oregon State University Press, Corvallis.
- Story, J. and Coombs, E. M. 2004. *Terellia virens*, pg. 226-227. In E. M. Coombs, J. K. Clark, G. L. Piper, and A. F. Cofrancesco (eds.), Biological Control of Invasive Plants in the United States. *West. Soc. Weed Sci.*, Oregon State University Press, Corvallis.
- Story, J. and Coombs, E. M. 2004. *Urophora affinis*, pg. 228-229. In E. M. Coombs, J. K. Clark, G. L. Piper, and A. F. Cofrancesco (eds.), Biological Control of Invasive Plants in the United States. *West. Soc. Weed Sci.*, Oregon State University Press, Corvallis.
- Story, J. and Coombs, E. M. 2004. *Urophora quadrifasciata*, pg. 229-231. In E. M. Coombs, J. K. Clark, G. L. Piper, and A. F. Cofrancesco (eds.), Biological Control of Invasive Plants in the United States. *West. Soc. Weed Sci.*, Oregon State University Press, Corvallis.
- Story, J. and Coombs, E. M. 2004. *Bangasternus fausti*, pg. 209-210. In E. M. Coombs, J. K. Clark, G. L. Piper, and A. F. Cofrancesco (eds.), Biological Control of Invasive Plants in the United States. *West. Soc. Weed Sci.*, Oregon State University Press, Corvallis.
- Story, J. and Woods, D. 2004. Squarrose knapweed, pg. 206-207. In E. M. Coombs, J. K. Clark, G. L. Piper, and A. F. Cofrancesco (eds.), Biological Control of Invasive Plants in the United States. *West. Soc. Weed Sci.*, Oregon State University Press, Corvallis.
- Story, J. M. and R. N. Stougaard, R. N. 2006. Compatibility of two herbicides with *Cyphocleonus achates* (Coleoptera: Curculionidae) and *Agapeta zoegana* (Lepidoptera: Tortricidae), two root insects introduced for biological control of spotted knapweed. *Environ. Entomol.* 35:373-378.
- Story, J. M., Callan, N. W., Corn, J. G. and White, L. J. 2006. Decline of spotted knapweed density at two sites in western Montana with large populations of the introduced root weevil, *Cyphocleonus achates* (Fahraeus). *Biol. Control* 38(2):227-232.
- Story, J. M., White, L. J. and Corn, J. 2004. Establishment of *Pelochrista medullana* (Lepidoptera: Tortricidae) on spotted knapweed in field cages in Montana. *J. Entomol. Sci.* 39:129-131.
- Story, J., Coombs, E. M., and Piper, G. L. 2004. Spotted knapweed, pg. 204-205. In E. M. Coombs, J. K. Clark, G. L. Piper, and A. F. Cofrancesco (eds.), Biological Control of Invasive Plants in the United States. *West. Soc. Weed Sci.*, Oregon State University Press, Corvallis.
- Stouthamer, R. and Mak, F. 2002. Influence of antibiotics on the offspring production of the *Wolbachia*-infected parthenogenetic parasitoid *Encarsia formosa*. *J. Invert. Pathol.* 80:41-45.
- Straub, C. S. and Snyder, W. E. 2006. Experimental approaches to understanding the relationship between predator biodiversity and biological control. In: *Progress in Biological Control: Trophic and Guild Interactions in Biological Control* (Eds. G. Boivin and J. Brodeur), pp. 221-239. Springer, New York.
- Straub, C. S. and Snyder, W. E. 2006. Species identity dominates the relationship between predator diversity and herbivore suppression. *Ecology* 87:277-282.
- Sullivan, D. J., Daane, K. M., Sime, K. R., Andrews, J. W., Jr. 2006. Protective mechanisms for pupae of *Psyllaephagus bliteus* Riek (Hymenoptera: Encyrtidae), a Parasitoid of the Red

- Gum Psyllid *Glycaspis brimblecombei* Moore (Hemiptera: Spondyliaspidae). *Australian J. Entomol.* 45: 101-105.
- Sweeney, J., Brockerhoff, E., Kenis, M. and Turgeon, J. J. 2002. *Strobilomyia neanthracina* and *S. appalachensis*, spruce cone maggots (Diptera: Anthomyiidae). In: Mason, P.G.; Huber, J.T. (eds.) *Biological Control Programmes in Canada, 1981-2000*. Wallingford, UK; CABI Publishing, pp. 253-258.
- Tagami, Y., Miura, K. and Stouthamer, R. 2002. Positive effect of fertilization on the survival rate of immature stages in a *Wolbachia*-associated thelytokous line of *Trichogramma deion* and *T. kaykai*. *Entomol. Exper. Appl.* 105:165-167.
- Tauber, C. A. 2006. A new species of *Berchmanus* (Neuroptera: Chrysopidae) and nomenclatural notes on *B. elegans* (Guérin Méneville). *Proc. Entomol. Soc. Wash.* (in press).
- Tauber, C. A., M. J. Tauber, and G. A. Albuquerque. 2006. *Berchmansus elegans* (Guérin Méneville) (Neuroptera: Chrysopidae): larval and adult characteristics and new tribal affiliation. *Eur. J. Entomol.* 103:221-231.
- Tauber, M. J., Tauber, C. A. and Hinton, T. W. 2006. Life history and reproductive behavior of the endemic Hawaiian *Anomalochrysa hepatica* (Neuroptera: Chrysopidae): A comparative approach. *Eur. J. Entomol.* 103: 327-336.
- Tewksbury, L., Casagrande, R. and Gassmann, A. 2002. Swallowworts *Vincetoxicum* spp. In: Driesche, R.V.; Lyon, S.; Blossey, B.; Hoddle, M.; Reardon, R (eds.) *Biological Control of Invasive Plants in the Eastern United States*. Morgantown, West Virginia, USA; USDA Forest Service, Publication FHTET-2002-04, pp. 209-216.
- Tewksbury, L., Casagrande, R., Blossey, B.; Häfliger, P. and Schwarzländer, M. 2002. Potential for biological control of *Phragmites australis* in North America. *Biol. Control* 23, 191-212.
- Thielen, G. C., Vivanco, J. M., Newingham, B., Good, W., Bais, H. P., Peter, L., Caesar, A. and Calloway, R. M. 2004. Biocontrol herbivory stimulates allelopathic exudation by an invasive plant and the suppression of natives. *Ecol. Letters.* 8: 209-217.
- Thompson, D. C. and Gardner, K. T. 2004. Using *Aphthona* flea beetles as a biological herbicide to control small patches of leafy spurge. In: Cullen, J.M., D.T. Briese, D.J. Kriticos, W.M. Lonsdale, L. Morin, and J.K. Scott (eds), XI International Symposium on Biological Control of Weeds. Canberra, Australia. pp. 481
- Thompson, D.C. and Gardner, K. T. 2004. The future of biological management of weeds on rangelands: An entomologist's viewpoint. In: Hamilton, W.T., A. McGinty, D.N. Ueckert, G.W. Hanselka, and M.R. Lee (eds) *Brush management: Past, Present, Future*. San Angelo, TX. pp. 143-152.
- Triapitsyn, S.V., Vickerman, D. B., Heraty, J. M. and Logarzo, G. A. 2006. A new species of *Gonatocerus* (Hymenoptera: Mymaridae) parasitic on proconine sharpshooters (Hemiptera: Cicadellidae) in the New World. *Zootaxa* 1158: 55-67.
- Unruh, T. R. 2003. Rose plantings increase leafroller parasitism in orchards: A story for the Rose City. Proceedings of the 77th Annual Western Orchard Pest & Disease Management Conference. 3pp. <http://entomology.tfrec.wsu.edu/wopdmc/proceedings.html>
- Unruh, T.R. 2003. Habitat manipulation to increase parasitism of leafrollers and codling moth. *Proc. Wash. Hort. Assoc.*, 98: 125-127
- Unruh, T.R., Short, R., Hopper, K. R., Herard, R. F., Chen, K., Pemberton, R. Fuester, W., Ertle, L. R. and Swan, K. S. 2003. Parasitoid introductions for the biological control of the

- apple ermine moth, *Yponomeuta mallinellus* (Lepidoptera: Yponomeutidae), in the Pacific Northwest. *Biol. Control* 28: 332–345.
- Uygur, S., Smith, L., Uygur, F. N., Cristofaro, M. and Balciunas, J. K. 2005. Field assessment in land of origin of host specificity, infestation rate and impact of *Ceratapion basicorne* (Coleoptera: Apionidae), a prospective biological control agent of yellow starthistle. *Biocontrol*. 50(3):525-541
- Uygur, S., Smith, L., Uygur, F. N., M. Cristofaro, M. and Balciunas, J. 2004. Population densities of yellow starthistle (*Centaurea solstitialis*) in Turkey. *Weed Science* 52(5): 746-753.
- Uygur, S., Smith, L., Uygur, F. N., M. Cristofaro, M. and Balciunas, J. 2005. Field assessment in land of origin of host specificity, infestation rate and impact of *Ceratapion basicorne* a prospective biological control agent of yellow starthistle. *Biocontrol* 50(3): 525-541.
- Van Frankenhuyzen, K., West, R.J. and Kenis, M. 2002. *Lambdina fiscellaria fiscellaria* (Guénée), Hemlock Looper (Lepidoptera: Geometridae). In: Mason, P.G.; Huber, J.T. (eds.) *Biological Control Programmes in Canada, 1981-2000*. Wallingford, UK; CABI Publishing, pp.141-144.
- van Vugt, J. F. A., Salverda, M., de Jong, J. H. and Stouthamer, R. 2003. The paternal sex ratio chromosome in the parasitic wasp *Trichogramma kaykai* condenses the paternal chromosomes into a dense chromatin mass. *Genome* 46: 580-587.
- van Vugt, Joke J. F. A, de Nooijer, Silvester, de Jong, Hans and Stouthamer, Richard. Characterization of repeat sequences on the genome of the parasitic wasp *Trichogramma kaykai* and its paternal sex ratio chromosome. *Chromosoma* 114: 410-419.
- Vavre, F., de Jong, J. H. and Stouthamer, R. 2004. Cytogenetic mechanism and genetic consequences of thelytoky in the wasp *Trichogramma cacoeciae*. *Heredity* 93: 592-596.
- Vickerman D. B., Hoddle, M. S., Triapitsyn, S. and Stouthamer, R. 2004. Species identity of geographically distinct populations of the glassy-winged sharpshooter parasitoid *Gonatocerus ashmeadi*: Morphology, DNA sequences and reproductive compatibility. *Biol. Control* 31:338-345
- Villamil, Soledad C. 2002. The effect of temperature on aspects of the reproductive biology of the field bindweed moth *Tyta luctuosa* (Lepidoptera: Noctuidae). M.S. Thesis, Kansas State University, Manhattan.
- Villamil, Soledad C., Nechols, James R. and Ramaswamy, Sonny B. 2003. Effect of preadult and adult temperatures on oocyte development of the field bindweed moth, *Tyta luctuosa* (Lepidoptera: Noctuidae). *J. Kans. Entomol. Soc.* 76: 442-446.
- Villegas, B. 2004. Puncturevine. In: E. M. Coombs, J. K. Clark, G. L. Piper, and A. F. Cofrancesco, Jr. (eds.), *Biological Control of Invasive Plants in the United States*. Oregon State University Press, Corvallis, OR. pp. 276-280.
- Vincent, C., Babendreier, D. and Kuhlmann, U. 2002. *Hoplocampa testudinea* Klug, European apple sawfly (Hymenoptera: Tenthredinidae). In: Mason, P.G.; Huber, J.T. (eds.) *Biological Control Programmes in Canada, 1981-2000*. Wallingford, UK; CABI Publishing, pp. 135-138.
- Walton, V. M., Daane, K. M., and Pringle, K. L. 2004. Utilizing the sex pheromone of *Planococcus ficus* to improve pest management in South African vineyards. *Crop Prot.* 23: 1089-1096.
- Walton, V. M., Daane, K. M., Bentley, W. J., Millar, J. G., Larsen, T. E., and Malakar-Kuenen, R. 2006. Pheromone-based mating disruption of *Planococcus ficus* (Homoptera: Pseudococcidae) in California vineyards. *J. Econ. Entomol.* 99(4): 1280-1290.

- Wang, X. G. and Messing, R. H. 2002. Newly imported larval parasitoids pose minimal competitive risk to extant egg-larval parasitoid of tephritid fruit flies in Hawaii. *Bull. Entomol. Res.* 92: 423-429.
- Wang, X. G. and Messing, R. H. 2003. Egg maturation in the parasitoid *Fopius arisanus* (Hymenoptera: Braconidae): Do host associated stimuli promote ovarian development? *Ann. Entomol. Soc. Amer.* 96: 571-578.
- Wang, X. G. and Messing, R. H. 2003. Foraging behavior and patch time allocation by *Fopius arisanus*, an egg-larval parasitoid of tephritid fruit flies. *J. Insect Behav.* 16: 593-612.
- Wang, X. G. and Messing, R. H. 2003. Intra- and inter-specific competition by *Fopius arisanus* and *Diachasmimorpha tryoni* (Hymenoptera: Braconidae), parasitoids of the Mediterranean fruit fly *Ceratitidis capitata* (Diptera: Tephritidae) in Hawaii. *Biol. Control* 27: 251-259.
- Wang, X. G. and Messing, R. H. 2004. Fitness consequence of body size-dependent host species selection in a generalist ectoparasitoid. *Behav. Ecol. & Sociobio.* 56: 513-522.
- Wang, X. G. and Messing, R. H. 2004. The ectoparasitic pupal parasitoid, *Pachycrepoideus vindemmiae* (Hymenoptera: Pteromalidae) attacks other primary tephritid fruit fly parasitoids: host expansion and non-target impact. *Biol. Control* 31: 227-236.
- Wang, X. G. and Messing, R. H. 2004. Two different life history strategies determine the competitive outcome between *Dirhinus giffardi* (Chalcididae) and *Pachycrepoideus vindemmiae* (Pteromalidae), ectoparasitoids of cyclorrhaphous Diptera. *Bull. Entomol. Res.* 94: 473-480.
- Wang, X. G. and Messing, R. H. 2006. Feeding and attraction of non-target flies to spinosad-based fruit fly bait. *Pest Mgmt. Sci.* 62: 933-939.
- Wang, X. G. and Messing, R. H.. 2004. Potential interactions among pupal and egg-or-larval-pupal parasitoids of tephritid fruit flies. *Environ. Entomol.* 33: 1313-1320.
- Wang, X. G., Bokonon-Ganta, A. H., Ramadan, M. M. and Messing, R. H.. 2004. Egg-larval parasitoids (Hym., Braconidae) of tephritid fruit fly pests do not attack the flowerhead feeder *Trupanea dubautiae* (Dipt., Tephritidae). *J. Appl. Entomol.* 128: 716-722.
- Wang, X. G., Jarjees, E. A., McGraw, B. K., Bokonon-Ganta, A. H., Messing, R. H. and Johnson, M. W. 2005. Effects of spinosad-based fruit fly bait GF-120 on tephritid fruit fly and aphid parasitoids. *Biol. Control* 35: 155-162.
- Wang, X. G., Messing, R. H. and Bautista, R. C. 2003. Competitive superiority of early acting species: a case study of opine fruit fly parasitoids. *Biocontrol Science and Technology* 13: 391-402.
- Weeks, A. R. and Stouthamer, R. 2004. Increased fecundity associated with infection by a Cytophaga-like intracellular bacterium in the predatory mite, *Metaseiulus occidentalis*. *Proc. Roy. Soc. London - Series B: Biological Sciences.* 271 (Suppl. 4): S193-S195.
- Weeks, A. R., Velten, R. and Stouthamer, R. 2003. Incidence of a new sex-ratio-distorting endosymbiotic bacterium among arthropods. *Proc. Roy. Soc. London (B).* 270:1857-1865.
- Weppler, R., Morse, J. G., and Luck, R. F. 2003. Studies on Rearing *Metaphycus helvolus* (Hymenoptera: Encyrtidae) for Augmentative Release Against Black Scale (Homoptera: Coccidae) on Citrus in California. *Biol. Control* 28: 118-128.
- West, R.J., Kenis, M., Bouchier, R., Smith, S. and Butt, G. 2002. *Zeiraphera canadensis* Mutuura and Freeman, spruce bud moth (Lepidoptera: Tortricidae). In: Mason, P.G.; Huber, J.T. (eds.) *Biological Control Programmes in Canada, 1981-2000*. Wallingford, UK; CABI Publishing, pp. 279-283.

- Wheeler, A. G., Jr. and Bartlett, C. R. 2006. *Delphacodes campestris* (Van Duzee) and *D. lutulenta* (Van Duzee) (Hemiptera: Fulgoromorpha: Delphacidae): association with common hairgrass, *Deschampsia flexuosa* (Poaceae), and notes on habitats, seasonality, and taxonomy. *Proc. Ent. Soc. Wash.* 118(2): 395-403.
- Williams, D. J., Gullan, P. J., Englberger, K. and Moore, A. 2006. Report on the scale insect *Icerya imperatae* Rao (Hemiptera: Coccoidea: Margarodidae) seriously infesting the grasses of Palau. *Micronesica* 38 (2):267—272.
- Wilson, L. M., and Littlefield, J. 2006. Proposed host specificity test plant list for potential biological control agents of hoary cresses, *Lepidium draba*, *L. appelianum*, perennial pepperweed, *L. latifolium*, and dyer's woad, *Isatis tinctoria* (Brassicaceae) in the United States and Canada. Submitted to the USDA-APHIS-Technical Advisory Group (TAG). 48 p.
- Wilson, L. M., Sing, S. E., Piper, G. L., Hansen, R. W., DeClerk-Floate, R., MacKinnon, D. K. and Randall, C. B. 2005. Biology and Biological Control of Dalmatian and Yellow Toadflax. USDA-FS, FHTET-05-13, Morgantown, WV. 116 pp.
- Woods, D. M. 2006. Establishment and impact of biological control agents on spotted, diffuse, and squarrose knapweeds in California. *Proc. West. Soc. Weed Sci.* 59: 57-58.
- Woods, D. M. (ed.) 2003. Biological Control Program Annual Summary. 2002. California Department of Food and Agriculture, Plant Health and Pest Prevention Services, Sacramento, California. 60pp.
- Woods, D. M. (ed.) 2004. Biological Control Program Annual Summary, 2003. California Department of Food and Agriculture, Plant Health and Pest Prevention Services, Sacramento, California. 60pp.
- Woods, D. M. (ed.) 2005. Biological Control Program Annual Summary, 2004. California Department of Food and Agriculture, Plant Health and Pest Prevention Services, Sacramento, California. 60pp.
- Woods, D. M. (ed.) 2006. Biological Control Program Annual Summary, 2005. California Department of Food and Agriculture, Plant Health and Pest Prevention Services, Sacramento, California. 57pp.
- Woods, D. M. and Bruckart, III, W. L. 2004. *Puccinia jaceae* var. *solstitialis*. In: E. M. Coombs, J. K. Clark, G. L. Piper, and A. F. Cofrancesco, Jr. (eds.), Biological Control of Invasive Plants in the United States. Oregon State University Press, Corvallis, OR. pp. 431-432.
- Woods, D. M. and Pitcairn, M. J. 2002. Biological Control Methods. In: California Weed Science Society (ed.), Principles of Weed Control, third edition., Thomson Publications, Fresno, CA. pp. 111-130.
- Woods, D. M., Pitcairn, M. J., Luster, D. G. and Bruckart, W. L. 2002. Disease Notes: First report of musk thistle rust (*Puccinia carduorum*) in California and Nevada. *Plant Disease* 86(7): 814.
- Wright, M. G., Hoffmann, M. P., Kuhar, T. P., Gardner, J. and Pitcher, S. A. 2005. Evaluating risks of biological control introductions: a probabilistic risk-assessment approach. *Biol. Control* 35: 338-347.
- Wright, M. G., Kuhar, T. P., Diez, J. M. and Hoffmann, M. P. 2005. Effective augmentative biological control – importance of natural enemy dispersal, host location, and post-release assessment. International Symposium on Biological Control of Arthropods, USDA Forest Service, Publication FHTET-2005-08. pp. 495-500.

- Yang, P., Foote, D., Alyokhin, A. V., Lenz, L. and Messing, R. H. 2002. Distribution and abundance of mymarid parasitoids (Hymenoptera: Mymaridae) of *Sophonia rufofascia* (Homoptera: Cicadellidae) in Hawaii. *Biol. Control* 23: 237-244
- Yasuda, H., Evans, E.W., Kajita, Y., Urakawa, K. and Takizawa, T. 2004. Asymmetric larval interactions between introduced and indigenous ladybirds in North America. *Oecologia* 141: 722-731.
- Yee, W. L. and Lacey, L. A. 2003. Stage-specific mortality of *Rhagoletis indifferens* (Diptera: Tephritidae) exposed to three species of *Steinernema* Nematodes. *Biol. Control* 27: 349-356.
- Yee, W. L. and Lacey, L. A. 2005. Mortality of different life stages of *Rhagoletis indifferens* (Diptera: Tephritidae) exposed to the entomopathogenic fungus *Metarhizium anisopliae*. *J. Entomol. Sci.* 40: 167-177.
- Young, J. A., Balciunas, J., Clements, C. D., Enloe, S., Harmon, D., Pitcarin, M. J. and Turner, C. 2005. Germination-Temperature Profiles for Achenes of Yellow Starthistle (*Centaurea solstitialis*). *Weed Technol.* 19(4): 815-823.
- Young, J. R., Balciunas, J. K. and Clements, C. D. (2003). Germination of Cape ivy (*Delairea odorata*) seeds from California, Hawaii, and South Africa. *in: Proceedings, 2000 CalEPPC Symposium.* M. Kelly (ed.), CalEPPC, Concord, CA.
- Zaid J., Gries, R., Unruh, T. R., Rowland, E. and Gries, G. 2004. Identification of the larval aggregation pheromone of codling moth, *Cydia pomonella*. *J. Chemical Ecology.* 31: 911-924.
- Zaid J., Unruh, T., Gries, R. and Gries, G. 2005. *Mastrus ridibundus* parasitoids eavesdrop on cocoon-spinning codling moth, *Cydia pomonella*. *Naturwissenschaften* 92:20-25.
- Zhi, Junrui, Margolies, David C., Nechols, James R. and Boyer, Jr., John E. 2006. Interactions between a true omnivore and a co-occurring herbivore. *Entomol. Exper. Appli.* 21: 59-66.